New Five Minute Data June 2023 VP2,WLL and Air Link

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist - cb | High Soil Moist cb | Low Soil Moist cb | Soil Temp 6" °C | High Soil Temp 6" °C | Low Soil Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | High Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Temp Sun °C | High Soil Temp Sun °C | Low Soil Temp Sun °C | Leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Prev Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind Dir | Sonic Wind Run Mi | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Speed MPH | Wind Analogue Ave Speed MPH | Wind Analogue Prev Dir | Wind Analogue High MPH | Wind Analogue High Dir | Wind Chill °C | Low Wind Chill °C | Heat Index °C | High Heat Index °C | THW Index °C | High THW Index °C | Low THW Index °C | Analogue THSW Index °C | High THSW Index °C | Low THSW Index °C | Rain mm | Rain Rate mm | High Solar Rad W/m² | Solar Rad W/m² | Solar Red W/m² | ET MM | UV Index | High UV Index | UV Dose Meds | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 µg/m³ | AirLink High PM1 µg/m³ | AirLink PM 2.5 µg/m³ | AirLink High PM 2.5 µg/m³ | AirLink PM 10 µg/m³ | AirLink High PM 10 µg/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -cb | Soil Moist cb | High Soil Moist cb | Low Soil Moist cb | Soil Temp 6" °C | High Soil Temp 6" °C | Low Soil Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | High Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Temp 24" °C | High Soil Temp 24" °C | Low Soil Temp 24" °C | Soil Temp 36" °C | High Soil Temp 36" °C | Low Soil Temp 36" °C | Leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind Dir | Wind Sonic Wind Run MPH | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Heat Index Out °C | High Heat Index Out °C | Low Heat Index Out °C | Wind Ave Speed MPH | Wind Dir | Wind Analogue Ave Speed MPH | Wind Analogue High MPH | Wind Analogue Dir | Wind Analogue Chill °C | Wind Chill Out °C | Low Wind Chill Out °C | THSW Index Out °C | High THSW Index Out °C | Low THSW Index Out °C | Analogue run mm | THSW Index mm | High THSW Index mm | Low THSW Index mm | Rain Rate mm | Rain Rate High mm | Solar Rad W/m² | High Solar Rad W/m² | Solar ET MM | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink PM1 High ug/m³ | AirLink PM 2.5 ug/m³ | AirLink PM 2.5 High ug/m³ | AirLink PM 10 ug/m³ | AirLink PM 10 High ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist cb | High Soil Moist cb | Low Soil Moist cb | Soil Temp 6" °C | Soil Temp 6" °C | High Soil Temp 6" °C | Low Soil Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | Soil Temp 12" °C | High Soil Temp 12" °C | Low Soil Temp 12" °C | Sun Time Min | Sun Time Temp | High Sun Temp | Low Sun Temp | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev | Wind Sonic High Speed MPH | Wind Sonic Dir | Wind Sonic High Wind MPH | Wind Run Mi | Sonic Wind Dir | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Ave Speed MPH | Wind Dir | Wind Analogue Ave Speed MPH | Wind Analogue Dir | Wind Analogue High MPH | Wind Analogue High Dir | Wind Analogue Chill MPH | Wind Chill Index | Wind Index | Heat Index °C | High Heat Index °C | THW Index °C | High THW Index °C | Low THW Index °C | Wind Run mi | Rain mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad W/m² | High Solar Rad W/m² | ET MM | UV Index | High UV Index | UV Dose MEDs | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist cb | Soil Temp cb | Soil Temp °C | Soil Low Temp 6" °C | Soil High Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp Min 12" °C | Soil High Temp 12" °C | Soil Low Temp 12" °C | Soil Temp Sun °C | High Sun Temp °C | Low Sun Temp °C | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Prev MPH | Wind Sonic High Speed MPH | Wind Sonic Dir | Wind Sonic High Wind Dir | Wind Run | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Heat Index Out °C | High Heat Index Out °C | THW Index Out °C | High THW Index Out °C | Low THW Index Out °C | Analogue Wind mm | THSW Index Out °C | High THSW Index Out °C | Low THSW Index Out °C | Rain mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad W/m² | Solar Rad MJ/M² | ET | UV Index | High UV Index | UV Dose | Heating Degree Days | Cooling Degree Days | AirLink Index AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist cb | Soil Moist cb | Soil Temp 6" °C | Soil Temp 6" °C | Soil Low Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | Soil High Temp 12" °C | Soil Low Temp 12" °C | Sun Temp °C | High Sun Temp °C | Low Sun Temp °C | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev | Wind Sonic High Speed MPH | Wind Sonic High Wind Run | Wind Sonic Dir | Wind Run | Temp °C | High Temp °C | Low Temp °C | Out Hum % | Out Hum % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wind Chill °C | Heat Out °C | High Heat Out °C | Low Heat Out °C | Wind Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Analogue Ave Speed | Wind Analogue Prevailing Dir | Wind Analogue Run Mi | Wind Analogue High Mi | Wind Analogue Dir | Wind Analogue Chill °C | Wind Low Chill °C | Heat Index °C | High Heat Index °C | Low Heat Index °C | THW Index °C | THW High Index °C | THW Low Index °C | Wind run Mi | Wind Analogue Gust Mi | THSW Index °C | THSW High Index °C | THSW Low Index °C | Rain mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad High W/m² | ET MM | UV Index | High UV Index | UV Dose | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar Pressure mb | Bar High Temp mb | Bar Low Temp mb | Bar Absolute mb | Soil Moist mb | Soil Moist cb | High Soil Moist cb | Low Soil Moist cb | Soil Temp 6" °C | High Soil Temp 6" °C | Low Soil Temp 6" °C | Soil Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | High Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Temp 12" °C | Sun Time Min | Sun Time Min | Sun Time Min | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Prev Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Dir | Wind Run Dir | Temp Out °C | High Temp Out °C | Low Temp Out °C | Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Ave Speed MPH | Wind Analogue Ave Speed MPH | Wind Analogue Dir | Wind Analogue High MPH | Wind Analogue High Dir | Wind Analogue Chill °C | Wind Chill °C | Low Wind Chill °C | Heat Index °C | High Heat Index °C | Low Heat Index °C | THW Index °C | High THW Index °C | Low THW Index °C | Wind run Mi | THSW Index °C | High THSW Index °C | Low THSW Index °C | Rain Rate mm | Rain Rate mm | Solar Rad W/m² | Solar Rad W/m² | Solar Rad MJ/m² | ET MM | Index | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -- cb | Soil Moist cb | Soil Moist cb | Soil Temp °C | Soil Temp °C | Soil Temp °C | Soil Temp °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | Soil Temp 12" °C | Soil Temp 12" °C | Soil Temp 12" °C | Sun Temp °C | Sun Temp °C | Sun Temp °C | Leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Prev Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind Dir | Wind Sonic Wind Run MPH | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Ave Speed MPH | Wind Analogue Ave Speed MPH | Wind Analogue Dir | Wind Analogue High MPH | Wind Analogue High Dir | Wind Analogue Chill °C | Wind Chill °C | Wind Low Chill °C | Heat Index °C | High Heat Index °C | THW Index °C | High THW Index °C | Low THW Index °C | Rain mm | Rain Rate mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad W/m² | High Solar Rad W/m² | ET MM | UV Index Index | High UV Index | UV Dose Meds | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | High AirLink PM1 ug/m³ | AirLink PM 2.5 ug/m³ | High AirLink PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | High AirLink PM 10 ug/m³ |
|---|---|---

Date & Time	Bar High mb	Bar Low mb	Bar Absolute mb	Soil Moist -cb	Soil Moist cb	Soil Moist cb	Soil Temp 6" °C	Soil Temp 6" °C	Soil Low Temp 6" °C	Soil High Temp 12" °C	Soil Low Temp 12" °C	Grass Min °C	High Grass Min °C	Low Grass Min °C	Soil Temp 12" °C	Soil High Temp 24" °C	Soil Low Temp 24" °C	Soil Temp Sun °C	High Sun Temp °C	Low Sun Temp °C	Leaf Wetness	Leaf Wetness	Leaf Wetness 1 Minute	Wind Sonic Ave Speed MPH	Wind Sonic Dir	Wind Sonic Prev	Wind Sonic High Speed MPH	Wind Sonic High Wind Dir	Wind Sonic Wind Run Mi	Temp Out °C	High Temp Out °C	Low Temp Out °C	Humidity Out %	High Humidity Out %	Low Humidity Out %	Dew Point Out °C	High Dew Point Out °C	Low Dew Point Out °C	Wet Bulb Out °C	High Wet Bulb Out °C	Low Wet Bulb Out °C	Wind Speed MPH	Wind Analogue Ave Speed MPH	Wind Analogue Prevailing Dir	Wind Analogue High MPH	Wind Analogue High Dir	Wind Analogue Chill °C	Wind Low Chill °C	Heat Index °C	High Heat Index °C	THW Index °C	THW High Index °C	THW Low Index °C	Analogue THW Index run Mi	THSW Index °C	High THSW Index °C	Low THSW Index °C	Rain Rate mm	Rain High Rate mm	Solar Rad W/m²	Solar Rad High W/m²	ET MM	UV Index	High UV Index	UV Dose Index	Heating Degree Days Meds	Cooling Degree Days	AirLink AQI	AirLink High AQI	AirLink PM1 ug/m³	High AirLink PM1 ug/m³	AirLink PM 2.5 ug/m³	High AirLink PM 2.5 ug/m³	AirLink PM 10 ug/m³	High AirLink PM 10 ug/m³
04/12/2023 06:25	996.0	996.0	995.9	977.8	63.3	63.3	62.9	1.2	1.2	1.2	0.4	0.4	0.4	3.0	3.0	3.0	0.7	0.7	0.7	13	13	13	5	--	--	--	--	--	--	0.9	0.9	0.9	97.0	97.1	97.0	0.4	0.6	0.4	0.7	0.8	0.7	3.2	NE	5	NE	-0.7	-0.7	0.9	0.9	-0.7	-0.6	-0.7	0.27	-1.8	-1.7	-1.8	0.2	2.0	0	0	--	0	0.00	0.00	0.06	0.00	1.85	2.62	5.1	7	9.8	19	12.6	24
04/12/2023 06:30	995.9	996.0	995.8	977.7	63.3	63.3	63.3	1.2	1.2	1.2	0.4	0.4	0.4	3.0	3.0	3.0	0.8	0.8	0.7	13	13	13	5	--	--	--	--	--	--	0.9	0.9	0.9	97.1	97.1	97.1	0.6	0.6	0.4	0.8	0.8	0.7	3.1	NE	5	NE	-0.4	-0.7	0.9	0.9	-0.4	-0.4	-0.7	0.25	-1.6	-1.6	-1.6	0.0	1.6	0	0	--	0	0.00	0.00	0.06	0.00	1.86	2.58	5.7	9	9.8	22	12.7	27
04/12/2023 06:35	995.8	995.9	995.8	977.7	63.3	63.3	63.3	1.2	1.2	1.2	0.4	0.4	0.4	3.0	3.0	3.0	0.8	0.9	0.8	12	13	12	5	--	--	--	--	--	--	0.9	0.9	0.9	97.1	97.1	97.0	0.6	0.6	0.5	0.8	0.8	0.7	3.3	NE	5	NE	-0.5	-0.5	0.9	0.9	-0.5	-0.5	-0.5	0.28	-1.6	-1.6	-1.6	0.0	1.6	0	0	--	0	0.00	0.00	0.06	0.00	1.88	2.79	5.5	8	10.1	21	13.7	29
04/12/2023 06:40	995.8	995.8	995.7	977.6	63.3	63.3	63.3	1.2	1.2	1.2	0.4	0.4	0.4	3.0	3.0	3.0	0.8	0.8	0.8	12	13	12	5	--	--	--	--	--	--	0.9	1.0	0.9	97.1	97.1	97.1	0.6	0.6	0.6	0.8	0.8	0.8	3.5	NNE	5	NNE	-0.7	-0.7	0.9	1.0	-0.7	-0.4	-0.7	0.29	-1.8	-1.6	-1.8	0.2	1.6	0	0	--	0	0.00	0.00	0.06	0.00	2.11	2.96	6.0	8	12.8	23	15.9	33
04/12/2023 06:45	995.6	995.8	995.6	977.5	63.3	63.3	63.3	1.2	1.2	1.2	0.4	0.4	0.4	3.0	3.0	3.0	0.8	0.8	0.8	12	12	12	5	--	--	--	--	--	--	1.1	1.1	0.9	96.9	97.1	96.9	0.6	0.6	0.5	0.8	0.8	0.7	3.6	NNE	7	NE	-0.7	-0.8	1.1	1.1	-0.7	-0.7	-0.8	0.3	-1.8	-1.8	-1.9	0.2	1.6	0	0	--	0	0.00	0.00	0.06	0.00	1.99	2.88	5.9	8	11.4	22	14.5	36
04/12/2023 06:50	995.6	995.6	995.5	977.4	63.3	63.3	63.3	1.2	1.2	1.2	0.4	0.4	0.4	3.0	3.0	3.0	0.8	0.8	0.8	13	13	13	5	--	--	--	--	--	--	1.0	1.0	1.0	96.9	97.0	96.9	0.6	0.6	0.6	0.8	0.8	0.8	2.4	NE	4	NE	-0.6	-0.8	1.0	1.0	-0.6	-0.5	-0.8	0.2	-1.7	-1.5	-1.9	0.0	1.6	0	0	--	0	0.00	0.00	0.06	0.00	1.82	2.54	5.7	8	9.4	18	13.5	29
04/12/2023 06:55	995.5	995.6	995.5	977.4	63.3	63.3	63.3	1.2	1.2	1.2	0.4	0.4	0.4	3.0	3.0	3.0	0.8	0.8	0.8	13	13	12	5	--	--	--	--	--	--	1.0	1.0	1.0	96.9	97.0	96.9	0.6	0.6	0.6	0.8	0.8	0.8	2.5	NE	4	NE	-0.1	-0.4	1.0	1.0	-0.1	-0.1	-0.4	0.21	-1.2	-1.2	-1.6	0.2	1.6	0	0	--	0	0.00	0.00	0.06	0.00	1.98	2.88	5.5	7	11.3	22	17.5	37
04/12/2023 07:00	995.5	995.6	995.5	977.4	63.3	63.3	63.3	1.2	1.2	1.2	0.4	0.4	0.4	3.0	3.0	3.0	0.9	0.9	0.8	13	13	13	5	--	--	--	--	--	--	1.0	1.0	1.0	97.0	97.0	96.9	0.6	0.6	0.6	0.8	0.8	0.8	2.5	NE	4	NE	0.0	0.0	1.0	1.0	0.0	0.1	0.0	0.21	-1.1	-1	-1.1	0.0	1.2	0	0.00	0	0.00	0.00	0.06	0.00	2.03	2.96	5.6	8	11.9	23	17.0	35
04/12/2023 07:05	995.6	995.6	995.5	977.3	63.3	63.3	63.3	1.2	1.2	1.2	0.4	0.4	0.4	3.0	3.0	3.0	0.8	0.9	0.8	13	13	13	5	--	--	--	--	--	--	1.0	1.0	1.0	96.9	97.0	96.9	0.6	0.6	0.6	0.8	0.8	0.8	2.0	ENE	4	ENE	0.2	0.1	1.0	1.0	0.2	0.2	0.1	0.17	-0.2	-0.4	-0.4	-1.1	0.0	1.2	0	--	--	0	0.00	0.00	0.06	0.00	1.91	3.04	5.4	9	10.5	24	15.3	34
04/12/2023 07:10	995.5	995.6	995.5	977.4	63.3	63.3	63.3	1.2	1.2	1.2	0.5	0.5	0.4	3.0	3.0	3.0	1.0	1.0	0.9	13	13	13	5	--	--	--	--	--	--	1.0	1.0	1.0	96.9	97.0	96.9	0.6	0.6	0.6	0.8	0.8	0.8	2.2	NE	4	NE	0.4	0.2	1.0	1.0	0.4	0.4	0.2	0.18	-0.7	-0.7	-0.9	0.2	1.0	0	0	--	0	0.00	0.00	0.06	0.00	2.06	3.04	5.6	8	12.2	24	16.5	39
04/12/2023 07:15	995.6	995.6	995.5	977.4	63.3	63.3	63.3	1.2	1.2	1.2	0.5	0.5	0.5	3.0	3.0	3.0	1.0	1.0	1.0	13	13	13	5	--	--	--	--	--	--	1.1	1.1	1.0	96.9	97.0	96.9	0.6	0.6	0.6	0.8	0.8	0.8	1.8	ENE	4	NE	0.7	0.4	1.1	1.1	0.7	0.7	0.4	0.15	-0.4	-0.4	-0.7	0.0	1.0	0	0	--	0	0.00	0.00	0.06	0.00	2.04	2.88	5.5	8	12.0	22	16.2	31
04/12/2023 07:20	995.5	995.6	995.5	977.4	63.3	63.3	63.3	1.2	1.2	1.2	0.5	0.5	0.5	3.0	3.0	3.0	1.0	1.0	1.0	13	13	13	5	--	--	--	--	--	--	1.1	1.1	1.0	96.9	97.0	96.9	0.6	0.6	0.6	0.8	0.8	0.8	2.2	NE	4	NE	0.7	0.5	1.1	1.1	0.7	0.5	0.5	0.19	-0.4	-0.4	-0.6	0.2	1.0	0	0	--	0	0.00	0.00	0.06	0.00	1.87	3.04	5.8	9	10.0	24	12.4	27
04/12/2023 07:25	995.5	995.6	995.5	977.3	63.3	63.3	63.3	1.2	1.2	1.2	0.5	0.5	0.5	3.0	3.0	3.0	1.0	1.1	1.0	13	13	13	5	--	--	--	--	--	--	1.1	1.1	1.1	96.9	97.0	96.9	0.6	0.6	0.6	0.8	0.8	0.8	1.8	NE	3	NE	0.5	0.5	1.1	1.1	0.5	0.6	0.5	0.15	-0.6	-0.5	-0.6	0.0	1.0	0	0	--	0	0.00	0.00	0.06	0.00	1.90	2.71	5.2	8	10.3	20	13.7	29
04/12/2023 07:30	995.5	995.5	995.5	977.4	63.3	63.3	63.3	1.2	1.2	1.2	0.5	0.5	0.5	3.0	3.0	3.0	1.0	1.0	1.0	13	13	13	5	--	--	--	--	--	--	1.1	1.1	1.1	97.0	97.0	96.9	0.6	0.7	0.6	0.8	0.9	0.8	1.4	NE	3	NE	1.0	0.5	1.1	1.1	1.0	1.0	0.5	0.12	-0.1	-0.1	-0.6	0.0	1.0	0	0	--	0	0.00	0.00	0.06	0.00	1.81	2.79	4.8	8	9.4	21	13.8	32
04/12/2023 07:35	995.4	995.5	995.4	977.3	63.6	63.6	63.6	1.2	1.2	1.2	0.5	0.5	0.5	3.0	3.0	3.0	1.0	1.1	1.0	13	13	13	5	--	--	--	--	--	--	1.1	1.1	1.1	97.0	97.0	96.9	0.7	0.7	0.6	0.9	0.9	0.8	1.7	ENE	4	ENE	1.1	1.0	1.1	1.1	1.1	1.1	1.0	0.14	0	0	-0.1	0.2	1.0	0	0	--	0	0.00	0.00	0.06	0.00	1.96	3.12	5.6	9	11.1	25	13.6	35
04/12/2023 07:40	995.5	995.5	995.5	977.3	63.6	63.6	63.6	1.2	1.2	1.2	0.5	0.5	0.5	3.0	3.0	3.0	1.1	1.1	1.0	13	13	13	5	--	--	--	--	--	--	1.2	1.2	1.1	96.9	96.9	96.9	0.7	0.7	0.6	0.9	0.9	0.8	1.8	ENE	4	NE	1.1	0.9	1.2	1.2	1.1	1.1	0.9	0.15	-0.1	0	-0.2	0.0	0.8	0	0	--	0	0.00	0.00	0.06	0.00	2.19	3.12	6.4	9	13.8	25	21.1	36
04/12/2023 07:45	995.5	995.5	995.5	977.4	63.6	63.6	63.6	1.2	1.2	1.2	0.5	0.5	0.5	3.0	3.0	3.0	1.2	1.2	1.1	13	13	13	5	--	--	--	--	--	--	1.2	1.2	1.1	97.2	97.2	96.9	0.8	0.8	0.7	1.0	1.0	0.9	2.0	ENE	3	ENE	0.8	0.8	1.2	1.2	0.8	1.0	0.8	0.17	-0.3	-0.1	-0.3	0.2	1.0	0	0	--	0	0.00	0.00	0.06	0.00	1.95	3.04	6.2	9	11.0	24	14.8	35
04/12/2023 07:50	995.6	995.6	995.5	977.4	63.9	63.9	63.9	1.2	1.2	1.2	0.5	0.5	0.5	3.0	3.0	3.0	1.2	1.2	1.2	13	13	13	5	--	--	--	--	--	--	1.2	1.2	1.2	97.1	97.1	97.1	0.8	0.8	0.8	1.0	1.0	1.0	1.6	ENE	3	NE	0.9	0.8	1.2	1.2	0.9	0.9	0.8	0.14	-0.2	-0.2	-0.3	0.0	1.0	0	0	--	0	0.00	0.00	0.06	0.00	2.00	2.79	6.6	9	12.5	21	18.1	41
04/12/2023 07:55	995.5	995.6	995.4	977.3	63.6	63.6	63.6	1.2	1.2	1.2	0.5	0.5	0.5	3.0	3.0	3.0	2.9	1.2	1.2	12	13	13	5	--	--	--	--	--	--	1.2	1.2	1.2	97.1	97.1	97.1	0.8	0.8	0.8	1.1	1.1	1.0	2.4	ENE	4	ENE	0.8	0.8	1.2	1.2	0.8	1.0	0.8	0.2	-0.3	-0.1	-0.3	0.0	1.0	0	0	--	0	0.00	0.00	0.06	0.00	2.26	3.38	7.4	10	14.7	28	20.8	42
04/12/2023 08:00	995.5	995.5	995.4	977.3	63.6	63.6	63.6	1.2	1.2	1.2	0.5	0.5	0.5	3.0	3.0	3.0	2.9	1.2	1.2	12	13	13	5	--	--	--	--	--	--	1.3	1.3	1.2	97.1	97.1	97.1	0.9	0.9	0.8	1.1	1.1	1.1	2.1	ENE	4	ENE	0.7	0.7	1.3	1.3	0.7	0.8	0.7	0.18	-0.4	-0.3	-0.4	0.2	1.0	0	0	--	0	0.00	0.00	0.06	0.00	2.34	3.29	7.0	10	15.5	27	19.8	34
04/12/2023 08:05	995.5	995.5	995.4	977.3	63.6	63.6	63.6	1.2	1.2	1.2	0.5	0.5	0.5	3.0	3.0	3.0	2.9	1.3	1.3	13	13	13	5	--	--	--	--	--	--	1.3	1.3	1.3	97.1	97.1	97.1	0.9	0.9	0.9	1.2	1.2	1.1	2.1	ENE	4	ENE	0.8	0.6	1.3	1.3	0.8	0.8	0.6	0.17	-0.3	-0.6	-0.7	0.2	1.0	0	0	--	0	0.00	0.00	0.06	0.00	2.29	3.21	7.7	10	15.0	26	19.0	35
04/12/2023 08:10	995.5	995.6	995.4	977.3	63.6	63.6	63.6	1.2	1.2	1.2	0.5	0.5	0.5	3.0	3.0	3.0	2.9	1.3	1.3	13	13	13	5	--	--	--	--	--	--	1.4	1.4	1.3	97.0	97.1	97.0	0.9	0.9	0.9	1.2	1.2	1.1	2.1	ENE	3	ENE	0.9	0.8	1.4	1.4	0.9	0.9	0.8	0.18	-0.2	-0.2	-0.3	0.0	1.4	0	0	--	0	0.00	0.00	0.06	0.00	2.55	3.38	8.0	11	18.1	28	22.7	42
04/12/2023 08:15	995.6	995.6	995.5	977.4	63.6	63.6	63.6	1.2	1.2	1.2	0.5	0.5	0.5	3.0	3.0	3.0	2.9	1.4	1.4	13	13	13	5	--	--	--	--	--	--	1.4	1.4	1.3	97.0	97.0	97.0	0.9	0.9	0.9	1.2	1.2	1.1	1.8	ENE	3	ENE	0.9	0.8	1.4	1.4	0.9	0.9	0.8	0.15	-0.2	-0.2	-0.3	0.2	1.4	0	0	--	0	0.00	0.00	0.06	0.00	2.41	3.12	7.8	10	16.4	25	19.7	41
04/12/2023 08:20	995.6	995.6	995.5	977.4	63.6	63.6	63.6	1.2	1.2	1.2	0.5	0.5	0.5	3.0	3.0	3.0	2.9	1.4	1.4	13	13	13	5	--	--	--	--	--	--	1.4	1.4	1.4	97.0	97.0	97.0	0.9	0.9	0.9	1.2	1.2	1.1	1.8	ENE	3	ENE	1.2	1.0	1.4	1.4	1.2	1.3	1.0	0.12	0.1	0.2	-0.1	0.2	1.4	0	0	--	0	0.00	0.00	0.06	0.00	2.12	2.88	7.8	10	13.0	22	19.9	35
04/12/2023 08:25	995.6	995.6	995.5	977.4	63.6	63.6	63.6	1.2	1.2	1.2	0.5	0.5	0.5	3.0	3.0	3.0	2.9	1.4	1.4	14	13	13	5	--	--	--	--	--	--	1.4	1.4	1.4	97.0	97.0	97.0	1.0	1.0	1.0	1.2	1.2	1.2	1.9	ENE	3	ENE	1.4	1.4	1.4	1.4	1.4	1.4	1.4	0.16	0.3	0.3	0.3	0.2	1.2	0	0	--	0	0.00	0.00	0.06	0.00	2.36	3.29	7.9	10	15.8	27	20.2	35
04/12/2023 08:30	995.5	995.6	995.4	977.4	63.6	63.6	63.6	1.2	1.2	1.2	0.5	0.5	0.5	3.0	3.0	3.0	2.9	1.4	1.4	14	13	13	5	--	--	--	--	--	--	1.4	1.4	1.4	97.0	97.0	96.9	1.0	1.0	1.0	1.2	1.2	1.2	1.1	ENE	2	ENE	1.4	1.4	1.4	1.4	1.4	1.4	1.4	0.09	0.3	0.3	0.3	0.0	1.2	0	0	--	0	0.00	0.00	0.06	0.00	2.40	3.21	8.4	12	16.3	26	18.8	33
04/12/2023 08:35	995.5	995.5	995.4	977.3	63.6	63.6	63.6	1.2	1.2	1.2	0.5	0.5	0.5	2.9	2.9	2.9	2.9	1.5	1.5	14	13	13	5	--	--	--	--	--	--	1.5	1.5	1.4	96.9	97.0	96.9	1.1	1.1	1.0	1.3	1.3	1.3	1.1	ENE	3	ENE	1.5	1.4	1.5	1.5	1.5	1.5	1.4	0.11	0.4	0.4	0.4	0.2	1.2	0	0	--	0	0.00	0.00	0.06	0.00	2.68	3.38	8.5	11	19.6	28	25.8	42
04/12/2023 08:40	995.5	995.5	995.5	977.4	63.6	63.6	63.6	1.2	1.2	1.2	0.5	0.5	0.5	2.9	2.9	2.9	2.9	1.6	1.6	15	14	14	5	--	--	--	--	--	--	1.5	1.6	1.4	97.2	97.2	96.9	1.1	1.1	1.0	1.3	1.3	1.2	1.3	ENE	3	ENE	1.5	1.4	1.5	1.6	1.5	1.6	1.4	0.11	0.4	0.4	0.3	0.2	1.2	0	0	--	0	0.00	0.00	0.06	0.00	2.60	3.62	8.9	15	18.7	31	27.5	50
04/12/2023 08:45	995.5	995.5	995.5	977.3	63.9	63.9	63.6	1.2	1.2	1.2	0.5	0.5	0.5	2.9	2.9	2.9	2.9	1.7	1.7	15	14	14	5	--	--	--	--	--	--	1.6	1.6	1.5	97.1	97.1	97.1	1.2	1.2	1.1	1.4	1.4	1.3	1.4	ENE	2	ENE	1.6	1.5	1.6	1.6	1.6	1.6	1.5	0.12	0.4	0.4	0.4	0.2	1.2	0	0	--	0	0.00	0.00	0.06	0.00	3.04	4.25	11.8	20	24.0	37	31.7	55
04/12/2023 08:50	995.5	995.5	995.4	977.3	63.9	63.9	63.9	1.2	1.2	1.2	0.5	0.5	0.5	2.9	2.9	2.9	2.9	1.7	1.7	16	14	14	5	--	--	--	--	--	--	1.6	1.6	1.6	97.1	97.2	97.1	1.2	1.2	1.2	1.4	1.4	1.4	1.6	ENE	3	ENE	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.04	0.5	0.4	0.2	0.2	1.2	0	0	--	0	0.00	0.00	0.06	0.00	2.84	3.88	10.2	15	21.6	34	33.6	51
04/12/2023 08:55	995.5	995.5	995.4	977.3	63.9	63.9	63.9	1.2	1.2	1.2	0.5	0.5	0.5	2.9	2.9	2.9	2.9	1.7	1.7	17	14	14	5	--	--	--	--	--	--	1.7	1.7	1.6	97.1	97.2	97.1	1.3	1.3	1.2	1.5	1.5	1.4	2.0	NE	4	ENE	1.6	1.6	1.7	1.6	1.7	1.6	1.7	0.17	0.5	0.6	0.5	0.0	1.0	4	7	--	0	0.00	0.00	0.06	0.00	2.86	3.96	10.6	17	21.8	35	31.4	55
04/12/2023 09:00	995.5	995.5	995.4	977.3	63.9	63.9	63.9	1.2	1.2	1.2	0.5	0.5	0.5	2.9	2.9	2.9	2.9	1.7	1.7	17	14	14	5	--	--	--	--	--	--	1.7	1.7	1.7	97.0	97.1	97.0	1.3	1.3	1.2	1.4	1.6	1.4	1.9	NE	3	NE	1.4	1.4	1.7	1.7	1.4	1.6	1.4	0.16	0.3	0.5	0.3	0.2	1.0	7	0.00	0	0.00	0.00	0.06	0.00	2.82	4.58	10.9	18	21.3	39	31.4	55
04/12/2023 09:05	995.5	995.5	995.4	977.4	63.9	63.9	63.9	1.2	1.2	1.2	0.5	0.5	0.5	2.9	2.9	2.9	2.9	1.8	1.8	18	14	14	5	--	--	--	--	--	--	1.8	1.8	1.7	97.0	97.0	97.0	1.3	1.3	1.3	1.6	1.6	1.6	1.6	NE	3	NE	1.6	1.4	1.8	1.8	1.6	1.6	1.4	0.14	0.4	0.4	0.3	0.0	1.0	7	--	0	0.00	0.00	0.06	0.00	2.91	3.79	10.9	16	22.4	33	33.7	65
04/12/2023 09:10	995.5	995.5	995.4	977.3	63.9	63.9	63.9	1.2	1.2	1.2	0.5	0.5	0.5	2.9	2.9	2.9	2.9	2.1	2.1	18	14	14	5	--	--	--	--	--	--	1.9	1.9	1.7	97.2	97.2	97.0	1.5	1.5	1.3	1.7	1.7	1.5	1.8	NE	4	NE	1.8	1.6	1.9	1.9	1.8	1.8	1.6	0.15	0.7	0.7	0.5	0.0	1.0	7	9	--	0	0.00	0.00	0.06	0.00	2.72	3.96	10.4	16	20.2	35	23.9	50
04/12/2023 09:15	995.5	995.4	995.4	977.3	63.9	63.9	63.9	1.2	1.2	1.2	0.5	0.5	0.5	2.9	2.9	2.9	2.9	2.2	2.2	19	14	14	5	--	--	--	--	--	--	2.0	2.0	1.9	97.2	97.2	97.2	1.6	1.6	1.5	1.8	1.8	1.7	2.1	ENE	5	ENE	1.8	1.7	2.0	2.0	1.8	1.8	1.7	0.21	0.7	0.6	0.6	0.0	1.0	8	9	--	0	0.00	0.00	0.06	0.00	2.42	3.21	9.5	12	16.5	27	17.3	34
04/12/2023 09:20	995.5	995.5	995.4	977.4	63.9	63.9	63.9	1.2	1.2	1.2	0.5	0.5	0.5	2.9	2.9	2.9	2.9	2.3	2.3	22	14	14	5	--	--	--	--	--	--	2.2	2.2	2.0	97.3	97.2	97.1	1.8	1.8	1.6	2.0	2.0	1.8	2.2	ENE	6	ENE	1.8	1.7	2.2	2.2	1.2	1.6	1.2	0.27	0.7	0.5	0.5	0.0	1.0	9	9	--	0	0.00	0.00	0.06	0.00	2.37	3.21	9.2	11	16.0	26	18.0	36
04/12/2023 09:25	995.6	995.6	995.4	977.4	63.9	63.9	63.9	1.2	1.2	1.2	0.5	0.5	0.5	2.9	2.9	2.9	2.9	2.4	2.4	23	14	14	5	--	--	--	--	--	--	2.3	2.3	2.2	97.3	97.3	97.1	1.9	1.9	1.8

Date & Time	Bar mb	Bar High mb	Bar Low mb	Bar Absolute mb	Soil Moist -- cb	Soil Moist cb	High Soil Moist cb	Soil Temp 6" °C	High Soil Temp 6" °C	Low Soil Temp 6" °C	Grass Min °C	High Grass Min °C	Low Grass Min °C	Soil Temp 12" °C	High Soil Temp 12" °C	Low Soil Temp 12" °C	Soil Temp Sun °C	High Soil Temp Sun °C	Low Soil Temp Sun °C	leaf Wetness	High Leaf Wetness	Low Leaf Wetness	Leaf Wetness 1 Minute	Wind Sonic Ave Speed MPH	Wind Sonic Dir	Wind Sonic Prev	Wind Sonic High Speed MPH	Wind Sonic High Wind Run Mi	Sonic Wind Run Mi	Temp Out °C	High Temp Out °C	Low Temp Out °C	Humidity Out %	High Humidity Out %	Low Humidity Out %	Dew Point Out °C	High Dew Point Out °C	Low Dew Point Out °C	Wet Bulb Out °C	High Wet Bulb Out °C	Low Wet Bulb Out °C	Wind Ave Speed MPH	Wind Analogue Ave Speed MPH	Wind Analogue High MPH	Wind Analogue Dir	Wind Analogue High Dir	Wind Chill °C	Low Wind Chill °C	Heat Index °C	High Heat Index °C	THSW Index °C	THW Index °C	THW Index °C	Low Analogue THW Index °C	Analogue Wind run Mi	Rain Rate mm	High Rain Rate mm	Solar Rad W/m²	High Solar Rad W/m²	ET MM	Index	UV Index	High UV Index	Heating Degree Days	Cooling Degree Days	AirLink AQI	AirLink High AQI	AirLink PM1 ug/m³	AirLink High PM1 ug/m³	AirLink PM 2.5 ug/m³	AirLink High PM 2.5 ug/m³	AirLink PM 10 ug/m³	AirLink High PM 10 ug/m³
04/12/2023 17:40	996.3	996.3	996.2	978.2	64.5	64.5	64.5	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.6	3.6	3.6	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.7	97.2	97.3	97.2	3.4	3.4	3.3	3.6	3.6	3.6	4.5	NE	NNE	1.8	1.8	3.8	3.8	1.8	2.0	1.8	0.38	0.7	0.9	0.7	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	3.47	4.08	15.4	19	29.1	36	33.1	46
04/12/2023 17:45	996.4	996.4	996.3	978.3	64.5	64.5	64.5	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.6	3.6	3.6	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.7	97.3	97.3	97.2	3.4	3.4	3.3	3.6	3.6	3.6	3.9	NE	8	NNE	2.1	1.8	3.8	3.8	2.1	2.1	1.8	0.33	0.9	0.9	0.7	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	3.54	3.96	14.8	18	30.0	35	33.7	42
04/12/2023 17:50	996.5	996.5	996.4	978.3	64.5	64.5	64.5	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.6	3.6	3.6	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.7	97.3	97.3	97.2	3.4	3.4	3.3	3.6	3.6	3.6	5.1	NE	10	NE	1.9	1.9	3.8	3.8	1.9	2.1	1.9	0.42	0.8	1	0.8	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	3.26	3.88	15.2	19	26.7	34	30.2	46
04/12/2023 17:55	996.6	996.6	996.5	978.5	64.5	64.5	64.5	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.6	3.6	3.6	15	15	15	5	--	--	--	--	--	--	3.7	3.8	3.7	97.3	97.3	97.2	3.3	3.4	3.3	3.6	3.6	3.6	4.9	NE	10	NE	1.7	1.7	3.7	3.8	1.7	1.9	1.7	0.41	0.6	0.8	0.6	0.2	0.2	0	0	--	0	0.00	0.00	0.05	0.00	3.35	4.08	15.1	18	27.7	36	31.8	50
04/12/2023 18:00	996.6	996.7	996.5	978.4	64.5	64.5	64.5	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.6	3.6	3.6	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.7	97.2	97.3	97.2	3.4	3.4	3.3	3.6	3.6	3.6	5.3	NE	9	ENE	1.6	1.6	3.8	3.8	1.6	1.7	1.6	0.44	0.5	0.6	0.4	0.0	0.2	0	0.00	0	0.00	0.00	0.05	0.00	3.53	4.08	15.1	18	29.9	36	34.1	44
04/12/2023 18:05	996.6	996.6	996.5	978.4	64.5	64.5	64.5	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.6	3.6	3.6	15	15	15	5	--	--	--	--	--	--	3.7	3.8	3.7	97.2	97.3	97.2	3.4	3.4	3.3	3.6	3.6	3.6	3.9	NE	10	NE	1.8	1.6	3.8	3.8	1.8	1.9	1.6	0.32	0.7	0.7	0.5	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	3.66	4.25	15.3	20	31.4	37	36.0	48
04/12/2023 18:10	996.8	996.8	996.6	978.6	64.5	64.5	64.2	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.6	3.6	3.6	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.7	97.3	97.3	97.2	3.4	3.4	3.3	3.6	3.6	3.6	3.8	NE	9	NE	2.2	1.9	3.8	3.8	2.2	2.2	1.9	0.32	1.1	1.1	0.8	0.2	0.8	0	0	--	0	0.00	0.00	0.05	0.00	3.68	4.42	16.1	19	31.7	38	37.5	51
04/12/2023 18:15	996.8	996.9	996.8	978.6	64.5	64.5	64.5	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.5	3.6	3.5	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.7	97.3	97.3	97.2	3.4	3.4	3.3	3.6	3.6	3.6	4.2	NE	9	NNE	2.3	2.1	3.8	3.8	2.3	2.3	2.1	0.35	1.2	1.2	1	0.0	0.8	0	0	--	0	0.00	0.00	0.05	0.00	3.49	3.88	15.5	18	29.4	34	34.1	46
04/12/2023 18:20	996.8	996.9	996.8	978.6	64.5	64.5	64.5	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.6	3.6	3.6	15	15	15	5	--	--	--	--	--	--	3.7	3.7	3.7	97.2	97.3	97.2	3.3	3.4	3.3	3.5	3.6	3.5	4.0	NE	8	NNE	1.9	1.9	3.7	3.7	1.9	2.2	1.9	0.33	0.8	0.8	0.6	0.2	0.6	0	0	--	0	0.00	0.00	0.05	0.00	3.44	3.96	14.7	18	28.7	35	33.6	45
04/12/2023 18:25	996.9	996.9	996.8	978.7	64.5	64.5	64.5	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.6	3.6	3.5	14	14	14	5	--	--	--	--	--	--	3.7	3.7	3.7	97.2	97.3	97.2	3.3	3.3	3.3	3.6	3.6	3.5	3.8	NE	8	NNE	2.2	1.9	3.7	3.7	2.2	2.2	1.9	0.31	1.1	1.1	0.8	0.0	1.0	0	0	--	0	0.00	0.00	0.05	0.00	3.56	4.42	15.1	18	30.3	38	36.0	51
04/12/2023 18:30	997.0	996.9	996.9	978.8	64.8	64.8	64.5	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.6	3.6	3.6	14	14	14	5	--	--	--	--	--	--	3.7	3.7	3.7	97.3	97.3	97.2	3.3	3.3	3.3	3.6	3.6	3.5	4.6	NE	10	NNE	2.1	1.9	3.7	3.7	2.1	2.1	1.9	0.38	0.9	1	0.8	0.0	1.0	0	0	--	0	0.00	0.00	0.05	0.00	3.93	5.90	17.9	23	34.6	46	43.8	64
04/12/2023 18:35	996.9	997.0	996.8	978.7	64.8	64.8	64.8	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.5	3.6	3.5	14	14	14	5	--	--	--	--	--	--	3.7	3.7	3.7	97.3	97.3	97.2	3.3	3.3	3.3	3.5	3.6	3.5	3.5	NE	5	NNE	2.1	2.0	3.7	3.7	2.1	2.1	2.0	0.38	0.8	0.8	0.6	0.2	0.6	0	0	--	0	0.00	0.00	0.05	0.00	4.33	5.50	19.7	23	37.5	44	47.4	64
04/12/2023 18:40	997.0	997.0	996.9	978.8	64.8	64.8	64.8	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.5	3.6	3.5	14	14	14	5	--	--	--	--	--	--	3.7	3.7	3.7	97.2	97.3	97.2	3.3	3.3	3.3	3.6	3.6	3.5	3.4	NE	5	NNE	2.5	2.0	3.7	3.7	2.5	2.5	2.0	0.28	1.4	1.4	0.9	0.0	1.2	0	0	--	0	0.00	0.00	0.05	0.00	4.40	5.70	19.5	23	37.9	45	49.1	59
04/12/2023 18:45	997.0	997.0	996.9	978.8	64.8	64.8	64.8	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.6	3.6	3.6	14	14	14	5	--	--	--	--	--	--	3.8	3.8	3.7	97.3	97.3	97.2	3.4	3.4	3.3	3.6	3.6	3.6	4.1	NNE	8	NE	2.4	2.3	3.8	3.8	2.4	2.5	2.3	0.34	1.3	1.4	1.2	0.2	1.2	0	0	--	0	0.00	0.00	0.05	0.00	5.12	6.36	21.7	26	42.1	49	55.1	64
04/12/2023 18:50	997.1	997.2	997.0	978.9	64.8	64.8	64.8	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.6	3.6	3.6	14	14	14	5	--	--	--	--	--	--	3.7	3.8	3.7	97.2	97.3	97.2	3.4	3.4	3.3	3.6	3.6	3.6	3.4	NNE	6	NNE	2.3	2.2	3.8	3.8	2.3	2.3	2.2	0.29	1.2	1.2	1.1	0.0	1.2	0	0	--	0	0.00	0.00	0.05	0.00	5.59	6.93	23.9	28	44.5	53	58.7	71
04/12/2023 18:55	997.0	997.2	997.0	978.8	64.8	64.8	64.8	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.6	3.6	3.6	14	14	14	5	--	--	--	--	--	--	3.8	3.8	3.7	97.3	97.3	97.2	3.4	3.4	3.3	3.6	3.6	3.6	3.0	NE	6	NNE	2.6	2.3	3.8	3.8	2.6	2.6	2.3	0.25	1.4	1.4	1.2	0.0	1.0	0	0	--	0	0.00	0.00	0.05	0.00	5.52	6.50	23.5	27	44.1	50	58.9	67
04/12/2023 19:00	997.1	997.2	997.0	978.9	64.8	64.8	64.8	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.6	3.6	3.6	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.7	97.2	97.3	97.2	3.4	3.4	3.3	3.6	3.6	3.6	3.5	NNE	7	NE	2.6	2.5	3.8	3.8	2.6	2.6	2.5	0.32	1.4	1.5	1.4	0.2	0.8	0	0.00	0	0.00	0.00	0.05	0.00	5.47	6.07	21.8	25	40.1	47	50.5	60
04/12/2023 19:05	997.1	997.2	997.0	978.9	64.5	64.5	64.5	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.6	3.6	3.6	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.8	97.3	97.3	97.2	3.4	3.4	3.4	3.6	3.6	3.6	4.5	NNE	8	NE	2.2	2.2	3.8	3.8	2.2	2.2	2.2	0.38	1.1	1.1	1.1	0.0	1.2	0	0	--	0	0.00	0.00	0.05	0.00	4.32	5.50	21.5	25	37.4	44	44.7	54
04/12/2023 19:10	997.2	997.2	997.1	979.0	64.8	64.8	64.8	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.6	3.7	3.6	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.8	97.3	97.3	97.2	3.4	3.4	3.4	3.6	3.7	3.6	4.1	NNE	8	NE	2.1	2.0	3.8	3.8	2.1	2.2	2.0	0.34	1	1.1	0.9	0.2	1.0	0	0	--	0	0.00	0.00	0.05	0.00	4.18	4.92	21.1	24	36.6	41	43.9	55
04/12/2023 19:15	997.3	997.3	997.1	979.1	64.8	64.8	64.8	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.7	3.7	3.6	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.8	97.4	97.4	97.2	3.4	3.4	3.4	3.6	3.7	3.6	5.2	NNE	10	NNE	1.8	1.8	3.8	3.8	1.8	2.1	1.8	0.43	0.7	1	0.7	0.0	1.0	0	0	--	0	0.00	0.00	0.05	0.00	3.98	4.75	20.4	24	35.2	40	41.8	50
04/12/2023 19:20	997.3	997.4	997.3	979.1	64.5	64.5	64.5	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.7	3.7	3.6	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.8	97.5	97.5	97.3	3.5	3.5	3.4	3.7	3.7	3.6	4.1	NE	9	NE	1.9	1.8	3.8	3.8	1.9	2.1	1.8	0.34	0.8	1	0.7	0.0	1.0	0	0	--	0	0.00	0.00	0.05	0.00	4.34	5.30	21.5	24	37.6	43	45.7	55
04/12/2023 19:25	997.4	997.4	997.3	979.2	64.8	64.8	64.5	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.7	3.7	3.7	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.8	97.5	97.5	97.2	3.4	3.5	3.4	3.7	3.7	3.6	3.4	NNE	9	NNE	2.2	1.9	3.8	3.8	2.2	2.2	1.9	0.29	1.1	1.1	0.8	0.2	1.0	0	0	--	0	0.00	0.00	0.05	0.00	4.20	5.30	20.9	24	36.7	43	44.6	55
04/12/2023 19:30	997.5	997.5	997.3	979.3	64.8	64.8	64.8	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.6	3.7	3.6	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.8	97.4	97.4	97.2	3.4	3.4	3.4	3.7	3.7	3.6	4.2	NNE	8	NNE	2.3	2.2	3.8	3.8	2.3	2.3	2.2	0.35	1.2	1.2	1.1	0.0	1.0	0	0	--	0	0.00	0.00	0.05	0.00	4.29	5.30	21.1	24	37.3	43	45.7	55
04/12/2023 19:35	997.5	997.5	997.4	979.3	64.5	64.5	64.5	1.2	1.2	1.2	0.7	0.7	0.7	2.9	2.9	2.9	3.7	3.7	3.6	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.8	97.5	97.5	97.3	3.5	3.5	3.4	3.7	3.7	3.6	4.5	NE	9	NNE	2.2	2.2	3.8	3.8	2.2	2.2	2.2	0.38	1.1	1.2	1.1	0.0	1.0	0	0	--	0	0.00	0.00	0.05	0.00	4.73	5.90	22.2	27	39.9	46	49.8	59
04/12/2023 19:40	997.6	997.6	997.5	979.4	64.5	64.5	64.5	1.2	1.2	1.2	0.7	0.8	0.7	2.9	2.9	2.9	3.7	3.7	3.7	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.8	97.5	97.4	97.4	3.5	3.5	3.4	3.7	3.7	3.7	5.4	NNE	9	NNE	1.9	1.9	3.8	3.8	1.9	2.1	1.9	0.45	0.8	1	0.8	0.2	0.8	0	0	--	0	0.00	0.00	0.05	0.00	4.61	5.90	22.3	25	39.2	46	49.4	57
04/12/2023 19:45	997.6	997.7	997.5	979.4	64.5	64.5	64.5	1.2	1.2	1.2	0.8	0.8	0.7	2.9	2.9	2.9	3.7	3.7	3.7	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.8	97.5	97.5	97.4	3.5	3.5	3.4	3.7	3.7	3.7	4.9	NNE	9	NNE	1.8	1.8	3.8	3.8	1.8	1.8	1.8	0.41	0.7	0.7	0.7	0.0	0.8	0	0	--	0	0.00	0.00	0.05	0.00	4.10	5.11	21.5	25	38.0	42	46.1	55
04/12/2023 19:50	997.6	997.6	997.5	979.3	64.5	64.5	64.5	1.2	1.2	1.2	0.8	0.8	0.8	2.9	2.9	2.9	3.7	3.7	3.7	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.8	97.2	97.5	97.2	3.4	3.5	3.4	3.7	3.7	3.7	4.1	NNE	9	NNE	1.9	1.7	3.8	3.8	1.9	1.9	1.7	0.34	0.8	0.8	0.6	0.2	0.8	0	0	--	0	0.00	0.00	0.05	0.00	4.14	5.10	20.6	23	36.3	42	44.7	54
04/12/2023 19:55	997.6	997.7	997.5	979.4	64.5	64.5	64.5	1.2	1.2	1.2	0.8	0.8	0.8	2.9	2.9	2.9	3.7	3.7	3.7	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.8	97.4	97.5	97.2	3.4	3.5	3.4	3.7	3.7	3.7	5.0	NE	10	NNE	1.9	1.9	3.8	3.8	1.9	1.9	1.9	0.42	0.8	0.8	0.8	0.2	1.0	0	0	--	0	0.00	0.00	0.05	0.00	4.42	5.50	21.7	25	38.0	44	47.0	56
04/12/2023 20:00	997.6	997.6	997.6	979.4	64.5	64.5	64.5	1.2	1.2	1.2	0.8	0.8	0.8	2.9	2.9	2.9	3.7	3.7	3.7	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.8	97.5	97.5	97.2	3.5	3.5	3.4	3.7	3.7	3.7	4.2	NNE	9	NNE	1.9	1.8	3.8	3.8	1.9	1.9	1.8	0.35	0.8	0.8	0.7	0.0	1.0	0	0.00	0	0.00	0.00	0.05	0.00	4.25	5.30	21.6	24	37.0	43	44.4	54
04/12/2023 20:05	997.7	997.7	997.6	979.5	64.5	64.5	64.5	1.2	1.2	1.2	0.8	0.8	0.8	2.9	2.9	2.9	3.7	3.7	3.7	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.8	97.5	97.5	97.2	3.5	3.5	3.4	3.7	3.7	3.7	4.1	NE	6	NNE	2.1	1.9	3.8	3.8	2.1	2.1	1.9	0.34	0.8	1	0.7	0.0	1.0	0	0	--	0	0.00	0.00	0.05	0.00	4.37	5.10	22.0	27	37.7	42	46.6	54
04/12/2023 20:10	997.7	997.8	997.7	979.5	64.5	64.5	64.5	1.2	1.2	1.2	0.8	0.8	0.8	2.9	2.9	2.9	3.7	3.7	3.7	15	15	15	5	--	--	--	--	--	--	3.8	3.9	3.8	97.4	97.5	97.4	3.4	3.5	3.4	3.7	3.7	3.7	3.9	NE	7	NE	2.4	2.1	3.8	3.9	2.4	2.5	2.1	0.33	1.3	1.4	1	0.0	1.0	0	0	--	0	0.00	0.00	0.05	0.00	4.04	4.92	21.2	23	35.8	41	43.7	54
04/12/2023 20:15	997.8	997.8	997.7	979.6	64.5	64.5	64.5	1.2	1.2	1.2	0.8	0.8	0.8	2.9	2.9	2.9	3.7	3.7	3.7	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.8	97.4	97.5	97.4	3.4	3.5	3.4	3.7	3.7	3.7	4.4	NNE	6	NNE	2.3	2.2	3.8	3.8	2.3	2.3	2.2	0.29	1.2	1.2	1.1	0.0	1.0	0	0	--	0	0.00	0.00	0.05	0.00	3.97	5.30	20.4	25	35.2	43	43.0	54
04/12/2023 20:20	997.8	997.8	997.7	979.6	64.5	64.5	64.5	1.2	1.2	1.2	0.8	0.8	0.8	2.9	2.9	2.9	3.7	3.7	3.6	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.8	97.4	97.5	97.4	3.4	3.5	3.4	3.7	3.7	3.6	3.5	NE	7	NNE	2.4	2.4	3.8	3.8	2.4	2.6	2.4	0.29	1.3	1.4	1.3	0.2	0.8	0	0	--	0	0.00	0.00	0.05	0.00	3.94	4.92	20.1	23	34.7	41	40.9	52
04/12/2023 20:25	997.8	997.9	997.8	979.6	64.2	64.5	64.2	1.2	1.2	1.2	0.8	0.8	0.8	2.9	2.9	2.9	3.7	3.7	3.7	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.8	97.2	97.4	97.2	3.4	3.4	3.4	3.7	3.7	3.6	3.2	NE	7	NE	2.7	2.4	3.8	3.8	2.7	2.7	2.4	0.27	1.6	1.6	1.3	0.0	0.8	0	0	--	0	0.00	0.00	0.05	0.00	4.15	5.30	20.5	23	36.4	43	43.3	55
04/12/2023 20:30	997.9	997.9	997.8	979.7	64.2	64.2	64.2	1.2	1.2	1.2	0.8	0.8	0.8	2.9	2.9	2.9	3.7	3.7	3.7	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.8	97.5	97.5	97.4	3.5	3.5	3.4	3.7	3.7	3.7	3.0	NE	6	NE	2.6	2.4	3.8	3.8	2.6	2.6	2.6	0.25	1.5	1.5	1.4	0.0	1.2	0	0	--	0	0.00	0.00	0.05	0.00	4.05	5.50	20.1	23	35.8	44	42.5	59
04/12/2023 20:35	997.9	998.0	997.9	979.7	64.2	64.2	64.2	1.2	1.2	1.2	0.8	0.8	0.8	2.9	2.9	2.9	3.7	3.7	3.7	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.8	97.3	97.5	97.3	3.4	3.5	3.4	3.7	3.7	3.7	2.4	NE	8	NNE	2.9	2.9	3.8	3.8	2.9	2.9	2.7	0.2	1.8	1.8	1.6	0.0	1.0	0	0	--	0	0.00	0.00	0.05	0.00	4.02	5.10	20.1	23	35.6	42	43.7	53
04/12/2023 20:40	997.9	998.0	997.9	979.8	64.2	64.2	64.2	1.2	1.2	1.2	0.8	0.8	0.8	2.9	2.9	2.9	3.7	3.7	3.7	15	15	15	5	--	--	--	--	--	--	3.8	3.8	3.8	97.5	97.5	97.2	3.4	3.5	3.4	3.7	3.7	3.7	3.7	NE	8	NNE	2.9	2.9	3.

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist - cb | Soil Moist cb | High Soil Moist cb | Low Soil Moist cb | Soil Temp 6" °C | High Soil Temp 6" °C | Low Soil Temp 6" °C | Soil Min °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | High Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Min °C | Soil Temp Min °C | High Soil Temp Min °C | Low Soil Temp Min °C | Leaf Wetness Mi | High Leaf Wetness % | Low Leaf Wetness % | Leaf Wetness Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir Mi | Wind Sonic Prev Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Dir Mi | Wind Sonic Run Mi | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Ave Speed MPH | Wind Analogue Ave Speed MPH | Wind Analogue Dir Mi | Wind Analogue High Speed MPH | Wind Analogue High Dir Mi | Wind Analogue Run Mi | Wind Chill °C | Wind Chill Index °C | Heat Index °C | High Heat Index °C | THW Index °C | THW High Index °C | THW Low Index °C | Wind Run Mi | High Rain Rate mm | Rain Rate mm | Solar Rad W/m² | Solar Rad MJ/m² | High Solar Rad W/m² | ET MM | Index | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 µg/m³ | AirLink PM1 µg/m³ | AirLink PM 2.5 µg/m³ | AirLink PM 2.5 - µg/m³ | AirLink PM 10 µg/m³ | AirLink PM 10 µg/m³ |
|---|---|---

Date & Time	Bar Pressure mb	Bar High mb	Bar Low mb	Bar Absolute mb	Soil Moist mb	Soil Moist cb	Soil Moist cb	High Soil Temp 6" °C	Low Soil Temp 6" °C	Grass High Temp °C	Grass Min °C	Grass Low Temp °C	Soil High Temp 12" °C	Soil Low Temp 12" °C	Soil Min Temp 12" °C	Sun High Temp °C	Sun Low Temp °C	Leaf Wetness	Leaf Wetness	Leaf Wetness	Leaf Wetness 1 Minute	Wind Sonic Ave Speed MPH	Wind Sonic Dir	Wind Sonic High Speed MPH	Wind Sonic High Wind MPH	Wind Sonic Dir	Sonic Wind Run Km	Temp Out °C	High Temp Out °C	Low Temp Out °C	Humidity Out %	High Humidity Out %	Low Humidity Out %	Dew Point Out °C	High Dew Point Out °C	Low Dew Point Out °C	Wet Bulb Out °C	High Wet Bulb Out °C	Low Wet Bulb Out °C	Wind Analogue Ave Speed Dir	Wind Analogue High Dir	Wind Analogue Dir	Chill °C	Wind Chill °C	Low Wind Chill °C	Heat Index °C	High Heat Index °C	THW Index °C	THW High Index °C	THW Low Index °C	Wind run Km	Rain mm	High Rain Rate mm	Solar Rad W/m²	Solar Rad High W/m²	ET MM	UV Index	High UV Index	UV Dose Index	Heating Degree Meds	Cooling Degree Days	AirLink Temp AQI	AirLink Humidity AQI	AirLink PM1 AQI	AirLink PM2 2.5 AQI	AirLink PM10 AQI	AirLink PM1 µg/m³	AirLink PM2 2.5 µg/m³	AirLink PM10 µg/m³
05/12/2023 16:10	1011.4	1011.5	1011.3	993.0	64.1	64.5	64.1	2.8	2.8	3.1	3.1	3.1	3.8	3.8	3.7	3.7	3.6	15	15	15	5	--	--	--	--	--	--	3.7	3.7	3.6	92.9	93.0	92.9	2.6	2.7	2.6	3.2	3.2	3.1	5.1	N	NNE	1.8	1.7	3.7	3.7	1.8	1.8	1.7	0.42	0.7	0.7	0.6	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.61	2.46	4.0	6	7.1	17	10.0	20
05/12/2023 16:15	1011.6	1011.6	1011.4	993.2	64.5	64.5	64.1	2.8	2.8	3.0	3.1	3.0	3.8	3.8	3.6	3.7	3.6	15	15	15	5	--	--	--	--	--	--	3.7	3.7	3.6	92.5	92.8	92.5	2.6	2.6	2.6	3.1	3.2	3.1	4.9	N	9	NNE	1.6	1.6	3.7	3.7	1.6	1.8	1.6	0.41	0.5	0.7	0.4	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.73	2.46	4.1	6	8.4	17	11.7	20
05/12/2023 16:20	1011.5	1011.7	1011.5	993.2	64.5	64.5	64.1	2.8	2.8	2.8	3.0	2.8	3.8	3.8	3.5	3.6	3.5	15	15	15	5	--	--	--	--	--	--	3.6	3.7	3.6	92.3	92.5	92.3	2.5	2.6	2.5	3.1	3.1	3.1	3.1	N	9	NNW	1.8	1.6	3.6	3.7	1.8	1.9	1.6	0.26	0.7	0.8	0.4	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.73	2.46	4.1	6	8.4	17	11.7	20
05/12/2023 16:25	1011.7	1011.7	1011.5	993.3	64.5	64.5	64.5	2.8	2.8	2.8	2.8	2.8	3.8	3.8	3.8	3.2	3.5	3.2	15	15	15	5	--	--	--	--	--	3.6	3.7	3.6	92.3	92.5	92.3	2.5	2.6	2.5	3.1	3.1	3.1	3.1	NNE	9	NNW	2.4	1.9	3.6	3.7	2.4	2.4	1.9	0.25	1.3	1.3	0.8	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.71	2.71	4.4	6	8.2	20	12.0	24
05/12/2023 16:30	1011.7	1011.7	1011.7	993.3	64.5	64.5	64.5	2.8	2.8	2.2	2.3	2.1	3.8	3.8	3.8	3.3	3.3	3.2	15	15	15	5	--	--	--	--	--	3.5	3.6	3.5	92.4	92.4	92.3	2.4	2.4	2.4	3.0	3.1	3.0	3.4	N	9	NNW	2.4	2.4	3.5	3.6	2.4	2.6	2.4	0.28	1.3	1.4	1.3	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.64	3.29	4.4	10	7.4	27	9.3	30
05/12/2023 16:35	1011.8	1011.9	1011.7	993.4	64.5	64.5	64.5	2.8	2.8	2.8	2.8	2.8	3.8	3.8	3.8	3.4	3.4	3.4	15	15	15	5	--	--	--	--	--	3.5	3.6	3.5	92.4	92.5	92.4	2.4	2.4	2.4	3.0	3.0	3.0	3.7	N	7	NNW	2.1	2.1	3.5	3.6	2.1	2.1	2.1	0.31	1	1.1	1.0	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.64	2.21	3.9	6	7.4	14	9.9	18
05/12/2023 16:40	1011.9	1011.9	1011.8	993.4	64.5	64.5	64.5	2.8	2.8	2.8	2.8	2.8	3.8	3.8	3.8	3.5	3.5	3.4	15	15	15	5	--	--	--	--	--	3.6	3.6	3.5	92.5	92.6	92.4	2.4	2.4	2.4	3.0	3.0	3.0	3.3	N	7	NNW	2.2	2.1	3.6	3.6	2.2	2.2	2.1	0.28	1.1	1.1	0.9	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.70	2.29	4.2	8	8.0	15	10.9	21
05/12/2023 16:45	1011.9	1011.9	1011.8	993.5	64.5	64.5	64.5	2.8	2.8	2.8	2.8	2.8	3.8	3.8	3.8	3.5	3.5	3.4	15	15	15	5	--	--	--	--	--	3.5	3.6	3.5	92.3	92.5	92.3	2.4	2.4	2.4	3.0	3.0	3.0	3.4	NNE	9	NE	2.1	2.1	3.5	3.6	2.1	2.2	2.1	0.29	1	1.1	1	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.77	2.38	4.8	8	8.9	16	11.9	25
05/12/2023 16:50	1011.9	1012.0	1011.8	993.5	64.8	64.8	64.8	2.8	2.8	2.8	2.9	2.9	3.8	3.8	3.8	3.5	3.5	3.5	15	15	15	5	--	--	--	--	--	3.6	3.6	3.5	92.1	92.3	92.1	2.4	2.4	2.4	3.0	3.0	2.9	3.7	N	9	NNE	2.1	2.0	3.6	3.6	2.1	2.3	2.0	0.31	0.9	1.1	0.9	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.69	1.96	4.8	7	7.9	11	9.6	14
05/12/2023 16:55	1011.9	1012.0	1011.8	993.5	64.8	64.8	64.8	2.8	2.8	2.9	2.9	2.9	3.8	3.8	3.8	3.5	3.5	3.5	15	15	15	5	--	--	--	--	--	3.6	3.6	3.5	92.0	92.1	92.0	2.4	2.4	2.3	3.0	3.0	2.9	4.3	NNE	9	N	2.1	2.1	3.6	3.6	2.1	2.2	2.1	0.36	1	1.1	0.9	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	2.02	3.04	5.7	10	11.8	24	16.1	31
05/12/2023 17:00	1011.9	1012.0	1011.9	993.5	64.8	64.8	64.8	2.8	2.8	2.9	2.9	2.9	3.8	3.8	3.8	3.5	3.5	3.5	15	15	15	5	--	--	--	--	--	3.6	3.6	3.5	91.8	92.0	91.8	2.3	2.4	2.3	3.0	3.0	2.9	3.8	NNE	8	N	2.0	1.9	3.6	3.6	2.0	2.1	1.9	0.32	0.9	0.9	0.8	0.0	0.0	0	0	0.00	0	0.00	0.00	0.05	0.00	1.65	2.29	4.4	7	7.5	15	10.9	18
05/12/2023 17:05	1012.0	1012.0	1011.9	993.6	64.8	64.8	64.8	2.8	2.8	2.8	2.9	2.9	3.8	3.8	3.8	3.6	3.5	3.5	15	15	15	5	--	--	--	--	--	3.6	3.6	3.5	91.4	91.7	91.4	2.3	2.3	2.3	2.9	3.0	2.9	4.1	NNE	9	N	1.9	1.8	3.6	3.6	1.9	2.0	1.8	0.34	0.9	0.9	0.8	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.68	2.54	3.8	5	7.9	18	10.1	26
05/12/2023 17:10	1012.1	1012.1	1012.0	993.7	64.8	64.8	64.8	2.8	2.8	2.8	2.9	2.8	3.8	3.8	3.8	3.5	3.6	3.5	15	15	15	5	--	--	--	--	--	3.6	3.6	3.6	91.5	91.6	91.5	2.3	2.3	2.3	2.9	3.0	2.9	3.4	NNE	8	NNE	2.0	1.9	3.6	3.6	2.0	2.1	1.9	0.28	0.9	0.9	0.8	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.76	2.38	4.1	6	8.7	16	10.5	22
05/12/2023 17:15	1012.1	1012.1	1012.0	993.7	64.8	64.8	64.8	2.8	2.8	2.8	2.8	2.8	3.8	3.8	3.8	3.4	3.5	3.4	15	15	15	5	--	--	--	--	--	3.6	3.6	3.6	91.4	91.5	91.4	2.3	2.3	2.3	2.9	3.0	2.9	3.2	NNE	8	N	2.2	2.1	3.6	3.6	2.2	2.3	2.1	0.27	1.1	1.2	0.9	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.90	2.96	5.6	11	10.4	23	13.3	27
05/12/2023 17:20	1012.2	1012.2	1012.1	993.8	64.8	64.8	64.8	2.8	2.8	2.7	2.8	2.7	3.8	3.8	3.8	3.4	3.4	3.4	15	15	15	5	--	--	--	--	--	3.6	3.6	3.6	91.4	91.4	91.4	2.3	2.3	2.3	2.9	2.9	2.9	2.4	N	8	N	2.6	2.2	3.6	3.6	2.6	2.6	2.2	0.2	1.4	1.4	1.1	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	2.83	4.42	9.4	20	21.5	38	27.0	55
05/12/2023 17:25	1012.2	1012.2	1012.2	993.8	64.8	64.8	64.8	2.8	2.8	2.4	2.7	2.4	3.8	3.8	3.8	3.2	3.3	3.2	15	15	15	5	--	--	--	--	--	3.5	3.6	3.5	91.3	91.4	91.3	2.2	2.3	2.2	2.9	2.9	2.9	2.9	N	5	NNE	2.7	2.5	3.5	3.6	2.7	2.7	2.5	0.24	1.6	1.6	1.4	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	2.84	3.62	9.8	14	21.6	31	25.7	42
05/12/2023 17:30	1012.3	1012.3	1012.2	993.8	64.8	64.8	64.8	2.8	2.8	2.3	2.5	1.9	3.8	3.8	3.8	3.0	3.2	3.0	15	15	15	5	--	--	--	--	--	3.4	3.5	3.4	91.1	91.3	91.1	2.1	2.2	2.1	2.8	2.9	2.8	3.0	N	8	NNE	2.5	2.5	3.4	3.5	2.5	2.7	2.5	0.25	1.4	1.6	1.4	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	3.62	5.90	16.2	28	30.9	46	37.4	59
05/12/2023 17:35	1012.3	1012.4	1012.3	993.9	65.1	65.1	64.8	2.8	2.8	2.8	2.8	2.8	3.8	3.8	3.8	3.3	3.4	3.3	15	15	15	5	--	--	--	--	--	3.3	3.4	3.3	90.8	91.0	90.8	2.1	2.1	2.1	2.8	2.8	2.7	2.4	N	8	N	2.1	2.1	3.3	3.4	2.1	2.4	2.1	0.29	1	1.3	1	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	4.88	15.09	20.5	44	40.8	101	52.1	129
05/12/2023 17:40	1012.3	1012.4	1012.3	993.9	65.1	65.1	64.8	2.8	2.8	2.8	2.8	2.8	3.8	3.8	3.8	3.2	3.3	3.2	90.5	90.8	90.5	1.8	1.9	1.8	2.5	2.7	2.5	2.9	N	6	N	1.9	1.9	3.2	3.3	1.9	2.1	1.9	0.24	0.8	1	0.8	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	3.66	14.92	14.3	44	31.5	100	38.3	127
05/12/2023 17:45	1012.4	1012.4	1012.4	993.9	65.1	65.1	65.1	2.8	2.8	2.8	2.9	0.9	0.9	0.8	3.8	3.8	3.8	2.6	2.6	2.6	15	15	5	--	--	--	--	3.0	3.2	3.0	90.8	90.8	90.5	1.7	1.8	1.7	2.4	2.5	2.4	3.4	N	8	N	1.8	1.8	3.0	3.2	1.8	1.9	1.8	0.29	0.7	0.8	0.7	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	2.89	5.30	11.3	22	22.2	43	26.8	60
05/12/2023 17:50	1012.4	1012.4	1012.3	994.0	65.1	65.1	65.1	2.8	2.8	2.8	2.8	0.8	0.8	0.8	3.8	3.8	3.8	2.6	2.6	2.6	15	15	5	--	--	--	--	2.9	3.0	2.9	90.8	90.8	90.7	1.6	1.7	1.5	2.3	2.4	2.2	3.1	N	5	NNW	1.6	1.5	2.9	3.0	1.6	1.8	1.6	0.26	0.7	0.7	0.5	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	2.90	6.21	11.1	28	22.2	48	27.9	65
05/12/2023 17:55	1012.5	1012.5	1012.4	994.0	65.1	65.1	65.1	2.8	2.8	2.8	2.8	0.7	0.8	0.7	3.8	3.8	3.8	2.3	2.4	2.3	15	15	5	--	--	--	--	2.8	2.9	2.8	91.0	91.0	90.7	1.4	1.6	1.4	2.2	2.3	2.2	3.1	N	5	NNW	1.5	1.4	2.8	2.9	1.5	1.6	1.4	0.29	0.4	0.5	0.3	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	2.42	3.54	8.3	11	16.6	30	20.2	37
05/12/2023 18:00	1012.4	1012.5	1012.4	994.0	65.1	65.1	65.1	2.8	2.8	2.8	2.8	0.7	0.7	0.7	3.8	3.8	3.8	2.2	2.3	2.1	15	15	5	--	--	--	--	2.7	2.8	2.7	91.1	91.1	91.1	1.3	1.4	1.3	2.1	2.2	2.1	2.8	N	5	N	1.5	1.4	2.7	2.8	1.5	1.6	1.4	0.23	0.4	0.4	0.3	0.0	0.0	0	0	0.00	0	0.00	0.00	0.05	0.00	2.68	4.25	9.9	18	19.6	37	24.1	47
05/12/2023 18:05	1012.6	1012.6	1012.5	994.1	65.1	65.1	65.1	2.8	2.8	2.8	2.8	0.6	0.7	0.6	3.8	3.8	3.8	2.1	2.2	2.1	15	15	5	--	--	--	--	2.6	2.7	2.6	91.1	91.1	90.9	1.3	1.4	1.2	1.9	2.1	1.9	2.3	N	5	NNW	1.6	1.4	2.6	2.7	1.6	1.7	1.4	0.19	0.3	0.6	0.3	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	2.55	3.38	8.7	14	15.7	28	19.4	34
05/12/2023 18:10	1012.6	1012.7	1012.5	994.2	65.1	65.4	65.4	2.8	2.8	2.8	2.8	0.5	0.6	0.5	3.8	3.8	3.8	1.9	2.1	1.9	15	15	5	--	--	--	--	2.4	2.6	2.4	91.4	91.4	91.0	1.2	1.2	1.2	1.8	1.9	1.8	2.5	NNW	5	NNW	1.7	1.7	2.4	2.6	1.7	1.8	1.7	0.21	0.6	0.7	0.6	0.0	0.0	0	0	--	0	0.00	0.00	0.06	0.00	2.85	3.79	10.1	19	21.7	33	25.6	40
05/12/2023 18:15	1012.7	1012.7	1012.6	994.2	65.4	65.4	65.4	2.8	2.8	2.8	2.8	0.4	0.5	0.4	3.8	3.8	3.8	1.9	1.9	1.9	15	15	5	--	--	--	--	2.3	2.4	2.3	91.3	91.4	91.2	1.1	1.2	1.1	1.8	1.8	1.8	2.8	NNW	7	NNW	1.5	1.5	2.3	2.4	1.5	1.7	1.5	0.23	0.4	0.6	0.4	0.0	0.0	0	0	--	0	0.00	0.00	0.06	0.00	2.65	3.62	10.3	15	19.3	31	21.9	35
05/12/2023 18:20	1012.7	1012.7	1012.6	994.2	65.4	65.4	65.4	2.8	2.8	2.8	2.8	0.4	0.4	0.3	3.8	3.8	3.8	1.9	1.9	1.8	15	15	5	--	--	--	--	2.3	2.3	2.3	91.6	91.6	91.3	1.1	1.1	1.0	1.8	1.8	1.8	2.8	NNW	11	NNW	1.3	1.2	2.3	2.3	1.3	1.6	1.2	0.27	0.4	0.5	0.3	0.0	0.0	0	0	--	0	0.00	0.00	0.06	0.00	2.50	3.88	9.6	19	17.6	34	21.8	37
05/12/2023 18:25	1012.7	1012.7	1012.7	994.2	65.4	65.4	65.4	2.8	2.8	2.8	2.8	0.3	0.4	0.3	3.8	3.8	3.8	1.9	1.9	1.8	15	15	5	--	--	--	--	2.2	2.3	2.2	91.7	91.7	91.6	1.0	1.1	1.0	1.7	1.8	1.7	3.2	N	8	NNE	0.8	0.8	2.2	2.3	0.8	1.2	0.8	0.27	-0.3	0.1	-0.3	0.0	0.0	0	0	--	0	0.00	0.00	0.06	0.00	2.12	2.88	6.6	8	12.9	22	16.1	30
05/12/2023 18:30	1012.8	1012.8	1012.7	994.2	65.4	65.4	65.4	2.8	2.8	2.8	2.8	0.3	0.3	0.3	3.8	3.8	3.8	1.8	1.9	1.8	15	15	5	--	--	--	--	2.2	2.2	2.2	91.9	91.9	91.8	1.1	1.1	1.0	1.7	1.7	1.6	2.9	N	9	N	0.8	0.7	2.2	2.2	0.8	0.9	0.7	0.24	-0.3	-0.2	-0.4	0.0	0.0	0	0	--	0	0.00	0.00	0.06	0.00	2.15	2.96	6.8	9	13.3	26	16.8	31
05/12/2023 18:35	1012.8	1012.8	1012.8	994.2	65.7	65.7	65.4	2.8	2.8	2.8	2.8	0.2	0.2	0.2	3.8	3.8	3.8	1.7	1.8	1.7	15	15	5	--	--	--	--	2.2	2.2	2.1	91.7	91.9	91.7	0.9	1.1	0.9	1.6	1.7	1.6	2.6	N	8	N	0.8	0.9	2.2	2.2	1.1	1.1	0.9	0.23	0.1	0.2	0.1	0.0	0.0	0	0	--	0	0.00	0.00	0.06	0.00	2.32	3.22	7.7	11	15.3	25	18.5	28
05/12/2023 18:40	1012.9	1012.9	1012.8	994.4	65.7	65.7	65.7	2.8	2.8	2.8	2.8	0.2	0.2	0.2	3.8	3.8	3.8	1.6	1.7	1.6	15	15	5	--	--	--	--	2.1	2.2	2.1	91.9	91.9	91.9	0.9	0.9	0.8	1.6	1.6	1.5	2.2	NNE	5	N	1.4	1.1	2.1	2.2	1.4	1.4	1.1	0.19	0.3	0.3	0	0.0	0.0	0	0	--	0	0.00	0.00	0.06	0.00	2.74	3.54	10.7	15	20.4	30	24.5	35
05/12/2023 18:45	1012.9	1012.9	1012.9	994.4	65.7	65.7	65.7	2.8	2.8	2.8	2.8	0.1	0.2	0.1	3.8	3.8	3.8	1.6	1.6	1.6	15	15	5	--	--	--	--	1.9	2.1	1.9	92.0	92.1	92.0	0.8	0.9	0.8	1.4	1.6	1.4	3.0	NNE	5	NNE	1.0	1.0	1.9	2.1	1.0	1.3	1.0	0.23	-0.4	-0.2	-0.4	0.0	0.0	0	0	--	0	0.00	0.00	0.06	0.00	2.79	3.62	10.4	14	21.0	31	25.9	39
05/12/2023 18:50	1012.9	1012.9	1012.9	994.4	66.1	66.1	65.7	2.8	2.8	2.8	2.8	0.1	0.1	0.1	3.8	3.8	3.8	1.5	1.6	1.5	15	15	5	--	--	--	--	1.9	1.9	1.9	92.1	92.1	92.0	0.7	0.8	0.7	1.4	1.5	1.4	3.4	NNE	6	NNE	0.7	0.7	1.9	2.0	0.7	1.1	0.7	0.28	-0.1	-0.4	0.0	0.0	0.0	0	0	--	0	0.00	0.00	0.06	0.00	3.12	3.88	13.7	19	24.9	34	29.9	46
05/12/2023 18:55	1012.8	1012.9	1012.7	994.3	66.1	66.1	65.7	2.8	2.8	2.8	2.8	0.0	0.1	0.0	3.8	3.8	3.8	1.5	1.6	1.5	15	15	5	--	--	--	--	1.9	1.9	1.8	92.6	92.6	92.3	0.8	0.8	0.7	1.4	1.4	1.3	3.6	NNE	6	NNE	0.4	0.4	1.9	1.9	0.4	0.5	0.4	0.3	-0.7	-0.6	-0.7	0.0	0.0	0	0	--	0	0.00	0.00	0.06	0.00	2.69	3.79	11.0	15	19.8	33	22.2	39
05/12/2023 19:00	1012.8	1012.9	1012.8	994.4	66.1	66.1	66.1	2.8	2.8	2.8	2.8	0.0	0.0	0.0	3.8	3.8	3.8	1.5	1.5	1.4	15	15	5	--	--	--	--	1.9	1.9	1.8	92.8	92.8	92.6	0.8	0.8	0.8	1.4	1.4	1.3	3.9	NNE	8	NNE	0.2	0.2	1.9	1.9	0.2	0.3	0.2	0.32	-0.9	-0.8	-0.9	0.0	0.0	0	0	--	0	0.00	0.00	0.06	0.00	2.31	3.38	8.8	12	15.3	28	19.2	35
05/12/2023 19:05	1012.9	1013.0	1012.8	994.5	66.1	66.1	66.1	2.8	2.8	2.8	2.8	-0.1	0.0	-0.1	3.8	3.8	3.8	1.5	1.5	1.5	15	15	5	--	--	--	--	1.9	1.9	1.8	92.9	92.9	92.8	0.9	0.9	0.8	1.4	1.4	1.3	3.9	NNE	6	NNE	0.1	0.1	1.9	1.9	0.1	0.2	0.1	0.31	-0.9	-0.9	-0.9	0.0	0.0	0	0	--	0	0.00	0.00	0.06	0.00	2.45	3.12	9.5	12	17.4	25	20.1	30
05/12/2023 19:10	1012.9	1013.0	1012.9	994.5	66.1	66.1	66.1	2.8	2.8	2.8	2.8	-0.2	-0.1	-0.2	3.8	3.8	3.8	1.4	1.4	1.3	15	15	5	--	--	--	--	1.8	1.8	1.8	92.9	92.9	92.8	0.8	0.8	0.7	1.3	1.4	1.3	3.9	NNE	7	NE	-0.1	-0.1	1.8	1.8	-0.1	0.0	-0.1	0.32	-1.2	-1.1	-1.2	0.0	0.0	0	0	--	0	0.00	0.00	0.06	0.00	2.84	3.96	10.2	16	21.6	35	26.2	46
05/12/2023 19:15	1013.0	1013.0	1012.9	994.5	66.1	66.1	66.1	2.8	2.8	2.8	2.8	-0.2	-0.1	-0.2	3.8	3.8	3.8	1.4	1.4	1.4

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -cb | Soil Moist cb | High Soil Moist cb | Low Soil Moist cb | Soil Temp 6" °C | High Soil Temp 6" °C | Low Soil Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | High Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Temp °C | High Soil Temp °C | Low Soil Temp °C | Sun Time Run min | Sun Time Run min | leaf Wetness % | High Leaf Wetness % | Low Leaf Wetness % | Leaf Wetness % | Wind Sonic Ave Speed MPH | Wind Sonic Prev Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Run min | Wind Run Mi | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Heat Index Out °C | High Heat Index Out °C | Low Heat Index Out °C | Wind Ave Speed MPH | Wind Analogue Ave Speed MPH | Wind Analogue Dir | Wind Analogue High MPH | Wind Analogue High Dir | Wind Analogue Run min | Chill Mi | Low Wind Chill °C | High Wind Chill °C | THSW Index °C | High THSW Index °C | Low THSW Index °C | Rain mm | Rain Rate mm | High Solar Rad W/m² | Solar Rad W/m² | Solar Energy MJ | ET MM | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink Index AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink PM2 ug/m³ | AirLink PM2 3.- ug/m³ | AirLink PM 10 ug/m³ | AirLink PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist - cb | Soil Moist cb | Soil Moist cb | High Soil Temp °C | Low Soil Temp °C | High Temp 6" °C | Low Temp 6" °C | Soil Temp 12" °C | Soil High Temp 12" °C | Soil Low Temp 12" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp Min 12" °C | Soil High Temp Max 12" °C | Soil Low Temp Max 12" °C | Sun Temp °C | Sun High Temp °C | Sun Low Temp °C | Leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Prev MPH | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Dir | Wind Run Mi | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Heat Index Out °C | High Heat Index Out °C | Low Heat Index Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Ave Speed MPH | Wind Analogue Ave Speed MPH | Wind Analogue Dir | Wind Analogue High MPH | Wind Analogue High Dir | Wind Analogue Run Mi | Chill Index °C | Wind Chill Index °C | Heat Index °C | Heat Index °C | THW Index °C | THW High Index °C | THW Low Index °C | Wind Analogue Run mi | THSW Index °C | THSW High Index °C | THSW Low Index °C | Rain mm | Rain Rate mm | High Solar Rad W/m² | Solar Rad W/m² | Solar Rad W/m² | ET MM | UV Index | High UV Index | UV Dose | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | High Soil Moist cb | Low Soil Moist cb | Soil Temp 6" °C | High Soil Temp 6" °C | Low Soil Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | High Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Temp °C | High Soil Temp °C | Low Soil Temp °C | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Dir Mi | Wind Temp °C | High Temp °C | Low Temp °C | Humidity % | High Humidity % | Low Humidity % | Dew Point °C | High Dew Point °C | Low Dew Point °C | Wet Bulb °C | High Wet Bulb °C | Low Wet Bulb °C | Wind Dir | Wind Ave Speed MPH | Wind High Speed MPH | Wind Dir Mi | Wind run Mi | Heat °C | High Heat °C | Low Heat °C | Heat Index °C | THW Index °C | THW High Index °C | THW Low Index °C | Wind Chill °C | Low Wind Chill °C | Heat Index °C | Low Heat Index °C | Rain mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad W/m² | ET MM | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 µg/m³ | AirLink PM1 µg/m³ | AirLink PM 2.5 µg/m³ | AirLink PM 2.5 µg/m³ | AirLink PM 10 µg/m³ | AirLink PM 10 µg/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist cb | Soil Moist cb | Soil Temp 6" cb | Soil Temp 6" °C | Soil Low Temp 6" °C | Soil High Temp 12" °C | Soil Low Temp 12" °C | Soil High Temp 24" °C | Soil Low Temp 24" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp Min 12" °C | Soil High Temp 12" °C | Soil Low Temp 12" °C | Soil Temp Min 24" °C | Soil High Temp 24" °C | Soil Low Temp 24" °C | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind Dir | Wind Sonic Mi | Wind Run | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Analogue Ave Speed MPH | Wind Analogue Dir | Wind Analogue High MPH | Wind Analogue Dir | Wind Analogue Chill °C | Wind Chill °C | Low Wind Chill °C | Heat Index °C | High Heat Index °C | THW Index °C | THW High Index °C | THW Low Index °C | Low Analogue Wind run | THSW Index °C | High THSW Index °C | THSW Low Index °C | Rain mm | Rain Rate mm | High Solar Rad W/m² | Solar Rad W/m² | Solar Rad High W/m² | ET MM | UV Index Index | High UV Index | UV Dose Meds | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink PM2 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar Pressure mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist cb | Soil Moist cb | Soil Temp 6" °C | Soil Temp 6" °C | Soil Temp Low 6" °C | Grass Min °C | Grass Min °C | Grass Min °C | Soil Temp 12" °C | Soil Temp 12" °C | Soil Temp Low 12" °C | Sun Time °C | Sun Time °C | Sun Time °C | leaf Wetness Wetness | Leaf Wetness Wetness | Leaf Wetness Wetness | Wind Sonic Ave Speed 1 Minute MPH | Wind Sonic Dir MPH | Wind Sonic Prev High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Dir MPH | Wind Speed Out MPH | Wind Speed Out MPH | Wind Speed Out MPH | Humidity Out % | Humidity Out % | Humidity Out % | Temp Out °C | Temp Out °C | Temp Out °C | Dew Point Out °C | Dew Point Out °C | Dew Point Out °C | Wet Bulb Out °C | Wet Bulb Out °C | Wet Bulb Out °C | Heat Index Out °C | Heat Index Out °C | Heat Index Out °C | Wind Analogue Ave Speed Prev MPH | Wind Analogue High Prev MPH | Wind Analogue High Dir | Wind Analogue High Dir | Wind Analogue High Dir | Chill Index °C | Chill Index °C | Chill Index °C | THSW Index °C | THW Index °C | THW Index °C | Wind run Mi | Analogue THSW Index °C | Analogue THSW Index °C | Analogue THSW Index °C | Rain Rate mm | Rain Rate mm | High Solar Rate W/m² | Solar Rad W/m² | Solar Rad W/m² | High Solar Rad W/m² | ET MM | UV Index Index | High UV Index | UV Dose Meds | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar Pressure mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist cb | Soil Moist cb | Soil Temp 6" °C | Soil Temp 6" °C | Soil Temp 6" °C | Soil Low Temp 6" °C | Soil Low Temp 6" °C | Soil Low Temp 6" °C | Grass Min °C | Grass Min °C | Grass Min °C | Soil Temp 12" °C | Soil Temp 12" °C | Soil Temp 12" °C | Soil Low Temp 12" °C | Soil Low Temp 12" °C | Soil Low Temp 12" °C | Sun Time Min | Sun Time Min | Sun Time Min | Leaf Wetness | Leaf Wetness Wetness | Leaf Wetness Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Run MPH | Wind Run MPH | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Analogue Ave Speed Dir | Wind Analogue Prev Dir | Wind Analogue High Dir | Wind Analogue Run Dir | Chill °C | Low Chill °C | Heat Index °C | High Heat Index °C | THW Index °C | THW High Index °C | THW Low Index °C | Wind run km | THSW Index °C | THSW High Index °C | THSW Low Index °C | Rain mm | Rain Rate mm | Solar Rad W/m² | Solar Rad High W/m² | ET MM | UV Index Index | High UV Index | UV Dose Meds | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink PM2 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

Date & Time	Bar High mb	Bar Low mb	Bar Absolute mb	Soil Moist -- cb	Soil Moist cb	Soil Temp 6" °C	Soil Temp 6" °C	Soil Low Temp 6" °C	Grass High Min °C	Grass Low Min °C	Soil Temp 12" °C	Soil Temp 12" °C	Soil Low Temp 12" °C	Sun Time Mi	Sun Temp Mi °C	Sun Low Mi °C	leaf Wetness	High Leaf Wetness	Low Leaf Wetness	Leaf Wetness 1 Minute	Wind Sonic Ave Speed MPH	Wind Sonic Prev MPH	Wind Sonic High Speed MPH	Wind Sonic High Wind MPH	Sonic Wind Dir Mi	Time Out °C	High Temp Out °C	Low Temp Out °C	Humidity Out %	High Humidity Out %	Low Humidity Out %	Dew Point Out °C	High Dew Point Out °C	Low Dew Point Out °C	Wet Bulb Out °C	High Wet Bulb Out °C	Low Wet Bulb Out °C	Wind Analogue Ave Speed Prev MPH	Wind Analogue High Dir	Wind Analogue High MPH	Wind Analogue Chill Div	Wind Analogue Chill °C	Wind Index Heat °C	Heat Index °C	THW Index °C	THW High Index °C	THW Low Index °C	Wind run mm	Rain Rate mm	High Rain Rate mm	Solar Rad W/m²	Solar Rad High W/m²	ET MM	UV Index Index	High UV Index	UV Dose Meds	Heating Days	Cooling Degree Days	AirLink AQI	AirLink High AQI	AirLink PM1 ug/m³	AirLink High PM1 ug/m³	AirLink PM 2.5 ug/m³	AirLink High PM 2.5 ug/m³	AirLink PM 10 ug/m³
08/12/2023 22:55	997.5	997.7	997.5	979.3	65.0	65.0	65.0	4.8	4.8	4.6	4.7	4.6	4.8	4.8	4.8	6.6	6.7	6.6	0	0	0	--	--	--	--	--	6.8	6.9	6.8	89.4	89.5	89.4	5.2	5.3	5.2	6.0	6.1	6.0	11.6	SSW	23	S	3.2	3.2	6.8	6.9	3.2	3.3	3.2	0.97	2.3	2.4	2.3	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.81	2.46	3.7	5	9.4	17	16.1	27
08/12/2023 23:00	997.7	997.7	997.5	979.5	65.3	65.3	65.0	4.8	4.8	4.5	4.6	4.4	4.8	4.8	4.8	6.6	6.6	6.5	0	0	0	--	--	--	--	--	6.8	6.8	6.8	89.4	89.5	89.4	5.2	5.2	5.2	6.0	6.0	5.9	12.1	SSW	22	WSW	3.3	3.2	6.8	6.8	3.3	3.3	3.2	1	2.4	2.4	2.3	0.0	0.0	0	0.00	0	0.00	0.00	0.04	0.00	1.68	2.54	3.6	5	7.8	18	18.0	26
08/12/2023 23:05	997.7	997.7	997.6	979.5	65.3	65.3	65.3	4.8	4.8	4.3	4.5	4.3	4.8	4.8	4.8	6.5	6.6	6.5	0	0	0	--	--	--	--	--	6.8	6.8	6.8	89.4	89.4	89.4	5.2	5.2	5.2	6.0	6.0	5.9	12.3	SSW	21	SSW	3.3	3.2	6.8	6.8	3.3	3.3	3.2	1.03	2.4	2.4	2.3	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.68	2.54	3.6	5	7.8	18	18.0	26
08/12/2023 23:10	997.7	997.8	997.6	979.5	65.3	65.3	65.3	4.8	4.8	4.3	4.3	4.3	4.8	4.8	4.8	6.5	6.5	6.5	0	0	0	--	--	--	--	--	6.8	6.8	6.8	89.4	89.4	89.4	5.2	5.2	5.2	5.9	6.0	5.9	11.5	SSW	22	SSW	3.1	3.1	6.8	6.8	3.1	3.2	3.1	0.96	2.2	2.3	2.2	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.74	2.71	3.5	5	8.5	20	14.2	33
08/12/2023 23:15	997.7	997.8	997.6	979.5	65.3	65.3	65.3	4.8	4.8	4.3	4.3	4.2	4.8	4.8	4.8	6.5	6.5	6.5	0	0	0	--	--	--	--	--	6.8	6.8	6.8	89.5	89.5	89.4	5.2	5.2	5.2	5.9	5.9	5.9	11.8	SSW	21	SSW	3.2	3.1	6.8	6.8	3.2	3.2	3.1	0.98	2.3	2.3	2.2	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.72	2.54	3.4	5	8.3	18	16.1	25
08/12/2023 23:20	997.7	997.7	997.6	979.5	65.3	65.3	65.3	4.8	4.8	4.2	4.3	4.2	4.8	4.8	4.8	6.5	6.5	6.5	0	0	0	--	--	--	--	--	6.7	6.7	6.7	89.6	89.6	89.5	5.1	5.2	5.1	5.9	5.9	5.9	12.9	SSW	22	SW	3.0	3.0	6.7	6.7	3.0	3.1	3.0	1.08	2.1	2.3	2.2	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.70	2.54	3.3	5	8.1	18	13.0	24
08/12/2023 23:25	997.6	997.8	997.6	979.4	65.3	65.3	65.3	4.8	4.8	4.1	4.2	4.1	4.8	4.8	4.8	6.3	6.4	6.3	0	0	0	--	--	--	--	--	6.7	6.7	6.7	89.7	89.6	89.6	5.1	5.2	5.1	5.8	5.9	5.8	10.6	SSW	19	WSW	3.1	3.0	6.7	6.7	3.1	3.1	3.0	0.88	2.2	2.2	2.1	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.67	2.54	3.3	5	7.7	18	13.4	26
08/12/2023 23:30	997.5	997.7	997.5	979.3	65.3	65.3	65.3	4.8	4.8	4.1	4.1	4.1	4.8	4.8	4.8	6.3	6.4	6.3	0	0	0	--	--	--	--	--	6.7	6.7	6.7	89.6	89.7	89.6	5.1	5.2	5.1	5.8	5.9	5.8	11.1	SSW	20	SSW	3.2	3.1	6.7	6.7	3.2	3.3	3.1	0.92	2.2	2.3	2.2	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.61	2.38	2.7	4	7.0	16	12.6	28
08/12/2023 23:35	997.5	997.6	997.5	979.3	65.3	65.3	65.3	4.8	4.8	4.1	4.1	4.1	4.8	4.8	4.8	6.3	6.3	6.3	0	0	0	--	--	--	--	--	6.7	6.7	6.7	89.6	89.6	89.6	5.1	5.1	5.1	5.8	5.9	5.8	11.8	SSW	21	S	3.2	3.2	6.7	6.7	3.2	3.3	3.2	0.98	2.2	2.2	2.1	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.65	2.38	2.6	5	7.5	16	13.0	24
08/12/2023 23:40	997.6	997.6	997.5	979.4	65.3	65.3	65.0	4.8	4.8	4.1	4.1	4.1	4.8	4.8	4.8	6.3	6.3	6.3	0	0	0	--	--	--	--	--	6.7	6.7	6.6	89.6	89.7	89.6	5.1	5.1	5.0	5.8	5.8	5.8	12.0	SSW	24	SSW	3.1	3.0	6.7	6.7	3.1	3.2	3.0	1	2.2	2.2	2.1	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.58	2.29	2.3	4	6.7	15	10.1	22
08/12/2023 23:45	997.5	997.6	997.5	979.3	65.3	65.3	65.3	4.8	4.8	4.1	4.2	4.1	4.8	4.8	4.8	6.3	6.3	6.3	0	0	0	--	--	--	--	--	6.6	6.7	6.6	89.5	89.6	89.5	5.0	5.1	5.0	5.8	5.8	5.8	11.6	SSW	22	SSW	3.0	2.9	6.6	6.7	3.0	3.1	2.9	0.96	2.1	2.2	2	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.60	2.21	2.3	4	6.9	14	10.4	20
08/12/2023 23:50	997.4	997.6	997.4	979.2	65.3	65.3	65.3	4.8	4.8	4.1	4.1	4.1	4.8	4.8	4.8	6.3	6.3	6.3	0	0	0	--	--	--	--	--	6.6	6.7	6.6	89.3	89.5	89.3	5.0	5.1	5.0	5.8	5.8	5.8	11.2	SSW	19	SSE	3.1	3.0	6.6	6.7	3.1	3.1	3.0	0.93	2.2	2.2	2.1	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.52	2.38	1.7	3	6.0	16	10.5	28
08/12/2023 23:55	997.5	997.5	997.4	979.3	65.3	65.3	65.3	4.8	4.8	3.9	4.1	3.9	4.8	4.8	4.8	6.3	6.3	6.3	0	0	0	--	--	--	--	--	6.6	6.7	6.6	89.1	89.3	89.1	4.9	5.1	4.9	5.7	5.8	5.7	11.2	SSW	23	S	3.2	3.1	6.6	6.7	3.2	3.2	3.1	0.93	2.2	2.3	2.2	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.43	1.87	2.1	4	4.9	10	9.4	22
08/12/2023 00:00	997.5	997.5	997.5	979.3	65.3	65.3	65.3	4.8	4.8	3.9	3.9	3.9	4.8	4.8	4.8	6.3	6.3	6.3	0	0	0	--	--	--	--	--	6.6	6.7	6.6	89.2	89.4	89.2	4.9	5.0	4.9	5.7	5.8	5.7	10.7	SSW	18	SSW	3.2	3.2	6.6	6.7	3.2	3.2	3.2	0.89	2.2	2.3	2.2	0.0	0.0	0	0.00	0	0.00	0.00	0.04	0.00	1.51	2.54	2.1	3	5.9	18	10.4	26
08/12/2023 00:05	997.5	997.6	997.5	979.3	65.3	65.3	65.3	4.8	4.8	3.8	3.9	3.7	4.8	4.8	4.8	6.3	6.3	6.3	0	0	0	--	--	--	--	--	6.6	6.6	6.5	89.5	89.2	89.5	4.9	4.9	4.9	5.7	5.7	5.7	9.8	SSW	15	SSW	3.2	3.1	6.6	6.6	3.1	3.2	3.1	0.82	2.2	2.3	2.2	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.49	2.21	1.8	4	5.6	14	11.9	22
08/12/2023 00:10	997.6	997.7	997.5	979.4	64.3	65.3	64.3	4.7	4.8	3.7	3.7	3.7	4.7	4.8	4.8	6.1	6.1	6.1	0	0	0	--	--	--	--	--	6.4	6.5	6.4	89.4	89.5	89.3	4.8	4.9	4.8	5.6	5.7	5.6	9.1	SSW	18	S	3.3	3.2	6.4	6.5	3.3	3.4	3.2	0.76	2.3	2.4	2.2	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.43	1.96	1.9	3	4.9	11	10.4	18
08/12/2023 00:15	997.7	997.7	997.5	979.5	64.3	64.3	64.3	4.7	4.7	3.7	3.7	3.7	4.8	4.8	4.8	6.1	6.1	6.1	0	0	0	--	--	--	--	--	6.4	6.4	6.4	89.7	89.7	89.4	4.9	4.9	4.8	5.6	5.6	5.6	9.6	SSW	22	SSW	3.4	3.3	6.4	6.4	3.4	3.4	3.3	0.8	2.4	2.4	2.3	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.50	2.29	1.5	3	5.7	15	9.0	22
08/12/2023 00:20	997.7	997.8	997.6	979.5	64.3	64.3	64.3	4.7	4.7	3.8	3.8	3.8	4.7	4.8	4.8	6.1	6.1	6.1	0	0	0	--	--	--	--	--	6.4	6.4	6.4	89.7	89.8	89.6	4.8	4.9	4.8	5.6	5.6	5.6	8.6	SSW	20	S	3.4	3.3	6.4	6.4	3.4	3.4	3.3	0.72	2.4	2.4	2.3	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.51	2.12	1.4	3	5.9	13	9.1	21
08/12/2023 00:25	997.7	997.8	997.7	979.5	64.3	64.3	64.3	4.7	4.7	3.8	3.7	3.8	4.7	4.8	4.8	6.1	6.1	6.1	0	0	0	--	--	--	--	--	6.4	6.4	6.4	89.8	89.8	89.7	4.8	4.9	4.8	5.6	5.6	5.6	7.9	SSW	18	SSW	3.6	3.4	6.4	6.4	3.6	3.6	3.4	0.66	2.6	2.6	2.4	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.40	2.29	1.5	3	4.6	15	8.7	25
08/12/2023 00:30	997.7	997.8	997.6	979.5	64.3	64.3	64.3	4.7	4.7	3.7	3.7	3.7	4.8	4.8	4.8	6.1	6.1	6.1	0	0	0	--	--	--	--	--	6.3	6.4	6.3	89.9	89.9	89.8	4.8	4.8	4.8	5.5	5.6	5.5	6.0	SSW	12	SSW	3.9	3.6	6.3	6.4	3.9	4.0	3.6	0.5	2.8	2.9	2.5	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.35	2.04	1.5	3	4.0	12	8.8	16
08/12/2023 00:35	997.6	997.7	997.5	979.4	64.3	64.3	64.3	4.7	4.7	3.8	3.8	3.7	4.8	4.8	4.8	6.1	6.1	6.1	0	0	0	--	--	--	--	--	6.3	6.3	6.3	89.9	90.1	89.9	4.7	4.8	4.7	5.4	5.6	5.4	5.9	SSW	12	S	4.3	4.0	6.3	6.3	4.3	4.3	4.0	0.49	2.9	3.2	2.9	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.44	2.12	1.5	3	4.7	13	7.9	26
08/12/2023 00:40	997.4	997.6	997.4	979.2	64.3	64.3	64.3	4.7	4.7	4.1	4.1	3.8	4.8	4.8	4.8	5.9	5.9	5.9	0	0	0	--	--	--	--	--	6.3	6.3	6.2	90.2	90.0	90.2	4.8	4.8	4.7	5.5	5.5	5.4	6.2	S	13	S	4.2	4.2	6.3	6.3	4.2	4.3	4.2	0.51	3.1	3.2	3.1	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.33	1.61	1.5	3	3.8	7	8.0	16
08/12/2023 00:45	997.3	997.5	997.3	979.1	64.6	64.6	64.6	4.7	4.7	4.5	4.5	4.1	4.8	4.8	4.8	6.1	6.1	6.1	0	0	0	--	--	--	--	--	6.3	6.3	6.2	90.5	90.5	90.3	4.8	4.8	4.7	5.5	5.5	5.4	7.4	SSW	13	S	4.1	4.0	6.3	6.3	4.1	4.3	4.0	0.61	2.9	3.2	2.9	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.46	2.12	1.5	4	5.3	13	7.6	21
08/12/2023 00:50	997.4	997.5	997.3	979.2	64.6	64.6	64.6	4.7	4.7	4.4	4.5	4.4	4.8	4.8	4.8	6.1	6.1	6.1	0	0	0	--	--	--	--	--	6.3	6.3	6.2	90.6	90.6	90.5	4.8	4.8	4.7	5.5	5.5	5.4	7.6	S	16	SSW	3.9	3.9	6.3	6.3	3.9	4.0	3.9	0.63	2.8	2.8	2.6	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.40	2.38	2.0	4	5.7	16	10.2	20
08/12/2023 00:55	997.4	997.5	997.3	979.2	64.6	64.6	64.6	4.7	4.7	4.6	4.6	4.5	4.8	4.8	4.8	6.1	6.1	6.1	0	0	0	--	--	--	--	--	6.3	6.3	6.3	90.7	90.7	90.6	4.9	4.9	4.8	5.6	5.6	5.5	7.1	S	15	S	3.8	3.8	6.3	6.3	3.8	3.9	3.8	0.59	2.7	2.8	2.7	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.50	2.29	2.1	4	5.8	15	10.3	24
08/12/2023 01:00	997.4	997.4	997.3	979.2	64.6	64.6	64.6	4.7	4.7	4.9	4.6	4.4	4.8	4.8	4.8	6.1	6.1	6.1	0	0	0	--	--	--	--	--	6.3	6.3	6.3	90.8	90.8	90.7	4.9	4.9	4.8	5.6	5.6	5.6	7.2	SSW	15	SSW	3.9	3.8	6.3	6.3	3.9	3.9	3.8	0.6	2.8	2.8	2.7	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.53	2.12	2.5	4	6.1	13	11.1	21
08/12/2023 01:05	997.4	997.5	997.4	979.2	64.6	64.6	64.6	4.7	4.7	4.1	4.3	4.1	4.8	4.8	4.8	6.1	6.1	6.1	0	0	0	--	--	--	--	--	6.2	6.3	6.2	90.9	90.9	90.8	4.9	4.9	4.8	5.5	5.6	5.5	6.3	SSW	16	SSW	4.0	3.8	6.2	6.3	4.0	4.1	3.8	0.53	2.9	2.9	2.6	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.58	2.29	2.6	5	6.6	15	9.4	20
08/12/2023 01:10	997.3	997.5	997.3	979.1	64.6	64.6	64.6	4.7	4.7	4.1	4.1	4.1	4.8	4.8	4.8	5.9	5.9	5.9	0	0	0	--	--	--	--	--	6.2	6.3	6.2	90.9	91.1	90.9	4.8	4.9	4.8	5.4	5.6	5.4	7.2	S	16	SSE	3.9	3.9	6.2	6.3	3.9	4.1	3.9	0.6	2.8	2.9	2.8	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.46	2.04	2.4	4	5.3	12	8.9	17
08/12/2023 01:15	997.2	997.3	997.2	979.0	64.6	64.6	64.6	4.7	4.7	3.9	4.1	3.9	4.8	4.8	4.8	5.8	5.9	5.8	0	0	0	--	--	--	--	--	6.2	6.2	6.2	91.0	91.1	91.0	4.8	4.9	4.8	5.5	5.6	5.4	5.1	S	11	SSW	3.9	3.9	6.2	6.2	3.9	4.0	3.9	0.42	2.8	2.9	2.8	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.41	2.46	2.9	5	7.1	17	12.2	24
08/12/2023 01:20	997.1	997.3	997.1	978.9	64.6	64.6	64.6	4.7	4.7	3.9	3.9	3.8	4.8	4.8	4.8	5.9	5.9	5.8	0	0	0	--	--	--	--	--	6.2	6.2	6.1	91.3	91.3	91.1	4.8	4.8	4.8	5.5	5.5	5.4	8.1	S	13	S	3.9	3.9	6.2	6.2	3.9	4.0	3.9	0.68	2.9	2.9	2.8	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.57	2.38	2.5	4	6.5	16	12.1	29
08/12/2023 01:25	997.0	997.1	997.0	978.8	64.6	64.6	64.6	4.7	4.7	3.9	3.9	3.9	4.8	4.8	4.8	5.9	5.9	5.9	0	0	0	--	--	--	--	--	6.2	6.2	6.2	91.2	91.3	91.2	4.8	4.8	4.8	5.5	5.5	5.5	6.0	S	12	S	3.9	3.9	6.2	6.2	3.9	3.9	3.9	0.5	2.8	2.8	2.8	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.50	2.29	2.5	4	5.7	15	9.3	26
08/12/2023 01:30	996.9	997.0	996.9	978.7	64.6	64.6	64.6	4.7	4.7	3.7	3.9	3.7	4.8	4.8	4.8	5.8	5.9	5.8	0	0	0	--	--	--	--	--	6.2	6.2	6.2	91.2	91.2	91.1	4.8	4.8	4.8	5.4	5.5	5.4	4.9	S	12	SSE	4.2	3.8	6.2	6.2	4.2	4.2	3.8	0.41	3.1	3.1	2.7	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.51	2.38	2.6	5	5.9	16	10.0	31
08/12/2023 01:35	996.8	997.0	996.8	978.6	64.6	64.6	64.6	4.7	4.7	3.7	3.7	3.7	4.8	4.8	4.8	5.9	5.9	5.9	0	0	0	--	--	--	--	--	6.2	6.2	6.1	91.2	91.2	91.2	4.8	4.8	4.8	5.4	5.4	5.4	5.7	S	10	S	4.3	4.2	6.2	6.2	4.3	4.4	4.2	0.47	3.3	3.3	3.1	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.54	2.38	2.3	5	6.2	16	11.1	25
08/12/2023 01:40	996.8	996.9	996.7	978.6	64.6	64.6	64.6	4.7	4.7	3.6	3.7	3.6	4.8	4.8	4.8	5.9	5.9	5.9	0	0	0	--	--	--	--	--	6.2	6.2	6.1	91.0	91.1	91.0	4.8	4.8	4.8	5.5	5.5	5.4	6.3	S	14	S	4.2	4.2	6.2	6.2	4.2	4.4	4.2	0.53	3.1	3.3	3.1	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.69	2.21	2.5	4	7.9	14	11.7	20
08/12/2023 01:45	996.6	996.8	996.6	978.4	64.6	64.6	64.6	4.7	4.7	3.6	3.7	3.6	4.8	4.8	4.8	5.9	5.9	5.9	0	0	0	--	--	--	--	--	6.2	6.2	6.2	90.8	91.0	90.8	4.8	4.8	4.8	5.4	5.5	5.4	6.0	S	14	SSW	4.1	4.1	6.2	6.2	4.1	4.2	4.1	0.5	3	3.3	2.9	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.65	2.54	3.0	5	7.5	18	12.7	30
08/12/2023 01:50	996.5	996.6	996.4	978.3	64.6	64.6	64.6	4.7	4.7	3.7	3.7	3.6	4.8	4.8	4.8	5.9	5.9	5.9	0	0	0	--	--	--	--	--	6.2	6.2	6.1	90.9	90.9	90.9	4.7	4.8	4.7	5.4	5.4	5.4	5.4	S	12	S	4.1	4.1	6.1	6.2	4.1	4.2	4.1	0.45	2.9	3.1	2.9	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.67	2.29	3.1	5	7.7	15	13.1	20
08/12/2023 01:55	996.5	996.6	996.5	978.3	64.6	64.6	64.6	4.7	4.7	3.8	3.8	3.7	4.8	4.8	4.8	5.9	5.9	5.9	0	0	0	--	--	--	--	--	6.1	6.2	6.1	91.0	91.0	90.9	4.8	4.8	4.7	5.4	5.5	5.4	5.4	S	10	SSE	4.3	4.1	6.1	6.2	4.3	4.4	4.1	0.45	3.2	3.3	3	0.0	0.0	0	0	--	0	0.00	0.00	0.04	0.00	1.61	2.21	3.2	5	7.0	14	10.5	19
08/12/2023 02:00	996.6	996.6	996.5	978.4	64.6	64.6	64.6	4.7	4.7	3.9	3.9	3.8	4.8	4.8	4.8	5.9	5.9	5.8	0	0	0	--	--	--	--	--	6.1	6.1	6.1	91.1	91.1	91.0	4.8	4.8	4.7	5.4	5.4	5.4	5.9	S	12	S	4.3	4.2	6.1	6.1	4.3	4.3	4.2	0.49	3.2	3.2	3.1	0.0	0.0	0	0.00	0	0.00	0.00	0.04	0.00	1.60	2.54	3.1	5	6.9	18	10.3	25
08/12/2023 02:05	996.7	996.7	996.5	978.5	64.6

| Date & Time | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -cb | Soil Moist cb | High Soil Temp °C | Low Soil Temp °C | Soil Temp 6" °C | Soil Temp 12" °C | Grass Min °C | Grass Min °C | Low Grass Temp °C | Soil Temp Min °C | Soil Temp 12" °C | Soil Temp 24" °C | Low Soil Temp 12" °C | Low Soil Temp 24" °C | Sun Time Out | Sun Time Out | Leaf Wetness | Leaf Wetness | Leaf Wetness | Leaf Wetness | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Dir | Wind Run Mi | Sonic Wind Run Mi | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Analogue Ave Speed MPH | Wind Analogue Prev MPH | Wind Analogue High MPH | Wind Analogue Dir | Chill °C | Low Chill °C | Heat Index °C | High Heat Index °C | THW Index °C | THW High Index °C | THW Low Index °C | Wind run Mi | Solar Rad W/m² | Solar Rad W/m² | High Solar Rad W/m² | ET MM | Index | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 - ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar Pressure mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -- cb | Soil Moist cb | High Soil Moist cb | Low Soil Moist cb | Soil Temp 6" °C | High Soil Temp 6" °C | Low Soil Temp 6" °C | Soil Temp 12" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | High Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Temp 24" °C | High Soil Temp 24" °C | Low Soil Temp 24" °C | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Dir Mi | Wind Run Out % | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Ave Speed MPH | Wind Analogue Ave Speed MPH | Wind Analogue Dir | Wind Analogue Prev MPH | Wind Analogue High MPH | Wind Analogue Dir | Chill °C | Wind Chill °C | Heat Index °C | High Heat Index °C | Low Heat Index °C | THW Index °C | THW High Index °C | THW Low Index °C | Wind run mm | Rain mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad High W/m² | ET MM | Index | UV Index | High UV Index | Heating Degree Days | Cooling Degree Days | AirLink Index AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink PM2 ug/m³ | AirLink PM2 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist cb | Soil Moist cb | Soil Temp °C | Soil Temp 6" °C | Soil Temp 6" °C | Soil Low Temp 6" °C | Grass Min °C | Grass High Min °C | Grass Low Min °C | Soil Temp Min °C | Soil Temp 12" °C | Soil High Temp 12" °C | Soil Low Temp 12" °C | Soil Temp Sun °C | Soil Temp Sun °C | leaf Wetness | Leaf Wetness | Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Sonic Wind Dir Mi | Wind Run | Wind Temp °C | Wind High Temp °C | Wind Low Temp °C | Out Humidity % | Out Humidity % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Analogue Ave Speed Dir | Wind Analogue Ave Speed MPH | Wind Analogue High Dir | Wind Analogue High MPH | Wind Analogue Chill Dir | Wind Chill °C | Wind Low Chill °C | Heat Index °C | High Heat Index °C | THW Index °C | THW High Index °C | THW Low Index °C | Wind run mm | Rain mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad W/m² | Solar Rad MM | ET MM | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist - cb | Soil Moist cb | High Soil Moist cb | Low Soil Moist cb | Soil Temp 6" °C | High Soil Temp 6" °C | Low Soil Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | High Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Temp 24" °C | High Soil Temp 24" °C | Low Soil Temp 24" °C | Soil Temp 36" °C | High Soil Temp 36" °C | Low Soil Temp 36" °C | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev | Wind Sonic High Speed MPH | Wind Sonic High Wind Dir | Wind Sonic Wind Run MI | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Analogue Ave Speed Dir | Wind Analogue High Dir | Wind Analogue High MPH | Wind Analogue Chill Dir | Wind Chill °C | Low Wind Chill °C | Heat Index °C | High Heat Index °C | THW Index °C | THW High Index °C | THW Low Index °C | Wind Run MI | THSW Index °C | THSW High Index °C | THSW Low Index °C | Rain mm | High Rain Rate mm | Solar Rad W/m² | High Solar Rad W/m² | ET MM | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -- cb | Soil Moist cb | Soil Temp 6" °C | Soil Temp 6" °C | Soil Low Temp 6" °C | Soil High Temp 12" °C | Soil Low Temp 12" °C | Grass Min °C | High Grass Min °C | Grass Temp °C | Low Grass Temp °C | Soil Temp Min 12" °C | Soil High Temp 24" °C | Soil Low Temp 24" °C | Soil Temp Out °C | Soil High Temp Out °C | Soil Low Temp Out °C | Leaf Wetness | Leaf Wetness | Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Prev Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Dir | Wind Run MPH | Out °C | High Temp Out °C | Low Temp Out °C | Humidity % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Heat Index Out °C | High Heat Index °C | THW Index °C | THW High Index °C | THW Low Index °C | Wind Run Miles | Wind Analogue Ave Speed MPH | Wind Analogue High Dir | Wind Analogue High MPH | Wind Analogue High Dir | Chill °C | Wind Chill °C | Low Heat Index °C | High Heat Index °C | Low THW Index °C | High THW Index °C | THSW Index °C | High THSW Index °C | Rain mm | Rain Rate mm | Solar Rad W/m² | Solar Rad W/m² | ET MM | Index | UV Index | High UV Index | UV Dose Index | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 AQI | AirLink PM2 2.5 µg/m³ | AirLink PM2 2.5 - µg/m³ | AirLink PM 10 µg/m³ | AirLink PM 10 µg/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -cb | Soil Moist cb | Soil Moist 6" cb | Soil Temp 6" °C | Soil High Temp 6" °C | Soil Low Temp 6" °C | Grass Min °C | Grass High Min °C | Grass Low Min °C | Soil Temp 12" °C | Soil High Temp 12" °C | Soil Low Temp 12" °C | Soil Temp Sun °C | Soil High Temp Sun °C | Soil Low Temp Sun °C | leaf Wetness | Leaf Wetness | Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev | Wind Sonic High Speed MPH | Wind Sonic High Wind Dir | Wind Sonic Wind Run Mi | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Ave Speed MPH | Wind Analogue Ave Speed MPH | Wind Analogue Dir | Wind Analogue High MPH | Wind Analogue High Dir | Wind Analogue Run Mi | Chill Index °C | Wind Chill Index °C | Heat Index °C | Heat Index °C | THW Index °C | THW High Index °C | THW Low Index °C | Wind run Mi | THSW Index °C | THSW High Index °C | THSW Low Index °C | Rain mm | Rain Rate mm | High Rain Rate mm | Solar W/m² | Solar Rad W/m² | High Solar Rad W/m² | ET MM | Index | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 AQI | High AirLink PM1 AQI | AirLink PM 2.5 µg/m³ | AirLink High PM 2.5 µg/m³ | AirLink PM 10 µg/m³ | AirLink High PM 10 µg/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist cb | Soil Moist cb | Low Soil Temp 6" °C | Low Soil Temp 6" °C | Soil Temp 6" °C | Low Soil Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | Soil High Temp 12" °C | Soil Low Temp 12" °C | Low Soil Temp 12" °C | Sun Temp °C | Sun Temp °C | Leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Dir | Wind Run MPH | Wind Run Out | Low Out | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Analogue Ave Speed MPH | Wind Analogue Dir | Wind Analogue High MPH | Wind Analogue Dir | Wind Analogue Run MPH | Wind Chill Out °C | Low Wind Chill °C | Heat Index Out °C | High Heat Index °C | THW Index °C | THW High Index °C | THW Low Index °C | Wind Run THSW Index °C | High THSW Index °C | Low THSW Index °C | Rain mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad High W/m² | ET MM | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist cb | Soil Moist cb | Soil Temp 6" °C | Soil Temp 6" °C | Soil Low Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | Soil Temp 12" °C | Soil Low Temp 12" °C | Soil Temp Sun °C | Soil Temp Sun °C | Soil Low Temp Sun °C | leaf Wetness Wetness | High Leaf Wetness Wetness | Low Leaf Wetness Wetness | Leaf Wetness 1 Minute Wetness | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind Run Mi | Wind Sonic Wind Run Mi | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wind Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Analogue Ave Speed MPH | Wind Analogue Dir | Wind Analogue High MPH | Wind Analogue Dir | Wind Analogue Low MPH | Wind Analogue Dir | Wind Run Mi | THSW Index °C | High THSW Index °C | Low THSW Index °C | THW Index °C | High THW Index °C | Low THW Index °C | Rain mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad High W/m² | ET MM | UV Index Index | High UV Index | UV Dose Meds | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist cb | Soil Moist cb | Low Soil Temp 6" °C | Low Soil Temp 6" °C | Low Soil Temp 6" °C | Soil Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Low Soil Temp 12" °C | Soil Temp 12" °C | High Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Temp 24" °C | Low Soil Temp 24" °C | Soil Temp 24" °C | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Prev MPH | Wind Sonic High Speed MPH | Wind Sonic Dir | Wind Sonic High Wind MPH | Wind Sonic Dir | Wind Temp °C | Out Temp °C | High Temp °C | Low Temp °C | Out Hum % | Dew Point °C | High Humidity % | Low Humidity % | Out Hum % | Dew Point °C | High Dew Point °C | Low Dew Point °C | Wind Bulb °C | High Wet Bulb °C | Low Wet Bulb °C | Wind Analogue Ave Speed | Wind Analogue Prev Dir | Wind Analogue High MPH | Wind Analogue Dir | Wind Analogue High Dir | Chill °C | Wind Chill °C | Heat °C | High Heat Index °C | Low Heat Index °C | THW Index °C | High THW Index °C | Low THW Index °C | Wind run mm | Rain mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad W/m² | High Solar Rad W/m² | ET MM | UV Index | High UV Index | UV Dose Meds | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar Height mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist cb | Soil Temp 6" °C | Soil Temp 6" °C | Soil Temp 6" °C | Soil Low Temp 6" °C | Grass Min °C | Grass Min °C | Grass Low Temp 12" °C | Soil Temp Min 12" °C | Soil Temp Min 12" °C | Soil Low Temp 12" °C | Soil Temp Sun °C | Soil Temp Sun °C | Soil Low Temp Sun °C | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev MPH | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Dir | Wind Run MPH | High Temp Out °C | High Temp Out °C | Low Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | High Dew Point Out °C | Low Dew Point Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Ave Speed MPH | Wind Analogue Ave Speed MPH | Wind Analogue Dir | Wind Analogue High MPH | Wind Analogue High Dir | Wind Analogue Run MPH | Chill Hours | Wind Chill °C | Heat Index °C | Heat Index °C | THW Index °C | THW Index °C | THW Index °C | Low Analogue Wind Chill °C | Wind run Mi | THSW Index °C | THSW Index °C | THSW Index °C | High Rain Rate mm | Rain Rate mm | Solar Rad W/m² | Solar Rad W/m² | ET MM | Index | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink AQI | AirLink PM1 ug/m³ | AirLink PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist °C | Soil Temp 6" °C | Soil Temp 6" Temp °C | Soil Low 6" °C | Soil Low 6" Temp °C | Grass High Min °C | Grass Low Min °C | Soil Temp 12" °C | Soil Temp 12" Temp °C | Soil Low 12" °C | Soil Low 12" Temp °C | Sun Temp °C | Sun Temp Temp °C | Sun Temp Out °C | Leaf Wetness % | Leaf Wetness Wetness | Leaf Wetness Temp °C | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev MPH | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Dir | Wind Sonic Prev MPH | Wind Out °C | Wind Temp °C | Wind Temp Out °C | Low Humidity Out % | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Ave Speed Ave Speed | Wind Dir Dir | Wind Analogue Prev MPH | Wind Analogue Dir MPH | Wind Analogue High MPH | Wind Analogue Dir Dir | Low Analogue Chill °C | Wind Low Chill °C | Heat Index Heat Index °C | THW Index THW Index °C | THW High Index THW Index °C | Low Analogue Wind run Mi | Analogue THSW Index THSW Index °C | High Analogue THSW Index THSW Index °C | Rain Rate mm | Rain Rate mm | High Solar Rad W/m² | Solar Rad W/m² | Solar Rad Rad W/m² | ET MM | Index | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist High cb | Soil Moist Low cb | Soil Temp 6" °C | Soil Temp 6" High °C | Soil Temp 6" Low °C | Soil Grass Min °C | Soil Grass High °C | Soil Grass Low °C | Soil Temp Min °C | Soil Temp High °C | Soil Temp Low °C | Soil Temp 12" °C | Soil Temp 12" High °C | Soil Temp 12" Low °C | Soil Temp Min °C | Soil Temp High °C | Soil Temp Low °C | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev | Wind Sonic High Speed MPH | Wind Sonic Dir | Wind Sonic High Wind MPH | Wind Sonic Wind Run Miles | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wind Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Analogue Ave Speed MPH | Wind Analogue Dir | Wind Analogue High MPH | Wind Analogue Dir | Wind Analogue Chill °C | Wind Chill °C | Wind Heat °C | High Heat °C | Low Heat °C | THW Index °C | High THW Index °C | Low THW Index °C | Analogue THW Index °C | Wind run Miles | THSW Index °C | High THSW Index °C | Low THSW Index °C | Rain mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad High W/m² | ET MM | Index Index | UV Index | High UV Index | Heating Degree Days | Cooling Degree Days | AirLink Index AQI | AirLink High AQI | AirLink PM1 AQI | AirLink PM2.5 µg/m³ | AirLink High PM2.5 µg/m³ | AirLink PM10 µg/m³ | AirLink High PM10 µg/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist cb | Soil Moist cb | Soil Temp 6" Temp 6" °C | Soil High Temp 6" °C | Soil Low Temp 6" °C | Grass Min °C | Grass High Min °C | Grass Low Min °C | Soil Temp 12" Temp 12" °C | Soil High Temp 12" °C | Soil Low Temp 12" °C | Soil Temp Sun °C | Soil High Temp Sun °C | Soil Low Temp Sun °C | leaf Wetness % | High Leaf Wetness % | Low Leaf Wetness % | Leaf Wetness 1 Minute % | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev | Wind Sonic High Speed MPH | Wind Sonic High Wind Run Mi | Sonic Wind Run Mi | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Ave Speed MPH | Wind Analogue Ave Speed MPH | Wind Analogue Prev MPH | Wind Analogue High MPH | Wind Analogue High Dir | Chill °C | Wind Chill °C | Heat Index °C | High Heat Index °C | THW Index °C | High THW Index °C | Low THW Index °C | Wind run Mi | THSW Index °C | High THSW Index °C | Low THSW Index °C | Rain mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad High W/m² | ET MM | UV Index Index | High UV Index | UV Dose Meds | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink PM2 ug/m³ | AirLink PM 2.5 - ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -- cb | Soil Moist cb | Soil Moist 6" cb | Soil Temp °C | Soil Temp 6" °C | Soil Temp 12" °C | Soil Low Temp 6" °C | Soil Low Temp 12" °C | Grass Min °C | Grass Min °C | Soil High Temp 12" °C | Soil Low Temp 12" °C | Soil Low Temp 24" °C | Soil Low Temp 36" °C | Soil Low Temp 48" °C | leaf Wetness Wetness | High Leaf Wetness Wetness | Low Leaf Wetness Wetness | Leaf Wetness 1 Minute Wetness | Wind Sonic Ave Speed MPH | Wind Sonic Prev Dir Mi | Wind Sonic High Speed MPH | Wind Sonic High Wind Dir Mi | Wind Sonic Wind Run Mi | Time Out Out | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Ave Speed MPH | Wind Analogue Ave Speed MPH | Wind Analogue High MPH | Wind Analogue High Dir | Wind Analogue Chill °C | Wind Index °C | Heat Index °C | THW Index °C | THW Index °C | THW Index °C | Low Wind Chill °C | Wind run Mi | THSW Index °C | THSW Index °C | THSW Index °C | Rain mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad W/m² | Solar Rad MJ/M² | ET MM | UV Index Index | High UV Index | UV Dose Meds | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist cb | Soil Moist cb | Soil Temp 6" °C | Soil Temp 6" °C | Soil Temp 6" °C | Grass Min °C | Grass Min °C | Grass Min °C | Soil Temp 12" °C | Soil Temp 12" °C | Soil Temp 12" °C | Sun Min | Sun Min | Sun Min | Leaf Wetness | Leaf Wetness | Leaf Wetness | Leaf Wetness | Leaf Wetness | Sonic Ave Speed MPH | Sonic Prev Dir | Sonic Prev MPH | Wind Run Dir | Wind High Dir | Wind Run Mi | Sonic Wind Run Mi | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Ave Speed MPH | Wind Analogue Ave Speed MPH | Wind Analogue Dir | Wind Analogue High MPH | Wind Analogue High Dir | Wind Analogue Run Mi | Wind Chill °C | Low Wind Chill °C | Heat Index °C | High Heat Index °C | THW Index °C | High THW Index °C | Low THW Index °C | Wind run Mi | THSW Index °C | High THSW Index °C | Low THSW Index °C | Rain mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad High W/m² | ET MM | UV Index | High UV Index | UV Dose Index | Heating Degree Meds | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ |
|---|---|---

Date & Time	Bar High mb	Bar Low mb	Bar Absolute mb	Soil Moist cb	Soil Moist cb	Soil Temp 6" cb	Soil Temp 6" °C	Soil Temp Low 6" °C	Soil Temp Min °C	Soil Temp Max °C	Soil Temp Min 12" °C	Soil Temp Max 12" °C	Soil Temp Low 12" °C	Soil Temp Sun °C	Soil Temp Sun Temp °C	leaf Wetness %	High Leaf Wetness %	Low Leaf Wetness %	Leaf Wetness %	Wind Sonic Ave Speed MPH	Wind Sonic Prev MPH	Wind Sonic High Speed MPH	Wind Sonic High Wind Dir	Wind Sonic Wind Run Mi	High Wind Speed MPH	Wind Dir	High Temp °C	High Temp Out °C	Low Temp Out °C	High Humidity Out %	Low Humidity Out %	Dew Point Out °C	Heat Index Out °C	Low Dew Point Out °C	Wet Bulb Out °C	Low Wet Bulb Out °C	Wind Analogue Ave Speed Prev	Wind Analogue Prev Dir	Wind Analogue High Dir	Wind Analogue High	Wind Analogue Chill °C	Wind Low Chill °C	Heat Index °C	High Heat Index °C	THW Index °C	THW High Index °C	THW Low Index °C	Wind run Mi	THSW Index °C	THSW High Index °C	THSW Low Index °C	Rain mm	Rain Rate mm	Solar Rad W/m²	Solar Rad High W/m²	ET MM	UV Index	High UV Index	UV Dose MED	Heating Degree Days	Cooling Degree Days	AirLink AQI	AirLink High AQI	AirLink PM1 ug/m³	AirLink PM2 ug/m³	AirLink PM2 2.5 ug/m³	AirLink PM 10 ug/m³	AirLink PM 10 ug/m³
16/12/2023 10:55	1031.9	1031.0	1031.9	1013.2	61.5	61.5	61.5	63.3	63.3	70.0	7.0	6.5	6.1	6.1	6.1	10.0	10.0	9.8	0	0	0	--	--	--	--	--	10.9	10.9	10.6	81.7	82.9	81.7	7.9	7.9	7.8	9.2	9.2	8.9	12.1	SSW	22	SSW	7.8	7.3	10.9	10.9	7.8	7.8	7.3	1	7.1	7.1	6.5	0.0	0.0	48	63	--	0	0.00	0.00	0.03	0.00	1.04	1.17	0.1	1	0.5	2	0.8	3
16/12/2023 11:00	1031.8	1031.9	1031.8	1013.1	61.5	61.5	61.5	63.3	63.3	71.1	7.2	7.1	6.1	6.1	6.1	10.3	10.3	10.1	0	0	0	--	--	--	--	--	10.9	10.9	10.8	81.9	81.9	81.5	7.9	7.9	7.8	9.2	9.2	9.1	12.2	SSW	25	S	7.8	7.6	10.9	10.9	7.8	7.8	7.6	1.02	7.2	7.2	6.9	0.0	0.0	49	58	0.05	0	0.00	0.00	0.03	0.00	1.04	1.26	0.1	1	0.4	3	0.6	5
16/12/2023 11:05	1031.5	1031.8	1031.5	1012.8	61.5	61.5	61.5	63.3	63.3	72.2	7.2	7.1	6.1	6.1	6.1	10.3	10.3	10.3	0	0	0	--	--	--	--	--	10.8	11.1	10.8	81.9	82.0	81.4	7.9	8.1	7.8	9.1	9.3	9.1	11.9	SSW	23	SSW	7.8	7.7	10.8	11.1	7.8	8.1	7.7	0.99	7.2	7.4	7.1	0.0	0.0	51	56	--	0	0.00	0.00	0.03	0.00	1.04	1.17	0.2	1	0.5	2	0.5	2
16/12/2023 11:10	1031.5	1031.7	1031.5	1012.8	61.5	61.5	61.5	63.3	63.3	71.1	7.2	7.1	6.1	6.1	6.1	10.5	10.5	10.2	0	0	0	--	--	--	--	--	10.9	10.9	10.7	82.0	82.1	81.8	8.0	8.0	7.7	9.2	9.2	8.9	13.4	SSW	24	SSW	7.9	7.6	10.9	10.9	7.9	7.9	7.6	1.12	7.3	7.3	6.9	0.0	0.0	47	56	--	0	0.00	0.00	0.03	0.00	1.04	1.17	0.0	1	0.4	2	0.8	3
16/12/2023 11:15	1031.4	1031.5	1031.3	1012.7	61.5	61.5	61.5	63.3	63.3	70.0	7.1	7.0	6.1	6.1	6.1	10.5	10.6	10.5	0	0	0	--	--	--	--	--	11.0	11.1	10.9	81.1	81.5	81.1	7.9	7.9	7.8	9.2	9.2	9.1	14.0	SSW	27	SSW	7.7	7.6	11.0	11.1	7.7	7.9	7.6	1.17	7.1	7.3	7	0.0	0.0	39	49	--	0	0.00	0.00	0.03	0.00	1.04	1.09	0.0	0	0.2	1	0.3	2
16/12/2023 11:20	1031.4	1031.5	1031.3	1012.7	61.5	61.5	61.5	63.3	63.3	69.7	7.1	6.9	6.1	6.1	6.1	10.8	10.8	10.5	0	0	0	--	--	--	--	--	11.4	11.2	11.1	80.2	81.0	80.8	8.2	8.2	7.9	9.5	9.6	9.2	11.6	SSW	24	S	8.2	7.7	11.4	11.2	8.2	8.3	7.7	0.96	7.6	7.6	7.3	0.0	0.0	41	49	--	0	0.00	0.00	0.03	0.00	1.05	1.09	0.0	0	0.1	1	0.1	1
16/12/2023 11:25	1031.4	1031.5	1031.4	1012.7	61.5	61.5	61.5	63.3	63.3	68.7	6.8	6.7	6.1	6.1	6.1	10.2	10.7	10.2	0	0	0	--	--	--	--	--	11.0	11.6	11.0	80.8	80.0	79.5	7.8	8.2	7.7	9.2	9.6	9.1	12.2	SSW	19	SSW	8.0	8.0	11.0	11.6	8.0	8.5	8.0	1.02	7.3	7.8	7.3	0.0	0.0	35	47	--	0	0.00	0.00	0.03	0.00	1.02	1.17	0.1	1	0.2	1	0.4	1
16/12/2023 11:30	1031.4	1031.5	1031.3	1012.7	61.5	61.5	61.5	63.3	63.3	68.8	6.8	6.7	6.1	6.1	6.1	10.1	10.2	10.1	0	0	0	--	--	--	--	--	10.5	10.9	10.5	81.9	81.9	80.8	7.6	7.8	7.6	8.8	9.2	8.8	13.4	SSW	25	SSE	7.2	7.2	10.5	10.9	7.2	7.9	7.2	1.12	6.9	7.2	6.9	0.0	0.0	121	148	--	0	0.00	0.00	0.03	0.00	1.04	1.09	0.1	1	0.4	1	0.6	3
16/12/2023 11:35	1031.5	1031.5	1031.3	1012.8	61.5	61.5	61.5	63.3	63.3	68.6	6.8	6.6	6.1	6.1	6.1	10.4	10.5	10.4	0	0	0	--	--	--	--	--	11.0	11.0	10.4	81.6	82.4	81.5	7.9	7.9	7.6	9.2	9.2	8.8	11.0	SSW	21	SSW	7.8	7.2	11.0	11.0	7.8	7.8	7.2	0.92	7.8	7.8	6.9	0.0	0.0	100	169	--	0	0.00	0.00	0.03	0.00	1.05	1.09	0.0	0	0.1	1	0.3	3
16/12/2023 11:40	1031.2	1031.4	1031.2	1012.5	61.5	61.5	61.5	63.3	63.3	68.8	6.8	6.8	6.2	6.2	6.2	10.2	10.2	10.1	0	0	0	--	--	--	--	--	11.2	11.2	11.0	80.0	81.0	80.0	7.9	8.0	7.9	9.3	9.3	9.2	11.8	SSW	24	S	8.3	7.9	11.2	11.2	8.3	8.3	7.9	0.98	8.2	8.3	7.9	0.0	0.0	87	139	--	0	0.00	0.00	0.03	0.00	1.03	1.09	0.0	0	0.4	1	0.5	3
16/12/2023 11:45	1031.2	1031.3	1031.0	1012.5	61.5	61.5	61.5	63.3	63.3	67.8	6.7	6.2	6.2	6.2	6.2	10.2	10.2	10.1	0	0	0	--	--	--	--	--	11.0	11.2	11.0	80.5	80.6	80.0	7.8	7.9	7.8	9.1	9.3	9.1	10.7	SSW	21	S	8.2	8.2	11.0	11.2	8.2	8.4	8.2	0.89	8.3	8.3	8.0	0.0	0.0	105	151	--	0	0.00	0.00	0.03	0.00	1.03	1.17	0.1	1	0.4	2	0.7	3
16/12/2023 11:50	1031.1	1031.2	1030.9	1012.4	61.5	61.5	61.5	63.3	63.3	67.2	6.7	6.2	6.2	6.2	6.2	10.1	10.1	10.0	0	0	0	--	--	--	--	--	10.8	11.0	10.8	80.7	80.8	80.5	7.7	7.8	7.6	9.0	9.1	9.0	11.9	SSW	24	SSW	7.9	7.9	10.8	11.0	7.9	8.0	7.9	0.89	7.9	8.0	7.6	0.0	0.0	146	167	--	0	0.00	0.00	0.03	0.00	1.02	1.09	0.0	0	0.1	1	0.2	1
16/12/2023 11:55	1031.1	1031.2	1031.0	1012.4	61.5	61.5	61.5	63.3	63.3	68.8	6.8	6.7	6.2	6.2	6.2	10.3	10.3	10.2	0	0	0	--	--	--	--	--	10.7	10.8	10.7	81.4	81.4	81.2	7.7	7.7	7.6	8.9	9.1	8.9	11.9	SSW	24	SSW	7.8	7.7	10.7	10.8	7.8	8.0	7.7	0.99	9.6	9.6	7.7	0.0	0.0	147	176	--	0	0.00	0.00	0.03	0.00	1.02	1.09	0.0	0	0.2	1	0.4	3
16/12/2023 12:00	1031.1	1031.2	1031.1	1012.5	61.5	61.5	61.5	63.3	63.3	67.8	6.8	6.7	6.2	6.2	6.2	10.3	10.3	10.3	0	0	0	--	--	--	--	--	10.6	10.7	10.6	81.2	81.8	81.2	7.6	7.6	7.6	8.8	8.9	8.8	10.1	SSW	21	S	7.6	7.6	10.6	10.7	7.6	7.7	7.6	0.84	7.6	9.3	7.6	0.0	0.0	99	109	0.08	0	0.00	0.00	0.03	0.00	1.04	1.17	0.1	1	0.4	2	0.6	3
16/12/2023 12:05	1031.1	1031.1	1031.0	1012.5	61.5	61.5	61.5	63.3	63.3	67.8	6.7	6.2	6.2	6.2	6.2	10.8	10.8	10.5	0	0	0	--	--	--	--	--	10.8	10.8	10.5	81.7	82.1	81.7	7.8	7.5	7.5	9.1	9.1	8.8	8.1	SSW	19	WSW	8.4	7.7	10.8	10.8	8.4	8.4	7.7	0.67	10.2	10.2	7.7	0.0	0.0	151	188	--	0	0.00	0.00	0.03	0.00	1.02	1.09	0.1	1	0.2	1	0.4	3
16/12/2023 12:10	1031.2	1031.2	1031.1	1012.5	61.5	61.5	61.5	63.3	63.3	69.9	6.9	6.7	6.2	6.2	6.2	11.2	11.2	11.2	0	0	0	--	--	--	--	--	11.2	11.2	10.8	80.4	81.5	80.4	7.9	7.9	7.7	9.3	9.3	9.0	10.1	SW	19	S	9.0	8.4	11.2	11.2	9.0	9.0	8.4	0.84	11.2	11.2	10.3	0.0	0.0	186	197	--	0	0.00	0.00	0.03	0.00	1.07	1.17	0.5	2	0.8	2	1.2	4
16/12/2023 12:15	1031.1	1031.2	1031.1	1012.4	61.5	61.5	61.5	63.3	63.3	70.0	7.0	6.9	6.2	6.2	6.2	11.1	11.2	11.1	0	0	0	--	--	--	--	--	11.1	11.2	11.1	80.2	80.0	79.6	7.8	7.9	7.8	9.2	9.3	9.2	11.1	SSW	21	SSW	8.7	8.7	11.1	11.2	8.7	9.1	8.7	0.92	10.9	11.4	10.9	0.0	0.0	164	188	--	0	0.00	0.00	0.03	0.00	1.05	1.17	0.2	1	0.6	2	1.0	5
16/12/2023 12:20	1030.8	1031.1	1030.8	1012.1	61.5	61.5	61.5	63.3	63.3	71.1	7.1	7.0	6.2	6.2	6.2	11.2	11.2	11.1	0	0	0	--	--	--	--	--	11.2	11.2	11.1	79.7	80.0	79.7	7.8	7.8	7.8	9.2	9.2	9.2	11.9	SSW	26	SSW	8.5	8.4	11.2	11.2	8.5	8.6	8.4	0.99	10.6	10.9	10.5	0.0	0.0	169	188	--	0	0.00	0.00	0.03	0.00	1.05	1.17	0.2	1	0.6	2	0.6	2
16/12/2023 12:25	1030.9	1030.9	1030.7	1012.2	61.5	61.5	61.5	63.3	63.3	72.2	7.2	7.1	6.2	6.2	6.2	10.9	10.9	10.5	0	0	0	--	--	--	--	--	11.4	11.4	11.2	79.2	79.5	79.2	7.9	7.9	7.7	9.3	9.4	9.2	12.3	SSW	21	S	8.5	8.3	11.3	11.3	8.4	8.4	8.2	1.03	10.3	10.4	10.2	0.0	0.0	155	176	--	0	0.00	0.00	0.03	0.00	1.05	1.17	0.1	1	0.6	2	0.8	6
16/12/2023 12:30	1030.7	1030.8	1030.6	1012.0	61.5	61.5	61.5	63.3	63.3	72.3	7.3	7.2	6.2	6.2	6.2	10.8	11.0	10.8	0	0	0	--	--	--	--	--	11.4	11.4	11.4	78.8	79.2	78.8	7.9	7.9	7.9	9.3	9.4	9.3	11.6	SSW	22	SSW	8.4	8.4	11.4	11.4	8.4	8.4	8.3	0.97	10.2	10.3	10.2	0.0	0.0	161	178	--	0	0.00	0.00	0.03	0.00	1.04	1.09	0.3	1	0.4	1	1.1	6
16/12/2023 12:35	1030.9	1030.9	1030.7	1012.1	61.5	61.5	61.5	63.3	63.3	73.3	7.3	7.3	6.2	6.2	6.2	11.1	11.4	11.1	0	0	0	--	--	--	--	--	11.3	11.4	11.3	79.4	79.6	78.8	7.8	7.9	7.8	9.3	9.4	9.3	9.6	SSW	20	SSW	8.6	8.4	11.3	11.4	8.6	8.6	8.3	0.8	10.3	10.3	10.1	0.0	0.0	151	162	--	0	0.00	0.00	0.03	0.00	1.02	1.09	0.1	1	0.2	1	0.2	1
16/12/2023 12:40	1030.9	1030.9	1030.8	1012.2	61.5	61.5	61.5	63.3	63.3	74.4	7.4	7.3	6.2	6.2	6.2	11.2	11.2	11.1	0	0	0	--	--	--	--	--	11.4	11.4	11.4	79.3	79.3	78.9	7.9	7.9	7.8	9.4	9.4	9.3	9.4	SSW	19	S	9.1	8.8	11.3	11.3	9.1	9.1	8.7	0.78	10.9	10.9	10.4	0.0	0.0	144	163	--	0	0.00	0.00	0.03	0.00	1.05	1.17	0.2	1	0.5	2	0.5	2
16/12/2023 12:45	1030.8	1030.8	1030.6	1011.9	61.5	61.5	61.5	63.3	63.3	74.4	7.4	7.4	6.2	6.2	6.2	11.3	11.3	11.1	0	0	0	--	--	--	--	--	11.4	11.5	11.4	79.1	79.3	78.9	7.8	8.0	7.9	9.4	9.4	9.3	8.7	SSW	17	SSW	9.3	9.2	11.4	11.4	9.3	9.3	9.1	0.72	11.2	11.2	10.9	0.0	0.0	144	162	--	0	0.00	0.00	0.03	0.00	1.05	1.17	0.1	1	0.5	2	0.7	3
16/12/2023 12:50	1030.7	1030.7	1030.3	1011.6	61.5	61.5	61.5	63.3	63.3	75.3	7.5	7.4	6.2	6.2	6.2	11.4	11.5	11.4	0	0	0	--	--	--	--	--	11.4	11.6	11.4	78.3	79.0	78.1	7.8	8.1	7.8	9.3	9.5	9.3	11.1	SSW	22	SW	9.2	9.2	11.3	11.5	9.1	9.5	9.1	0.93	11.1	11.4	11.1	0.0	0.0	184	195	--	0	0.00	0.00	0.03	0.00	1.04	1.09	0.1	1	0.4	1	0.7	3
16/12/2023 12:55	1029.9	1030.3	1029.9	1011.3	61.5	61.5	61.5	63.3	63.3	76.6	7.6	7.5	6.2	6.2	6.2	11.5	11.5	11.3	0	0	0	--	--	--	--	--	11.4	11.5	11.4	78.1	78.4	78.0	7.8	7.9	7.7	9.3	9.4	9.3	12.3	SW	24	WSW	8.9	8.9	11.3	11.4	8.8	9.0	8.8	1.03	11.2	11.3	10.9	0.0	0.0	188	199	--	0	0.00	0.00	0.03	0.00	1.05	1.17	0.2	1	0.5	2	0.8	3
16/12/2023 13:00	1030.0	1030.1	1030.0	1011.3	61.5	61.5	61.5	63.3	63.3	76.6	7.6	7.6	6.2	6.2	6.2	11.3	11.3	11.2	0	0	0	--	--	--	--	--	11.8	11.8	11.4	77.8	78.3	77.7	8.0	8.0	7.8	9.6	9.6	9.3	11.3	SSW	25	WSW	9.1	8.7	11.7	11.7	8.9	8.9	8.6	0.86	11	11.1	10.8	0.0	0.0	134	158	0.10	0	0.00	0.00	0.03	0.00	1.04	1.17	0.1	1	0.4	2	0.4	2
16/12/2023 13:05	1029.9	1030.1	1029.9	1011.3	61.2	61.2	61.2	63.3	63.3	76.6	7.6	7.6	6.2	6.2	6.2	11.3	11.3	11.2	0	0	0	--	--	--	--	--	11.8	11.8	11.8	77.6	77.6	77.0	8.1	8.1	7.9	9.6	9.7	9.4	11.3	SSW	22	WSW	9.2	8.9	11.8	11.8	9.1	9.1	8.8	0.94	10.8	10.9	10.5	0.0	0.0	151	184	--	0	0.00	0.00	0.03	0.00	1.04	1.09	0.1	1	0.5	1	0.6	3
16/12/2023 13:10	1029.9	1030.1	1029.9	1011.3	61.2	61.2	61.2	63.3	63.3	76.6	7.6	7.6	6.2	6.2	6.2	11.3	11.3	11.2	0	0	0	--	--	--	--	--	11.8	12.0	11.8	77.1	77.3	77.0	7.9	8.1	7.9	9.5	9.7	9.5	11.7	SSW	22	SSW	9.2	9.2	11.7	11.8	9.1	9.3	9.1	0.97	10.6	10.7	10.6	0.0	0.0	129	151	--	0	0.00	0.00	0.03	0.00	1.03	1.17	0.1	1	0.3	2	0.5	2
16/12/2023 13:15	1029.8	1029.9	1029.7	1011.1	61.2	61.2	61.2	63.3	63.3	76.6	7.6	7.6	6.2	6.2	6.2	11.3	11.3	11.2	0	0	0	--	--	--	--	--	11.6	11.8	11.6	77.9	77.9	77.3	7.9	8.0	7.8	9.4	9.6	9.3	11.3	SSW	23	S	8.8	8.8	11.5	11.7	8.7	9.0	8.7	0.94	10.1	10.4	10.1	0.0	0.0	112	155	--	0	0.00	0.00	0.03	0.00	1.02	1.17	0.1	1	0.2	1	0.2	1
16/12/2023 13:20	1029.8	1029.9	1029.8	1011.1	61.2	61.2	61.2	63.3	63.3	77.7	7.7	7.6	6.2	6.2	6.2	11.4	11.4	11.3	0	0	0	--	--	--	--	--	11.4	11.4	11.4	78.2	78.4	78.1	7.7	7.9	7.7	9.2	9.4	9.2	11.4	SSW	21	SSW	8.6	8.6	11.4	11.4	8.5	8.7	8.5	0.95	10.1	10.2	10.1	0.0	0.0	78	102	--	0	0.00	0.00	0.03	0.00	1.03	1.09	0.1	1	0.4	1	0.4	1
16/12/2023 13:25	1030.0	1030.0	1029.8	1011.4	61.2	61.2	61.2	63.3	63.3	79.9	7.9	7.7	6.2	6.2	6.2	11.3	11.3	11.3	0	0	0	--	--	--	--	--	11.4	11.4	11.3	77.9	78.4	77.9	7.7	7.8	7.7	9.2	9.3	9.2	11.6	SSW	22	SSW	8.5	8.4	11.3	11.3	8.4	8.5	8.3	0.97	8.8	8.2	7.9	0.0	0.0	82	84	--	0	0.00	0.00	0.03	0.00	1.05	1.17	0.2	1	0.5	2	0.5	2
16/12/2023 13:30	1030.0	1030.3	1029.9	1011.6	61.2	61.2	61.2	63.3	63.3	79.9	7.9	7.9	6.2	6.2	6.2	11.4	11.4	11.3	0	0	0	--	--	--	--	--	11.4	11.4	11.3	78.1	78.1	77.9	7.7	7.7	7.6	9.2	9.2	9.2	10.0	SW	22	SSW	8.7	8.5	11.3	11.3	8.6	8.6	8.4	0.83	8.1	8.1	8	0.0	0.0	85	86	--	0	0.00	0.00	0.03	0.00	1.09	1.09	0.1	1	0.3	1	0.7	4
16/12/2023 13:35	1030.0	1030.2	1030.0	1011.4	61.2	61.2	61.2	63.3	63.3	79.9	7.9	7.9	6.2	6.2	6.2	11.4	11.4	11.4	0	0	0	--	--	--	--	--	11.4	11.4	11.4	78.0	78.3	77.9	7.7	7.7	7.7	9.2	9.2	9.2	7.9	SW	21	SSW	9.1	8.7	11.3	11.3	9.0	9.0	8.6	0.66	8.6	8.3	8.0	0.0	0.0	88	90	--	0	0.00	0.00	0.03	0.00	1.09	1.17	0.0	1	0.2	2	0.4	2
16/12/2023 13:40	1030.0	1030.1	1029.9	1011.3	61.2	61.2	61.2	63.3	63.3	81.1	8.1	7.9	6.2	6.2	6.2	11.5	11.5	11.5	0	0	0	--	--	--	--	--	11.4	11.4	11.4	77.9	78.2	77.8	7.7	7.7	7.7	9.2	9.3	9.2	8.9	SSW	19	SSW	9.6	9.3	11.3	11.3	9.5	9.7	9.2	0.74	9	9.2	8.8	0.0	0.0	88	90	--	0	0.00	0.00	0.03	0.00	1.03	1.17	0.1	1	0.3	2	0.5	3
16/12/2023 13:45	1030.1	1030.1	1029.9	1011.4	61.2	61.2	61.2	63.3	63.3	81.8	8.1	8.1	6.2	6.2	6.2	11.4	11.4	11.4	0	0	0	--	--	--	--	--	11.4	11.4	11.3	77.7	77.7	77.4	7.6	7.7	7.6	9.2	9.2	9.1	8.1	SSW	16	SW	9.6	9.5	11.3	11.3	9.5	9.5	9.4	0.68	8.9	8.9	8.5	0.0	0.0	86	88	--	0	0.00	0.00	0.03	0.00	1.05	1.17	0.1	1	0.5	2	0.5	2
16/12/2023 13:50	1030.2	1030.3	1030.1	1011.5	61.2	61.2	61.2	63.3	63.3	79.9	8.1	7.9	6.2	6.2	6.2	11.4	11.4	11.4	0	0	0	--	--	--	--	--	11.4	11.4	11.4	77.0	77.5	77.0	7.5	7.6	7.4	9.1	9.2	9.1	7.4	SSW	15	SSW	9.6	9.4	11.2	11.4	9.4	9.5	9.3	0.65	8.6	8.3	8.1	0.0	0.0	82	84	--	0	0.00	0.00	0.03	0.00	1.04	1.17	0.1	1	0.5	2	0.5	2
16/12/2023 13:55	1030.5	1030.5	1030.2	1011.8	62.1	62.1	62.1	64.4	63.3	79.9	7.9	7.9	6.2	6.2	6.2	11.3	11.4	11.3	0	0	0	--	--	--	--	--	11.3	11.4	11.3	76.8	77.0	76.3	7.4	7.5	7.3	9.0	9.1	9.0	6.6	SW	17	S	9.8	9.7	11.2	11.2	9.7	9.7	9.5	0.55	8.8	8.9	8.8	0.0	0.0	77	79	--	0	0.00	0.00	0.03	0.00	1.06	1.17	0.1	1	0.7	2	0.7	2
16/12/2023 14:00	1030.6	1030.6	1030.4	1011.9	62.1	62.1	62.1	64.4	64.4	78.9	7.8	7.8	6.2	6.2	6.2	11.3	11.3	11.3	0	0	0	--	--	--	--	--	11.3	11.3	11.3	77.1	77.1	76.9	7.4	7.4	7.4	9.1	9.1

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist High cb | Soil Moist Low cb | Soil Temp 6" °C | Soil Temp High 6" °C | Soil Temp Low 6" °C | Grass Min °C | Grass Min High °C | Grass Min Low °C | Soil Temp 12" °C | Soil Temp High 12" °C | Soil Temp Low 12" °C | Soil Temp Sun °C | Soil Temp Sun High °C | Soil Temp Sun Low °C | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev | Wind Sonic High Speed MPH | Wind Sonic Dir Mi | Wind Sonic High Wind Mi | Wind Run Mi | Sonic Wind Run Mi | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Ave Speed MPH | Wind Dir Mi | Wind Analogue Ave Speed MPH | Wind Analogue Dir MPH | Wind Analogue High MPH | Wind Analogue Dir MPH | Wind Chill °C | Wind Chill °C | Heat Index °C | Heat Index High °C | THW Index °C | THW Index High °C | Low THW Index °C | Analogue THSW Index °C | THSW Index High °C | THSW Index Low °C | Rain mm | Rain Rate mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad High W/m² | ET MM | Index | UV Index | High UV Index | UV Dose Meds | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink PM2.5 ug/m³ | AirLink PM2.5 High ug/m³ | AirLink PM2.5 - ug/m³ | AirLink PM10 ug/m³ | AirLink PM10 High ug/m³ |
|---|---|---

Date & Time	Bar mb	Bar High mb	Bar Low mb	Bar Absolute mb	Soil Moist cb	Soil Moist cb	Soil Moist cb	Soil Temp 6" °C	Soil Temp 6" °C	Soil Low Temp 6" °C	Grass High Min °C	Grass Low Min °C	Soil Temp 12" °C	Soil High Temp 12" °C	Soil Low Temp 12" °C	Soil Temp Out °C	Soil Low Temp Out °C	Soil High Temp Out °C	leaf Wetness	High Leaf Wetness	Low Leaf Wetness	Leaf Wetness 1 Minute	Wind Sonic Ave Speed MPH	Wind Sonic Prev Dir	Wind Sonic High Speed MPH	Wind Sonic High Wind Dir	Wind Sonic Wind Run MPH	Temp Out °C	High Temp Out °C	Low Temp Out °C	Humidity Out %	High Humidity Out %	Low Humidity Out %	Dew Point Out °C	Low Dew Point Out °C	Wet Bulb Out °C	Low Wet Bulb Out °C	Wind Ave Speed MPH	Wind Analogue Ave Speed MPH	Wind Analogue Dir	Wind Analogue High MPH	Wind Analogue High Dir	Wind Analogue Chill °C	Wind Low Chill °C	Heat Index °C	High Heat Index °C	THW Index °C	THW High Index °C	THW Low Index °C	Low Analogue THW Index °C	Wind run km	THSW Index °C	High THSW Index °C	Low THSW Index °C	Rain mm	Rain Rate mm	Solar Rad W/m²	Solar Rad W/m²	ET MM	UV Index	High UV Index	UV Dose MED	Heating Degree Days	Cooling Degree Days	AirLink AQI	AirLink High AQI	AirLink PM1 ug/m³	AirLink High PM1 ug/m³	AirLink PM 2.5 ug/m³	AirLink High PM 2.5 ug/m³	AirLink PM 10 ug/m³	AirLink High PM 10 ug/m³
17/12/2023 09:25	1025.1	1025.1	1024.9	1006.5	62.4	62.4	62.4	6.4	6.4	5.7	5.8	5.7	6.4	6.4	6.4	8.6	8.6	8.6	0	0	0	--	--	--	--	--	--	8.9	8.9	8.9	82.3	82.4	82.3	6.1	6.1	7.3	7.4	7.3	16.6	SSW	29	SSW	4.6	4.6	8.9	8.9	4.6	4.7	4.6	1.39	3.8	3.9	3.8	0.0	0.0	20	21	--	0	0.00	0.00	0.03	0.00	1.40	2.04	1.4	3	4.6	7.2	7.7	15
17/12/2023 09:30	1025.1	1025.1	1024.8	1006.5	62.4	62.4	62.4	6.4	6.4	5.9	5.9	5.7	6.4	6.4	6.4	8.7	8.7	8.6	0	0	0	--	--	--	--	--	--	8.9	8.9	8.9	82.1	82.1	82.1	6.1	6.1	6.0	7.3	7.4	7.3	16.2	SSW	27	S	4.7	4.6	8.9	8.9	4.7	4.7	4.6	1.35	3.9	3.9	3.8	0.0	0.0	23	26	--	0	0.00	0.00	0.03	0.00	1.25	1.78	1.2	3	2.9	4.7	15
17/12/2023 09:35	1025.0	1025.0	1024.8	1006.4	62.1	62.4	62.1	6.4	6.4	6.1	6.1	5.9	6.4	6.4	6.4	8.8	8.8	8.7	0	0	0	--	--	--	--	--	--	8.9	8.9	8.9	82.2	82.3	82.2	6.1	6.1	7.3	7.4	7.3	15.6	SSW	30	SSW	4.8	4.8	8.9	8.9	4.8	4.8	4.8	1.3	4.1	4	3.9	0.0	0.0	25	30	--	0	0.00	0.00	0.03	0.00	1.24	1.52	1.2	2	2.7	6	5.3	10
17/12/2023 09:40	1024.6	1024.9	1024.6	1006.0	62.1	62.4	62.1	6.4	6.4	6.1	6.1	6.1	6.4	6.4	6.4	8.9	8.9	8.8	0	0	0	--	--	--	--	--	--	9.1	9.1	8.9	81.8	82.2	81.8	6.1	6.1	7.4	7.4	7.3	16.4	SSW	29	SSW	5.0	4.8	9.1	9.1	5.0	5.0	4.8	1.36	4.2	4.2	4.1	0.0	0.0	35	39	--	0	0.00	0.00	0.03	0.00	1.29	1.96	1.2	3	3.4	11	5.3	15
17/12/2023 09:45	1024.6	1024.8	1024.5	1006.0	62.1	62.4	62.1	6.4	6.4	6.1	6.1	6.1	6.4	6.4	6.4	8.9	8.9	8.9	0	0	0	--	--	--	--	--	--	9.1	9.1	9.1	81.7	81.8	81.6	6.2	6.2	7.5	7.5	7.4	15.9	SSW	31	S	5.0	4.9	9.1	9.1	5.0	5.0	4.9	1.33	4.2	4.2	4.1	0.0	0.0	39	40	--	0	0.00	0.00	0.03	0.00	1.32	2.38	1.3	3	3.7	16	6.7	22
17/12/2023 09:50	1024.6	1024.6	1024.5	1005.6	62.1	62.4	62.1	6.4	6.4	6.1	6.1	6.1	6.4	6.4	6.4	9.2	9.2	9.1	0	0	0	--	--	--	--	--	--	9.2	9.2	9.1	81.4	81.7	81.4	6.2	6.2	7.6	7.6	7.5	17.7	SSW	33	S	5.1	5.0	9.2	9.2	5.1	5.1	5.0	1.47	4.3	4.3	4.2	0.0	0.0	47	53	--	0	0.00	0.00	0.03	0.00	1.27	1.52	1.3	3	3.1	6	6.2	12
17/12/2023 09:55	1023.9	1024.2	1023.9	1005.3	62.1	62.1	62.1	6.4	6.4	6.2	6.2	6.1	6.4	6.4	6.4	9.1	9.1	9.1	0	0	0	--	--	--	--	--	--	9.3	9.3	9.2	81.0	81.2	81.0	6.2	6.2	7.6	7.6	7.4	17.6	SSW	34	SSW	5.0	4.9	9.3	9.3	5.0	5.1	4.9	1.47	4.2	4.3	4.2	0.0	0.0	41	42	--	0	0.00	0.00	0.03	0.00	1.32	1.61	1.3	2	3.6	7	6.7	16
17/12/2023 10:00	1023.7	1023.9	1023.7	1005.1	62.1	62.1	62.1	6.4	6.4	6.2	6.2	6.2	6.4	6.4	6.4	9.1	9.2	9.1	0	0	0	--	--	--	--	--	--	9.3	9.3	9.3	80.9	81.1	80.9	6.2	6.2	7.6	7.6	7.6	17.6	SW	33	SW	4.9	4.9	9.3	9.3	4.9	5.0	4.9	1.46	4.2	4.2	4.1	0.0	0.0	43	47	0.05	0	0.00	0.00	0.03	0.00	1.34	2.04	0.9	3	3.9	12	7.7	20
17/12/2023 10:05	1023.6	1023.8	1023.5	1005.0	62.1	62.1	62.1	6.4	6.4	6.3	6.3	6.2	6.4	6.4	6.4	9.2	9.2	9.1	0	0	0	--	--	--	--	--	--	9.4	9.4	9.3	80.7	80.8	80.7	6.2	6.2	7.6	7.7	7.5	18.3	SW	33	SSW	5.1	4.9	9.4	9.4	5.1	5.1	4.9	1.53	4.3	4.2	4.2	0.0	0.0	48	53	--	0	0.00	0.00	0.03	0.00	1.30	1.96	1.2	3	3.4	11	7.3	14
17/12/2023 10:10	1023.2	1023.4	1023.0	1004.6	62.1	62.1	62.1	6.4	6.4	6.3	6.3	6.3	6.4	6.4	6.4	9.3	9.3	9.2	0	0	0	--	--	--	--	--	--	9.4	9.4	9.3	80.6	80.8	80.6	6.2	6.3	7.6	7.7	7.6	17.2	SSW	41	SSW	5.1	4.9	9.4	9.4	5.1	5.1	4.9	1.43	4.3	4.2	4.0	0.0	0.0	53	56	--	0	0.00	0.00	0.03	0.00	1.36	2.04	1.3	3	4.2	12	7.0	17
17/12/2023 10:20	1022.9	1023.2	1022.8	1004.6	62.4	62.4	62.4	6.4	6.4	6.3	6.3	6.3	6.4	6.4	6.4	9.5	9.5	9.4	0	0	0	--	--	--	--	--	--	9.5	9.5	9.4	80.4	80.6	80.3	6.3	6.3	7.7	7.7	7.6	16.8	SW	40	S	5.3	5.1	9.5	9.5	5.3	5.3	5.1	1.4	4.5	4.5	4.3	0.0	0.0	60	70	--	0	0.00	0.00	0.03	0.00	1.38	2.21	1.1	2	4.3	14	8.4	27
17/12/2023 10:30	1022.6	1022.9	1022.6	1004.2	62.4	62.4	62.4	6.4	6.4	6.3	6.3	6.3	6.4	6.4	6.4	9.6	9.6	9.4	0	0	0	--	--	--	--	--	--	9.6	9.6	9.4	80.1	80.4	80.1	6.3	6.3	7.7	7.7	7.6	19.0	SW	40	NW	5.4	5.2	9.6	9.6	5.4	5.4	5.2	1.58	4.9	4.9	4.4	0.0	0.0	115	142	--	0	0.00	0.00	0.03	0.00	1.21	1.43	1.1	3	2.5	5	5.2	10
17/12/2023 10:25	1023.1	1023.4	1022.8	1004.5	62.4	62.4	62.4	6.4	6.4	6.3	6.3	6.3	6.4	6.4	6.4	9.4	9.4	9.4	0	0	0	--	--	--	--	--	--	9.7	9.7	9.5	80.1	80.3	80.0	6.4	6.4	7.8	7.8	7.7	19.4	SW	37	SSW	5.3	5.2	9.7	9.7	5.3	5.3	5.2	1.62	6.3	6.3	5.8	0.0	0.0	137	141	--	0	0.00	0.00	0.03	0.00	1.28	1.61	1.1	3	3.2	7	6.0	17
17/12/2023 10:30	1023.6	1023.6	1023.1	1005.0	62.1	62.4	62.1	6.4	6.4	6.3	6.3	6.3	6.4	6.4	6.4	9.4	9.4	9.4	0	0	0	--	--	--	--	--	--	9.9	9.9	9.7	79.5	80.0	79.3	6.5	6.5	6.4	7.9	7.9	17.8	SW	32	SSE	5.5	5.2	9.9	9.9	5.5	5.5	5.2	1.43	6.2	6.5	6.2	0.0	0.0	78	120	--	0	0.00	0.00	0.03	0.00	1.26	1.78	1.1	2	3.0	9	4.9	11
17/12/2023 10:35	1023.1	1023.6	1023.1	1004.6	62.4	62.4	62.4	6.4	6.4	6.3	6.3	6.3	6.4	6.4	6.4	9.9	9.9	9.9	0	0	0	--	--	--	--	--	--	9.9	9.9	9.9	79.3	79.6	79.3	6.6	6.6	6.4	7.9	8.0	7.9	19.4	SW	34	WSW	5.6	5.5	9.9	9.9	5.6	5.7	5.5	1.61	5.1	6.4	5.1	0.0	0.0	39	40	--	0	0.00	0.00	0.03	0.00	1.20	1.43	1.2	3	2.3	5	5.7	12
17/12/2023 10:40	1023.3	1023.5	1023.1	1004.7	62.4	62.4	62.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	9.9	9.9	9.8	0	0	0	--	--	--	--	--	--	9.9	9.9	9.8	79.5	79.6	79.3	6.5	6.5	6.4	7.9	7.9	7.9	17.7	SW	35	SSE	5.6	5.5	9.9	9.9	5.6	5.6	5.5	1.47	4.9	5.1	4.9	0.0	0.0	39	39	--	0	0.00	0.00	0.03	0.00	1.31	1.87	1.1	2	3.6	10	5.3	14
17/12/2023 10:45	1022.9	1023.3	1022.9	1004.3	62.4	62.4	62.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	9.6	9.6	9.6	0	0	0	--	--	--	--	--	--	9.9	9.9	9.8	79.6	79.6	79.5	6.5	6.5	6.4	7.9	7.9	7.9	19.0	SW	47	S	5.6	5.4	9.9	9.9	5.6	5.6	5.4	1.58	4.9	4.9	4.8	0.0	0.0	39	39	--	0	0.00	0.00	0.03	0.00	1.21	1.43	0.8	2	2.4	5	5.1	12
17/12/2023 10:50	1022.9	1023.1	1022.8	1004.3	62.4	62.4	62.4	6.4	6.4	6.6	6.6	6.5	6.4	6.4	6.4	10.1	10.1	9.9	0	0	0	--	--	--	--	--	--	10.1	10.1	9.9	79.0	79.5	79.0	6.6	6.6	6.5	8.1	8.1	7.9	20.4	SSW	46	SSW	5.7	5.5	10.1	10.1	5.7	5.7	5.5	1.7	5.1	5.1	4.9	0.0	0.0	38	39	--	0	0.00	0.00	0.03	0.00	1.31	2.04	1.1	2	2.5	12	7.6	18
17/12/2023 10:55	1023.2	1023.2	1022.7	1004.6	62.1	62.4	62.1	6.4	6.4	6.5	6.5	6.5	6.4	6.4	6.4	9.6	9.6	9.6	0	0	0	--	--	--	--	--	--	10.4	10.4	10.2	78.1	78.9	78.1	6.8	6.8	6.7	8.3	8.4	8.1	17.6	SSW	37	NW	6.0	5.7	10.4	10.4	5.9	5.9	5.7	1.46	5.4	5.4	5.2	0.0	0.0	37	37	--	0	0.00	0.00	0.03	0.00	1.28	1.87	0.9	2	3.2	10	6.4	15
17/12/2023 11:00	1022.7	1023.1	1022.6	1004.2	62.1	62.4	62.1	6.4	6.4	6.5	6.5	6.4	6.4	6.4	6.4	9.8	9.8	9.6	0	0	0	--	--	--	--	--	--	10.7	10.7	10.5	77.5	78.2	77.5	6.9	6.9	6.8	8.5	8.5	8.3	19.6	SSW	39	SSW	6.4	6.1	10.6	10.6	6.3	6.3	6.1	1.63	5.7	5.7	5.4	0.0	0.0	35	35	0.08	0	0.00	0.00	0.03	0.00	1.29	1.87	1.0	2	3.3	10	6.0	14
17/12/2023 11:05	1022.8	1023.0	1022.5	1004.2	62.1	62.4	62.1	6.4	6.4	6.6	6.6	6.5	6.4	6.4	6.4	10.1	10.1	9.9	0	0	0	--	--	--	--	--	--	10.7	10.7	10.5	76.9	77.3	76.9	6.8	6.9	6.8	8.4	8.5	8.4	21.6	SSW	40	SW	6.3	6.3	10.6	10.6	6.2	6.3	6.2	1.8	5.6	5.7	5.6	0.0	0.0	35	35	--	0	0.00	0.00	0.03	0.00	1.34	2.12	0.9	2	4.0	11	6.6	18
17/12/2023 11:10	1022.9	1023.0	1022.6	1004.3	62.1	62.1	62.1	6.4	6.4	6.6	6.6	6.6	6.4	6.4	6.4	10.1	10.1	9.8	0	0	0	--	--	--	--	--	--	10.7	10.8	10.7	77.0	77.1	77.0	6.8	6.9	6.8	8.4	8.6	8.4	20.1	SSW	43	S	6.2	6.1	10.6	10.7	6.1	6.2	6.0	1.68	5.5	5.6	5.4	0.0	0.0	35	35	--	0	0.00	0.00	0.03	0.00	1.35	2.04	1.2	2	4.1	12	6.7	15
17/12/2023 11:15	1023.0	1023.0	1022.7	1004.4	62.1	62.1	62.1	6.4	6.4	6.6	6.6	6.6	6.4	6.4	6.4	10.3	10.3	10.1	0	0	0	--	--	--	--	--	--	10.9	10.9	10.8	76.9	77.0	76.8	7.0	7.0	6.9	8.6	8.6	8.4	17.8	SW	39	SW	6.5	6.3	10.8	10.8	6.4	6.4	6.2	1.48	5.8	5.8	5.6	0.0	0.0	37	39	--	0	0.00	0.00	0.03	0.00	1.36	2.12	1.0	2	4.2	13	6.9	16
17/12/2023 11:20	1023.0	1023.0	1022.9	1004.5	62.1	62.1	62.1	6.4	6.4	6.6	6.6	6.6	6.4	6.4	6.4	10.2	10.2	10.1	0	0	0	--	--	--	--	--	--	10.9	11.0	10.9	76.3	76.8	76.3	6.9	7.0	6.9	8.6	8.7	8.6	18.9	SSW	41	SSW	6.7	6.4	10.9	11.0	6.6	6.6	6.4	1.58	5.9	6.1	5.8	0.0	0.0	39	40	--	0	0.00	0.00	0.03	0.00	1.43	1.0	2	2.7	5	4.7	12
17/12/2023 11:25	1023.2	1023.2	1022.9	1004.6	62.1	62.1	62.1	6.4	6.4	6.6	6.6	6.6	6.4	6.4	6.4	9.8	10.2	9.8	0	0	0	--	--	--	--	--	--	10.5	11.0	10.5	77.5	77.0	76.7	6.7	6.9	6.7	8.3	8.6	8.3	19.1	SSW	35	S	6.2	6.2	10.4	10.8	6.2	6.7	6.2	1.59	5.6	6.1	5.6	0.0	0.0	41	49	--	0	0.00	0.00	0.03	0.00	1.29	1.96	1.3	2	3.4	11	7.0	14
17/12/2023 11:30	1023.5	1023.5	1023.3	1004.9	62.1	62.1	62.1	6.4	6.4	6.7	6.7	6.6	6.4	6.4	6.4	9.8	9.8	9.8	0	0	0	--	--	--	--	--	--	10.1	10.5	10.1	78.7	78.8	77.5	6.6	6.7	6.6	8.1	8.3	8.1	16.2	SW	34	WSW	5.9	5.9	10.1	10.4	5.9	6.1	5.9	1.35	5.6	5.6	5.4	0.0	0.0	131	144	--	0	0.00	0.00	0.03	0.00	1.24	1.52	1.3	2	2.7	6	6.1	18
17/12/2023 11:35	1023.4	1023.6	1023.0	1004.7	62.1	62.1	62.1	6.4	6.4	6.7	6.7	6.7	6.4	6.4	6.4	9.9	9.9	9.8	0	0	0	--	--	--	--	--	--	10.6	10.6	10.1	77.9	79.0	77.9	6.8	6.9	6.8	8.4	8.5	8.1	10.3	SW	38	SSE	6.3	5.9	10.5	10.6	6.3	6.3	5.9	1.61	5.7	6.2	5.5	0.0	0.0	131	141	--	0	0.00	0.00	0.03	0.00	1.26	1.43	1.1	3	3.0	5	7.0	16
17/12/2023 11:40	1023.4	1023.5	1023.0	1004.8	62.1	62.1	62.1	6.4	6.4	6.6	6.7	6.6	6.4	6.4	6.4	9.9	9.9	9.8	0	0	0	--	--	--	--	--	--	10.8	10.8	10.6	76.9	77.9	76.9	6.9	6.9	6.8	8.6	8.6	8.4	17.2	SSW	30	SW	6.7	6.4	10.7	10.7	6.6	6.6	6.3	1.44	6.4	6.4	6.3	0.0	0.0	76	111	--	0	0.00	0.00	0.03	0.00	1.25	1.43	1.2	3	2.9	5	5.6	10
17/12/2023 11:45	1023.6	1023.6	1023.3	1005.0	62.1	62.1	62.1	6.4	6.4	6.6	6.6	6.6	6.4	6.4	6.4	9.9	9.9	9.9	0	0	0	--	--	--	--	--	--	10.8	10.8	10.8	76.7	76.9	76.5	6.8	6.9	6.8	8.5	8.6	8.5	16.6	SW	30	WSW	6.7	6.7	10.7	10.7	6.6	6.6	6.5	1.38	6.3	6.4	6.3	0.0	0.0	98	151	--	0	0.00	0.00	0.03	0.00	1.33	2.04	1.2	2	3.8	12	5.6	15
17/12/2023 11:50	1023.9	1024.0	1023.6	1005.2	62.1	62.1	62.1	6.4	6.4	6.6	6.6	6.6	6.4	6.4	6.4	9.9	9.9	9.9	0	0	0	--	--	--	--	--	--	10.7	10.8	10.7	76.8	77.1	76.8	6.9	6.9	6.8	8.4	8.6	8.4	16.6	SSW	40	S	6.8	6.7	10.6	10.7	6.7	6.7	6.6	1.38	6.6	6.6	6.4	0.0	0.0	147	182	--	0	0.00	0.00	0.03	0.00	1.21	1.52	1.0	2	2.4	6	5.5	12
17/12/2023 11:55	1023.1	1023.5	1023.1	1004.5	62.1	62.1	62.1	6.4	6.4	6.6	6.6	6.6	6.4	6.4	6.4	10.0	10.0	9.9	0	0	0	--	--	--	--	--	--	10.4	10.6	10.4	77.8	77.8	77.0	6.7	6.8	6.7	8.3	8.4	8.3	16.8	SW	42	SSE	6.5	6.5	10.4	10.5	6.4	6.6	6.4	1.4	7.9	8	6.4	0.0	0.0	136	155	--	0	0.00	0.00	0.03	0.00	1.28	1.87	1.1	2	3.2	10	6.6	14
17/12/2023 12:00	1022.9	1023.3	1022.7	1004.3	62.1	62.1	62.1	6.4	6.4	6.7	6.7	6.6	6.4	6.4	6.4	10.1	10.1	10.1	0	0	0	--	--	--	--	--	--	10.3	10.4	10.3	77.8	77.9	77.6	6.8	6.8	6.6	8.2	8.3	8.2	18.8	SW	37	SSW	6.2	6.1	10.3	10.4	6.1	6.4	6.1	1.56	6.1	7.9	6	0.0	0.0	100	148	0.10	0	0.00	0.00	0.03	0.00	1.27	1.96	1.3	3	3.1	11	7.4	15
17/12/2023 12:05	1022.7	1023.0	1022.5	1004.1	62.1	62.1	62.1	6.4	6.4	6.7	6.7	6.7	6.4	6.4	6.4	10.2	10.2	10.1	0	0	0	--	--	--	--	--	--	10.3	10.3	10.3	77.8	78.0	77.8	6.6	6.7	6.6	8.2	8.2	8.2	21.1	SW	46	SSW	5.9	5.9	10.3	10.3	5.9	6.1	5.9	1.76	5.8	5.8	5.6	0.0	0.0	142	165	--	0	0.00	0.00	0.03	0.00	1.30	2.12	1.0	3	3.4	13	7.7	18
17/12/2023 12:10	1022.9	1023.1	1022.8	1004.4	62.1	62.1	62.1	6.4	6.4	6.7	6.7	6.7	6.4	6.4	6.4	10.3	10.3	10.1	0	0	0	--	--	--	--	--	--	10.6	10.6	10.3	77.0	77.8	77.0	6.7	6.8	6.6	8.4	8.4	8.2	17.7	SSW	43	WSW	6.2	5.9	10.5	10.6	6.1	6.2	5.8	1.47	6.1	6.1	5.8	0.0	0.0	160	172	--	0	0.00	0.00	0.03	0.00	1.27	1.96	1.3	3	3.1	11	7.2	18
17/12/2023 12:15	1022.9	1023.1	1022.7	1004.4	62.1	62.1	62.1	6.4	6.4	6.6	6.7	6.6	6.4	6.4	6.4	10.3	10.3	9.9	0	0	0	--	--	--	--	--	--	10.3	10.6	10.3	77.9	77.9	77.1	6.6	6.7	6.6	8.4	8.4	8.2	19.9	SW	39	S	5.9	5.9	10.2	10.5	5.9	6.1	5.9	1.66	5.7	6.1	5.7	0.0	0.0	47	54	--	0	0.00	0.00	0.03	0.00	1.23	1.43	1.0	2	2.7	5	6.2	15
17/12/2023 12:20	1022.8	1023.0	1022.8	1004.4	62.1	62.1	62.1	6.4	6.4	6.5	6.6	6.5	6.4	6.4	6.4	9.8	9.8	9.8	0	0	0	--	--	--	--	--	--	10.2	10.3	10.2	78.6	78.6	78.2	6.7	6.7	6.6	8.2	8.2	8.1	16.7	SW	41	SSW	5.9	5.8	10.2	10.3	5.9	6.0	5.8	1.39	5.8	5.8	5.6	0.0	0.0	58	125	--	0	0.00	0.00	0.03	0.00	1.22	1.43	0.9	2	2.5	5	6.0	12
17/12/2023 12:25	1023.0	1023.2	1022.7	1004.4	62.1	62.1	62.1	6.4	6.4	6.6	6.6	6.5	6.4	6.4	6.4	9.8	9.8	9.8	0	0	0	--	--	--	--	--	--	10.2	10.3	10.2	78.8	78.8	78.6	6.7	6.7	6.6	8.2	8.2	8.1	17.0	SW	37	SSE	6.1	5.9	10.2	10.3	6.1	6.2	5.9	1.42	5.6	5.7	5.3	0.0	0.0	58	120	--	0	0.00	0.00	0.03	0.00	1.22	1.87	1.3	3	2.5	10	5.8	14
17/12/2023 12:30	1023.3	1023.3	1023.0	1004.7	62.1	62.1	62.1	6.4	6.4	6.5	6.6	6.5	6.4	6.4	6.4	9.9	9.9	9.8	0	0	0	--	--	--	--	--	--	10.3

| Date & Time | Bar Pressure Abs | Bar Pressure Low | Bar Pressure High | Bar Pressure Absolute | Soil Moisture | Soil Moisture | Soil Moisture | Low Soil Moisture 6" | Soil Temp 6" | Low Soil Temp 6" | Grass Temp 6" | Low Grass Temp 6" | High Grass Temp | Low Grass Temp | Soil Temp 12" | Low Soil Temp 12" | Low Soil Temp | Low Soil Temp | Soil Temp | Low Soil Temp | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness | Wind Sonic Ave Speed | Wind Sonic Prev | Wind Sonic High Speed | Wind Sonic High Wind | Wind Sonic Run | Wind Dir | Temp | High Temp | Low Temp | Dew Point | Low Dew Point | Humidity | High Humidity | Low Humidity | Dew Point | Low Dew Point | Wet Bulb | Low Wet Bulb | Heat Index | Low Heat Index | Wind Chill | Low Wind Chill | Heat Index | Low Heat Index | THW Index | THW Index | Low THW Index | Low Analogue Wind run | Analogue THSW Index | Analogue THSW Index | Analogue THSW Index | Rain Rate | High Rain Rate | Solar Rad | Solar Rad High | ET | UV Index | High UV | UV Dose | Heating Degree | Cooling Degree | AirLink PM1 | AirLink High PM1 | AirLink PM 2.5 | AirLink High PM 2.5 | AirLink PM 2.5 - | AirLink PM 10 | AirLink PM 10 |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist cb | Soil Moist cb | Soil Temp 6" °C | Soil Temp 6" °C | Soil Temp 6" °C | Low Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | Soil Temp 12" °C | Soil Temp 12" °C | Low Temp 12" °C | Soil Temp Out °C | Soil Temp Out °C | Soil Temp Out °C | Low Soil Temp Out °C | Leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind Run | Wind Sonic Run Mi | Wind Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Analogue Ave Speed MPH | Wind Analogue High MPH | Wind Analogue Dir | Wind Analogue Chill °C | Wind Analogue High Chill °C | Low Wind Chill °C | Heat Index °C | High Heat Index °C | THW Index °C | High THW Index °C | Low THW Index °C | Wind Run Mi | Wind Chill Index °C | High Wind Chill Index °C | THSW Index °C | High THSW Index °C | Rain Rate mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad W/m² | Solar Rad W/m² | ET MM | UV Index Index | High UV Index | UV Dose Meds | Heating Degree Days | Cooling Degree Days | AirLink AQI AQI | AirLink High AQI AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

Date & Time	Bar High mb	Bar Low mb	Bar Absolute mb	Soil Moist - cb	Soil Moist cb	Soil Moist cb	High Soil Temp 6" °C	Low Soil Temp 6" °C	High Grass Min °C	Low Grass Min °C	Soil Temp 12" °C	Low Soil Temp 12" °C	Soil Temp 24" °C	Low Soil Temp 24" °C	leaf Wetness Wetness	High Leaf Wetness Wetness	Low Leaf Wetness Wetness	Leaf Wetness 1 Minute Wetness	Wind Sonic Ave Speed MPH	Wind Sonic Dir Dir	Wind Sonic Prev Dir Dir	Wind Sonic High Speed MPH	Wind Sonic High Wind Dir Dir	Wind Sonic Mi Mi	Wind Out °C °C	High Temp Out °C °C	Low Temp Out °C °C	Humidity Out % %	High Humidity Out % %	Low Humidity Out % %	High Dew Point Out °C °C	Low Dew Point Out °C °C	High Wet Bulb Out °C °C	Low Wet Bulb Out °C °C	Wind Ave Speed MPH	Wind Dir Dir	Wind Analogue Ave Speed MPH	Wind Analogue Dir Dir	Wind Analogue High MPH	Wind Analogue High Dir Dir	Wind Analogue Chill °C °C	Wind Chill Index °C °C	Low Heat Index °C °C	High Heat Index °C °C	THW Index °C °C	THW High Index °C °C	THW Low Index °C °C	Wind Run mm mm	Rain High Rate mm/h	Rain Rate mm	Solar Rad W/m²	Solar Rad High W/m²	ET MM	UV Index Index	High UV Index Index	UV Dose MEDs	Heating Degree Days	Cooling Degree Days	AirLink AQI	AirLink High AQI	AirLink PM1 µg/m³	AirLink High PM1 µg/m³	AirLink PM 2.5 µg/m³	AirLink High PM 2.5 µg/m³	AirLink PM 10 µg/m³	AirLink High PM 10 µg/m³
18/12/2023 19:10	1017.5	1017.5	1017.3	999.0	58.4	58.4	58.4	8.6	8.6	10.3	10.3	10.3	7.6	7.6	7.6	12.7	12.7	12.7	0	0	--	--	--	--	--	--	12.9	12.9	12.9	88.2	88.3	88.1	11.1	11.1	11.0	11.8	11.8	11.7	6.1	SW	16	SSW	12.1	12.1	12.9	12.9	12.1	12.2	12.1	0.5	11	11.1	11	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.22	1.87	1.5	5	2.5	10	2.8	12
18/12/2023 19:15	1017.5	1017.5	1017.4	999.1	58.4	58.4	58.4	8.6	8.6	10.3	10.3	10.3	7.6	7.6	7.6	12.7	12.7	12.7	0	0	--	--	--	--	--	--	12.9	12.9	12.9	88.0	88.2	88.0	11.0	11.1	11.0	11.8	11.8	11.8	6.8	SW	16	WSW	12.1	12.1	12.9	12.9	12.1	12.2	12.1	0.57	11	11.1	11	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.16	1.43	1.3	1.8	5	2.5	9
18/12/2023 19:20	1017.5	1017.6	1017.4	999.0	58.4	58.4	58.4	8.6	8.6	10.3	10.3	10.3	7.6	7.6	7.6	12.7	12.7	12.7	0	0	--	--	--	--	--	--	12.9	12.9	12.9	88.0	88.1	88.0	11.0	11.0	11.0	11.8	11.8	11.8	6.4	SSW	16	S	12.1	12.1	12.9	12.9	12.1	12.2	12.1	0.54	10.9	11.1	10.9	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.13	1.43	0.9	3	1.5	5	1.9	6
18/12/2023 19:25	1017.5	1017.6	1017.4	999.1	58.1	58.4	58.1	8.6	8.6	10.3	10.3	10.3	7.6	7.6	7.6	12.7	12.7	12.6	0	0	--	--	--	--	--	--	12.9	12.9	12.9	88.0	88.0	88.0	11.0	11.0	11.0	11.8	11.8	11.8	7.5	SW	15	SSW	12.0	12.0	12.9	12.9	12.0	12.1	12.0	0.62	10.9	11	10.9	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.16	1.35	1.3	1.8	4	2.0	5
18/12/2023 19:30	1017.6	1017.6	1017.5	999.1	58.1	58.4	58.1	8.6	8.6	10.3	10.3	10.3	7.6	7.6	7.6	12.6	12.7	12.6	0	0	--	--	--	--	--	--	12.9	12.9	12.9	88.2	88.2	88.0	11.0	11.0	11.0	11.7	11.8	11.7	5.6	SW	14	SSW	12.1	12.0	12.9	12.9	12.1	12.1	12.0	0.47	10.9	11	10.9	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.14	1.52	1.0	4	1.6	5	2.0	6
18/12/2023 19:35	1017.6	1017.7	1017.5	999.1	59.0	58.1	59.0	8.6	8.6	10.1	10.3	10.1	7.6	7.6	7.6	12.6	12.5	12.5	0	0	--	--	--	--	--	--	12.9	12.9	12.9	88.3	88.2	88.2	11.0	11.0	11.0	11.8	11.7	11.8	5.8	SW	16	SSW	12.2	12.1	12.9	12.9	12.1	12.1	12.1	0.48	11.1	11.1	11	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.16	1.52	0.8	3	1.8	6	2.6	11
18/12/2023 19:40	1017.6	1017.7	1017.5	999.1	59.0	59.3	59.0	8.6	8.6	10.1	10.3	10.1	7.6	7.6	7.6	12.5	12.5	12.5	0	0	--	--	--	--	--	--	12.8	12.9	12.8	88.4	88.4	88.3	10.9	11.0	10.9	11.7	11.7	11.7	6.0	SW	15	SSW	12.1	12.1	12.8	12.9	12.1	12.3	12.1	0.5	11	11.2	11	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.41	2.04	2.1	4	4.7	12	5.2	14
18/12/2023 19:45	1017.6	1017.7	1017.5	999.2	59.0	59.3	59.0	8.6	8.6	9.7	9.8	9.8	7.6	7.6	7.6	12.4	12.5	12.4	0	0	--	--	--	--	--	--	12.8	12.9	12.8	88.4	88.4	88.3	10.9	11.0	10.9	11.7	11.7	11.7	5.7	SW	13	SSE	12.2	12.1	12.8	12.9	12.2	12.2	12.1	0.47	11.1	11.1	10.9	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.15	1.35	1.0	3	1.7	4	1.9	5
18/12/2023 19:50	1017.5	1017.6	1017.5	999.0	59.0	59.0	59.0	8.6	8.6	9.8	9.8	9.8	7.6	7.6	7.6	12.4	12.4	12.4	0	0	--	--	--	--	--	--	12.8	12.8	12.8	88.4	88.4	88.3	10.9	10.9	10.9	11.7	11.7	11.6	6.2	SSW	15	SSW	12.2	12.1	12.8	12.9	12.2	12.2	12.1	0.52	11.1	11.1	10.9	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.06	1.17	0.5	2	0.7	2	1.3	5
18/12/2023 19:55	1017.5	1017.5	1017.4	999.1	59.0	59.0	59.0	8.6	8.6	9.7	9.8	9.7	7.7	7.7	7.6	12.4	12.4	12.4	0	0	--	--	--	--	--	--	12.8	12.8	12.8	88.3	88.4	88.3	10.9	10.9	10.9	11.6	11.7	11.6	7.4	SW	16	SSW	11.8	11.8	12.8	12.8	11.8	12.1	11.8	0.61	10.7	11	10.7	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.11	1.26	0.9	2	1.3	3	1.7	6
18/12/2023 20:00	1017.4	1017.5	1017.4	998.9	59.0	59.0	59.0	8.6	8.6	9.6	9.7	9.6	7.7	7.7	7.7	12.3	12.4	12.3	0	0	--	--	--	--	--	--	12.7	12.8	12.7	88.3	88.3	88.3	10.8	10.9	10.8	11.6	11.7	11.6	5.3	SW	15	WNW	11.8	11.8	12.7	12.8	11.8	11.9	11.8	0.42	10.7	10.8	10.7	0.0	0.0	0	0.00	0.00	0.02	0.00	1.06	1.17	0.4	1	0.7	2	0.8	3
18/12/2023 20:05	1017.4	1017.4	1017.3	998.9	59.0	59.0	59.0	8.6	8.6	9.6	9.6	9.6	7.7	7.7	7.7	12.3	12.3	12.3	0	0	--	--	--	--	--	--	12.7	12.8	12.7	88.2	88.3	88.2	10.8	10.9	10.8	11.5	11.6	11.5	5.5	SSW	15	WSW	12.0	11.9	12.7	12.8	12.0	12.1	11.9	0.37	10.6	10.7	10.6	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.07	1.26	0.6	2	0.9	3	1.2	3
18/12/2023 20:10	1017.3	1017.4	1017.2	998.8	59.0	59.0	59.0	8.6	8.6	9.1	9.2	9.1	7.7	7.7	7.7	12.2	12.2	12.2	0	0	--	--	--	--	--	--	12.7	12.7	12.6	88.4	88.4	88.3	10.8	10.8	10.7	11.5	11.5	11.4	6.8	SW	23	SSW	11.9	11.9	12.7	12.7	11.9	12.1	11.9	0.57	10.8	10.9	10.8	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.07	1.07	0.6	1	0.8	2	1.5	4
18/12/2023 20:15	1017.5	1017.5	1017.3	999.0	59.0	59.0	59.0	8.6	8.6	9.1	9.1	9.1	7.7	7.7	7.7	12.2	12.2	12.2	0	0	--	--	--	--	--	--	12.6	12.6	12.6	88.5	88.5	88.4	10.8	10.8	10.7	11.5	11.5	11.4	6.0	SW	14	W	11.8	11.7	12.6	12.6	11.8	11.8	11.7	0.5	10.7	10.7	10.6	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.14	1.35	1.1	2	1.6	4	2.0	6
18/12/2023 20:20	1017.4	1017.6	1017.3	998.9	59.0	59.0	59.0	8.6	8.6	9.3	9.3	9.1	7.7	7.7	7.7	12.2	12.2	12.2	0	0	--	--	--	--	--	--	12.6	12.6	12.6	88.7	88.7	88.5	10.8	10.8	10.7	11.5	11.5	11.4	5.5	SW	14	SSW	11.8	11.7	12.6	12.6	11.8	11.8	11.7	0.46	10.7	10.7	10.6	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.14	1.35	0.9	3	1.6	4	1.8	4
18/12/2023 20:25	1017.2	1017.4	1017.2	998.7	59.0	59.0	59.0	8.6	8.6	9.2	9.3	9.2	7.7	7.7	7.7	12.2	12.2	12.2	0	0	--	--	--	--	--	--	12.6	12.6	12.6	88.6	88.7	88.6	10.8	10.8	10.7	11.5	11.5	11.4	5.8	SW	14	SSW	11.9	11.8	12.6	12.6	11.9	11.9	11.8	0.48	10.8	10.8	10.7	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.11	1.35	0.5	2	1.2	4	1.7	4
18/12/2023 20:30	1017.2	1017.3	1017.1	998.7	59.0	59.0	59.0	8.6	8.6	9.4	9.4	9.2	7.7	7.7	7.7	12.2	12.2	12.2	0	0	--	--	--	--	--	--	12.6	12.7	12.6	88.4	88.8	88.4	10.7	10.8	10.7	11.4	11.6	11.4	6.1	SW	16	W	11.8	11.7	12.6	12.7	11.8	11.9	11.7	0.51	10.7	10.8	10.6	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.05	1.17	0.4	1	0.6	2	0.6	3
18/12/2023 20:35	1017.3	1017.3	1017.2	998.8	59.0	59.0	59.0	8.6	8.6	9.2	9.4	9.2	7.7	7.7	7.7	12.2	12.2	12.2	0	0	--	--	--	--	--	--	12.6	12.7	12.6	88.4	88.4	88.4	10.7	10.7	10.7	11.4	11.4	11.4	5.6	SW	12	W	11.9	11.8	12.6	12.7	11.9	11.9	11.8	0.46	10.8	10.8	10.7	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.07	1.26	0.4	2	0.8	3	1.2	5
18/12/2023 20:40	1017.5	1017.5	1017.3	999.0	59.0	59.0	59.0	8.6	8.6	9.2	9.2	9.2	7.7	7.7	7.7	12.2	12.2	12.2	0	0	--	--	--	--	--	--	12.6	12.6	12.6	88.5	88.5	88.4	10.7	10.8	10.7	11.4	11.5	11.4	5.6	SW	14	WSW	11.8	11.8	12.6	12.6	11.8	11.9	11.8	0.47	10.7	10.8	10.7	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.05	1.17	0.2	1	0.4	2	0.7	3
18/12/2023 20:45	1017.3	1017.3	1017.3	998.8	59.0	59.0	59.0	8.6	8.6	9.2	9.2	9.2	7.7	7.7	7.7	12.2	12.2	12.2	0	0	--	--	--	--	--	--	12.6	12.6	12.6	88.5	88.5	88.3	10.7	10.8	10.7	11.4	11.5	11.4	6.1	SW	13	SW	11.8	11.8	12.6	12.6	11.8	11.9	11.8	0.5	10.7	10.7	10.7	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.05	1.17	0.2	1	0.6	2	0.6	2
18/12/2023 20:50	1017.3	1017.4	1017.3	998.9	59.0	59.0	59.0	8.6	8.6	9.6	9.6	9.2	7.7	7.7	7.7	12.2	12.2	12.2	0	0	--	--	--	--	--	--	12.6	12.6	12.6	88.5	88.5	88.3	10.7	10.7	10.6	11.4	11.4	11.4	6.0	SW	11	NW	11.8	11.8	12.6	12.6	11.8	11.8	11.8	0.5	10.7	10.7	10.7	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.03	1.17	0.2	1	0.4	2	0.7	2
18/12/2023 20:55	1017.4	1017.5	1017.3	998.9	59.0	59.0	59.0	8.6	8.6	9.4	9.6	9.4	7.7	7.7	7.7	12.2	12.2	12.2	0	0	--	--	--	--	--	--	12.6	12.7	12.6	88.0	88.1	88.0	10.7	10.7	10.7	11.4	11.5	11.4	4.0	SSW	12	SSW	12.0	11.8	12.6	12.7	12.0	12.0	11.8	0.33	10.9	10.9	10.7	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.03	1.17	0.1	1	0.4	2	0.7	2
18/12/2023 21:00	1017.4	1017.5	1017.3	999.0	59.3	59.3	59.0	8.6	8.6	9.7	9.7	9.4	7.7	7.7	7.7	12.2	12.2	12.2	0	0	--	--	--	--	--	--	12.6	12.6	12.6	88.1	88.0	88.0	10.7	10.7	10.6	11.4	11.4	11.4	4.4	SW	10	SW	12.3	12.0	12.6	12.6	12.3	12.3	12.0	0.36	11.2	11.2	10.9	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.05	1.17	0.1	1	0.5	2	0.5	2
18/12/2023 21:05	1017.5	1017.5	1017.3	999.0	59.3	59.3	59.3	8.6	8.6	9.8	9.8	9.8	7.7	7.7	7.7	12.2	12.2	12.2	0	0	--	--	--	--	--	--	12.7	12.7	12.6	87.9	88.0	87.9	10.7	10.7	10.7	11.5	11.5	11.4	5.5	SW	11	SW	12.3	12.2	12.7	12.7	12.3	12.3	12.2	0.46	11.2	11.2	11.1	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.09	1.09	0.0	1	0.5	1	0.3	1
18/12/2023 21:10	1017.4	1017.4	1017.3	998.9	59.3	59.3	59.3	8.6	8.6	9.9	9.9	9.8	7.7	7.7	7.7	12.4	12.4	12.3	0	0	--	--	--	--	--	--	12.6	12.7	12.6	87.8	87.9	87.8	10.7	10.7	10.7	11.4	11.5	11.4	4.9	SW	13	SSW	12.1	12.1	12.6	12.7	12.1	12.2	12.1	0.41	10.9	11.1	10.9	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.01	1.09	0.0	1	0.1	1	0.1	1
18/12/2023 21:15	1017.1	1017.3	1017.1	998.6	59.0	59.3	59.0	8.6	8.6	9.9	10.0	9.9	7.8	7.8	7.8	12.4	12.4	12.4	0	0	--	--	--	--	--	--	12.7	12.7	12.6	87.8	88.0	87.8	10.7	10.7	10.7	11.5	11.5	11.4	5.3	SW	14	SSE	12.1	12.1	12.7	12.7	12.1	12.1	12.1	0.44	11	11	10.9	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.01	1.17	0.0	1	0.1	2	0.3	3
18/12/2023 21:20	1017.0	1017.2	1017.0	998.5	59.0	59.0	59.0	8.6	8.6	9.9	9.9	9.9	7.8	7.8	7.8	12.4	12.4	12.3	0	0	--	--	--	--	--	--	12.6	12.7	12.6	87.9	87.9	87.8	10.7	10.7	10.7	11.4	11.5	11.4	3.8	SW	11	SSW	12.2	12.1	12.6	12.7	12.2	12.3	12.1	0.32	11.1	11.2	11	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.09	1.09	0.0	1	0.3	1	0.3	1
18/12/2023 21:25	1017.1	1017.1	1017.0	998.6	59.0	59.0	59.0	8.6	8.6	10.0	10.0	9.9	7.8	7.8	7.8	12.4	12.4	12.3	0	0	--	--	--	--	--	--	12.7	12.7	12.6	87.9	87.9	87.9	10.7	10.7	10.7	11.5	11.5	11.4	5.1	SSW	12	S	12.3	12.2	12.7	12.7	12.3	12.3	12.2	0.43	11.2	11.2	11.1	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.03	1.17	0.1	1	0.3	2	0.3	2
18/12/2023 21:30	1017.2	1017.2	1017.1	998.7	59.0	59.0	59.0	8.7	8.6	10.0	10.0	10.0	7.8	7.8	7.8	12.3	12.4	12.3	0	0	--	--	--	--	--	--	12.7	12.7	12.6	88.0	88.0	87.9	10.7	10.7	10.7	11.5	11.5	11.4	4.1	SW	10	S	12.2	12.1	12.7	12.7	12.2	12.3	12.1	0.34	11.1	11.2	11	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.09	1.09	0.0	1	0.2	1	0.2	1
18/12/2023 21:35	1017.2	1017.2	1017.0	998.5	59.0	59.0	59.0	8.7	8.6	10.0	10.0	10.0	7.8	7.8	7.8	12.3	12.3	12.3	0	0	--	--	--	--	--	--	12.6	12.7	12.6	88.1	88.0	88.0	10.7	10.7	10.7	11.5	11.5	11.4	3.2	SW	10	SSW	12.2	12.2	12.6	12.7	12.2	12.3	12.2	0.35	11.2	11.2	11.1	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.09	1.09	0.0	1	0.6	2	0.4	1
18/12/2023 21:40	1017.1	1017.1	1017.0	998.6	59.0	59.0	59.0	8.7	8.7	10.0	10.0	10.0	7.8	7.8	7.8	12.2	12.3	12.2	1	1	0	--	--	--	--	--	12.6	12.6	12.6	88.2	88.2	88.1	10.7	10.7	10.6	11.4	11.4	11.4	4.6	SW	10	SSW	12.2	12.2	12.6	12.6	12.2	12.3	12.2	0.38	11.1	11.2	11.1	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.02	1.17	0.1	1	0.3	2	0.2	1
18/12/2023 21:45	1017.2	1017.3	1017.0	998.7	59.0	59.0	59.0	8.7	8.7	10.0	10.0	10.0	7.8	7.8	7.8	11.8	12.2	11.8	4	4	0	--	--	--	--	--	12.6	12.6	12.6	89.2	89.2	88.4	10.8	10.7	10.7	11.5	11.6	11.4	4.2	SW	10	S	12.2	12.2	12.6	12.6	12.2	12.3	12.2	0.35	11.1	11.2	11.1	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.04	1.09	0.0	1	0.2	1	0.2	1
18/12/2023 21:50	1017.2	1017.2	1017.1	998.7	59.0	59.0	59.0	8.7	8.7	10.0	10.0	10.0	7.8	7.8	7.8	12.4	12.4	12.4	15	15	4	--	--	--	--	--	12.4	12.6	12.4	89.8	89.8	89.4	10.8	10.8	10.8	11.4	11.5	11.4	4.6	SW	11	SSW	11.9	11.9	12.4	12.6	12.2	12.2	11.9	0.38	10.9	10.9	10.8	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.01	1.09	0.0	1	0.4	2	0.4	2
18/12/2023 21:55	1017.1	1017.1	1017.0	998.6	58.7	59.0	58.7	8.7	8.7	9.9	10.0	9.9	7.8	7.8	7.8	11.3	11.4	11.3	15	15	5	--	--	--	--	--	12.3	12.4	12.3	90.5	90.5	90.2	10.8	10.9	10.8	11.4	11.5	11.4	3.6	SW	11	SSW	12.1	11.9	12.4	12.4	12.2	12.2	11.9	0.3	11.1	11.1	10.8	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.01	1.09	0.0	1	0.1	1	0.4	3
18/12/2023 22:00	1017.1	1017.2	1017.1	998.6	58.7	58.7	58.7	8.7	8.7	9.9	9.9	9.8	7.8	7.8	7.8	11.3	11.3	11.3	15	15	5	--	--	--	--	--	12.2	12.3	12.2	90.9	90.9	90.6	10.8	10.8	10.8	11.3	11.4	11.3	3.6	SW	7	W	12.0	11.9	12.3	12.4	12.1	12.1	12.0	0.3	10.9	11	10.9	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.02	1.09	0.0	1	0.2	1	0.5	3
18/12/2023 22:05	1017.2	1017.2	1017.1	998.6	58.7	58.7	58.7	8.7	8.7	9.9	9.9	9.9	7.8	7.8	7.8	11.3	11.3	11.3	15	15	5	--	--	--	--	--	12.2	12.2	12.2	91.4	91.4	90.7	10.8	10.8	10.8	11.3	11.4	11.3	4.0	SW	12	SSW	11.9	11.9	12.2	12.3	12.0	12.2	12.0	0.33	10.9	11.1	10.9	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.00	1.09	0.0	1	0.2	2	0.2	2
18/12/2023 22:10	1017.2	1017.3	1017.1	998.7	58.4	58.7	58.4	8.7	8.7	10.0	10.0	9.9	7.8	7.8	7.8	11.3	11.3	11.3	15	15	5	--	--	--	--	--	12.1	12.2	12.1	91.5	91.6	91.4	10.8	10.8	10.8	11.3	11.4	11.3	4.4	SW	10	SW	11.8	11.8	12.2	12.3	11.9	12.1	11.9	0.37	10.8	10.9	10.8	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.01	1.17	0.0	1	0.1	2	0.1	2
18/12/2023 22:15	1017.5	1017.5	1017.3	999.0	58.1	58.4	58.1	8.7	8.7	10.0	10.0	10.0	7.8	7.8	7.8	11.3	11.3	11.3	15	15	5	--	--	--	--	--	12.1	12.1	12.1	92.0	92.0	91.6	10.8	10.8	10.8	11.3	11.3	11.3	3.9	SW	12	SSW	11.7	11.6	12.2	12.2	11.8	11.9	11.7	0.32	10.7	10.8	10.6	0.0	0.0	0	--	0	0.00	0.00	0.02	0.00	1.03	1.26	0.1	1	0.4	3	0.4	3
18/12/2023 22:20	1017.4	1017.5	1017.3	999.0	58

Date & Time	Bar mb	Bar High mb	Bar Low mb	Bar Absolute mb	Soil Moist - cb	Soil Moist cb	Soil Moist cb	Soil Temp 6" °C	Soil Temp 6" °C	Soil Low Temp 6" °C	Soil High Grass Min °C	Soil Low Grass Min °C	Soil Temp 12" °C	Soil High Temp 12" °C	Soil Low Temp 12" °C	Soil Temp Out °C	Soil Low Temp Out °C	Soil Sun Temp °C	Leaf Wetness	Leaf Wetness Wetness	Leaf Wetness 1 Minute	Wind Sonic Ave Speed MPH	Wind Sonic Prev Dir	Wind Sonic High Speed MPH	Wind Sonic High Wind Dir	Wind Sonic Wind Run Mi	Temp Out °C	High Temp Out °C	Low Temp Out °C	Humidity Out %	High Humidity Out %	Low Humidity Out %	Dew Point Out °C	High Dew Point Out °C	Low Dew Point Out °C	Wet Bulb Out °C	High Wet Bulb Out °C	Low Wet Bulb Out °C	Wind Ave Speed MPH	Wind Analogue Ave Speed MPH	Wind Analogue Dir	Wind Analogue High MPH	Wind Analogue High Dir	Wind Analogue Chill °C	Wind Low Chill °C	Heat High °C	Heat Low °C	THW Index °C	THW High Index °C	THW Low Index °C	Wind Run Mi	THSW Index °C	THSW High Index °C	THSW Low Index °C	Rain mm	Rain Rate mm	Solar Rad W/m²	Solar Rad High W/m²	ET MM	UV Index	High UV Index	UV Dose Index	Heating Degree Days	Cooling Degree Days	AirLink AQI	AirLink High AQI	AirLink PM1 ug/m³	AirLink High PM1 ug/m³	AirLink PM 2.5 ug/m³	AirLink High PM 2.5 ug/m³	AirLink PM 10 ug/m³	AirLink High PM 10 ug/m³
19/12/2023 06:25	1015.6	1015.7	1015.5	997.1	55.9	55.9	55.9	8.4	8.4	8.4	7.7	7.8	7.7	7.9	7.9	7.9	8.9	8.9	8.8	15	15	15	5	--	--	--	--	--	9.1	9.2	9.1	87.1	87.5	87.1	7.1	7.2	7.1	7.1	7.9	8.1	7.9	2.1	WNW	6	WNW	9.1	9.1	9.1	9.2	9.1	9.2	9.1	0.18	8.8	8.1	8	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.29	1.43	2.3	4	3.4	5	4.0	7
19/12/2023 06:30	1015.6	1015.7	1015.5	997.2	55.9	55.9	55.9	8.4	8.4	8.4	7.7	7.7	7.7	7.9	7.9	7.9	8.7	8.9	8.7	15	15	15	5	--	--	--	--	--	9.1	9.2	9.1	87.3	87.3	87.1	7.1	7.2	7.1	8.0	8.1	7.9	2.9	WNW	7	NW	9.1	9.1	9.1	9.2	9.1	9.2	9.1	0.24	8.8	8.1	8	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.26	1.43	1.9	3	3.0	5	3.2	8
19/12/2023 06:35	1015.4	1015.6	1015.4	997.0	55.9	55.9	55.9	8.4	8.4	8.4	7.7	7.7	7.6	7.9	7.9	7.9	8.8	8.8	8.7	14	15	14	5	--	--	--	--	--	9.2	9.2	9.1	87.0	87.3	87.0	7.1	7.1	7.1	8.0	8.0	7.9	1.9	NW	5	W	9.2	9.1	9.2	9.2	9.2	9.2	9.1	0.16	8.1	8.1	8	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.22	1.43	1.8	4	2.6	5	3.6	9
19/12/2023 06:40	1015.5	1015.5	1015.4	997.1	55.9	55.9	55.9	8.4	8.4	8.4	7.7	7.7	7.6	7.9	7.9	7.9	8.8	8.8	8.7	14	14	14	5	--	--	--	--	--	9.2	9.2	9.1	86.9	87.3	86.9	7.2	7.2	7.1	8.0	8.1	7.9	2.4	WNW	8	WNW	9.2	9.1	9.2	9.2	9.2	9.2	9.1	0.2	8.1	8.1	8	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.18	1.35	1.4	3	2.0	4	2.2	6
19/12/2023 06:45	1015.5	1015.6	1015.5	997.1	55.9	55.9	55.9	8.4	8.4	8.4	7.7	7.7	7.7	7.9	7.9	7.9	8.7	8.8	8.7	14	14	14	5	--	--	--	--	--	9.1	9.2	9.1	87.0	87.0	86.9	7.1	7.1	7.1	7.9	8.0	7.9	3.2	WNW	6	WNW	9.1	9.1	9.1	9.2	9.1	9.2	9.1	0.27	7.9	8.1	7.9	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.17	1.35	1.6	3	2.0	4	2.2	6
19/12/2023 06:50	1015.7	1015.9	1015.5	997.1	55.9	55.9	55.9	8.4	8.4	8.4	7.7	7.7	7.7	7.9	7.9	7.9	8.8	8.8	8.7	14	14	14	5	--	--	--	--	--	9.1	9.2	9.1	87.1	87.1	86.9	7.1	7.1	7.0	7.9	8.0	7.9	1.6	W	5	W	9.1	9.1	9.1	9.1	9.1	9.1	9.1	0.14	7.8	8	7.9	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.16	1.26	1.3	2	1.9	3	2.0	5
19/12/2023 06:55	1015.4	1015.5	1015.4	997.0	55.9	55.9	55.9	8.3	8.4	8.3	7.7	7.7	7.6	7.9	7.9	7.9	8.8	8.8	8.6	14	14	14	5	--	--	--	--	--	9.1	9.1	9.1	86.9	87.1	86.6	7.1	7.1	7.0	7.9	7.9	7.9	2.9	W	7	W	9.0	9.0	9.1	9.1	9.0	9.1	9.0	0.24	7.9	8	7.9	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.18	1.35	1.4	2	2.1	4	2.4	5
19/12/2023 07:00	1015.4	1015.4	1015.4	997.0	55.9	55.9	55.9	8.3	8.3	8.3	7.7	7.7	7.7	7.9	7.9	7.9	8.6	8.8	8.6	14	14	14	5	--	--	--	--	--	9.1	9.1	9.1	87.1	87.2	86.9	7.1	7.1	7.0	7.9	8.0	7.9	2.2	NW	6	N	9.1	8.9	9.1	9.1	9.1	9.1	8.9	0.18	8	8	7.8	0.0	0.0	0	0.00	0	0.00	0.00	0.03	0.00	1.18	1.35	1.3	2	2.1	4	2.7	7
19/12/2023 07:05	1015.3	1015.4	1015.3	997.0	55.9	55.9	55.9	8.3	8.3	8.3	7.7	7.7	7.6	7.9	7.9	7.9	8.5	8.7	8.4	13	14	13	5	--	--	--	--	--	9.1	9.1	9.1	87.1	87.2	86.9	7.0	7.1	6.9	7.9	8.0	7.9	1.8	W	5	W	9.1	9.1	9.1	9.1	9.1	9.1	9.1	0.15	7.9	8	7.9	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.26	1.96	1.6	3	2.9	11	3.6	11
19/12/2023 07:10	1015.4	1015.4	1015.4	996.9	55.9	55.9	55.9	8.3	8.3	8.3	7.6	7.7	7.6	7.9	7.9	7.9	8.7	8.7	8.7	13	13	13	5	--	--	--	--	--	9.1	9.1	9.1	86.9	87.2	86.9	7.0	7.1	7.0	7.9	8.0	7.9	2.8	WNW	7	W	9.1	9.1	9.1	9.1	9.1	9.1	9.1	0.23	7.9	8	7.9	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.22	1.35	1.5	3	2.5	4	3.4	9
19/12/2023 07:15	1015.3	1015.4	1015.3	996.8	55.9	55.9	55.9	8.3	8.3	8.3	7.6	7.6	7.6	7.9	7.9	7.9	8.8	8.8	8.7	13	13	13	5	--	--	--	--	--	9.1	9.1	9.1	87.1	87.2	87.0	7.0	7.1	7.0	7.9	7.9	7.9	3.2	W	9	WSW	9.1	9.1	9.1	9.1	9.1	9.1	9.1	0.27	7.9	7.9	7.9	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.26	1.87	1.7	3	3.0	10	3.3	10
19/12/2023 07:20	1015.2	1015.3	1015.2	996.8	55.9	55.9	55.9	8.3	8.3	8.3	7.6	7.6	7.6	7.9	7.9	7.9	8.8	8.8	8.7	13	13	13	5	--	--	--	--	--	9.1	9.1	9.1	86.9	86.9	86.8	7.0	7.0	6.9	7.9	7.9	7.9	3.1	WSW	9	WSW	8.6	8.6	8.6	8.6	8.6	8.6	8.6	0.26	7.5	7.7	7.4	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.21	1.43	1.5	3	2.5	5	3.2	6
19/12/2023 07:25	1015.2	1015.3	1015.1	996.7	55.9	55.9	55.9	8.3	8.3	8.3	7.6	7.6	7.6	7.9	7.9	7.9	8.7	8.8	8.7	13	13	13	5	--	--	--	--	--	9.1	9.1	9.1	87.1	86.8	87.0	7.1	7.0	6.9	7.9	7.9	7.9	2.6	SW	7	SSW	8.5	8.5	9.1	9.1	8.5	8.7	8.5	0.22	7.4	7.6	7.4	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.24	1.35	1.9	3	2.8	4	3.5	7
19/12/2023 07:30	1015.2	1015.2	1015.1	996.8	55.9	55.9	55.9	8.3	8.3	8.3	7.6	7.6	7.6	7.9	7.9	7.9	8.7	8.8	8.7	13	13	13	5	--	--	--	--	--	9.1	9.1	9.1	87.0	87.1	86.9	7.0	7.1	7.0	7.9	7.9	7.9	2.6	SW	7	SSW	8.9	8.7	9.1	9.1	8.9	9.0	8.7	0.22	7.8	7.9	7.6	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.27	1.43	2.1	4	3.1	5	3.9	11
19/12/2023 07:35	1015.1	1015.2	1015.1	996.6	55.9	55.9	55.9	8.3	8.3	8.3	7.6	7.6	7.6	7.9	7.9	7.9	8.7	8.7	8.7	13	13	13	5	--	--	--	--	--	9.1	9.1	9.1	87.3	87.3	87.1	7.0	7.1	7.0	7.9	8.0	7.9	2.8	SW	8	S	9.1	8.9	9.1	9.1	8.9	9.0	8.7	0.23	7.9	7.8	7.7	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.30	1.43	2.3	4	3.4	5	4.0	7
19/12/2023 07:40	1015.0	1015.1	1014.9	996.5	56.2	56.2	55.9	8.3	8.3	8.3	7.6	7.6	7.6	7.9	7.9	7.9	8.7	8.7	8.6	12	12	12	5	--	--	--	--	--	9.1	9.1	9.0	87.2	87.3	87.1	7.1	7.1	7.0	7.9	7.9	7.9	2.8	W	7	S	8.8	8.8	9.1	9.1	8.8	8.9	8.8	0.23	7.7	7.8	7.7	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.32	1.43	2.7	4	3.7	5	4.5	11
19/12/2023 07:45	1015.0	1015.1	1014.9	996.5	56.2	56.2	55.9	8.3	8.3	8.3	7.6	7.6	7.6	7.9	7.9	7.9	8.7	8.7	8.6	12	12	12	5	--	--	--	--	--	9.1	9.1	9.1	87.4	87.4	87.1	7.1	7.1	7.0	7.9	7.9	7.9	3.2	SW	7	SW	8.8	8.8	9.1	9.1	8.8	8.9	8.8	0.27	7.7	7.8	7.7	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.37	1.61	2.8	4	4.3	7	5.3	10
19/12/2023 07:50	1015.0	1015.1	1014.9	996.6	56.2	56.2	55.9	8.3	8.3	8.2	7.6	7.6	7.6	7.9	7.9	7.9	8.7	8.8	8.6	12	12	12	5	--	--	--	--	--	9.1	9.1	9.1	87.0	87.4	87.0	7.1	7.1	7.0	7.9	8.0	7.9	4.1	SW	10	SSW	8.7	8.6	9.1	9.1	8.7	8.8	8.6	0.34	7.6	7.7	7.5	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.34	1.52	3.0	5	3.9	6	4.0	8
19/12/2023 07:55	1015.1	1015.1	1015.0	996.7	56.2	56.2	56.2	8.2	8.3	8.2	7.6	7.6	7.6	7.9	7.9	7.9	8.8	8.8	8.8	11	12	11	5	--	--	--	--	--	9.1	9.1	9.1	87.3	87.4	87.2	7.1	7.1	7.1	8.0	8.0	7.9	4.1	SSW	10	SSW	8.3	8.3	9.1	9.1	8.3	8.6	8.3	0.34	7.2	7.4	7.2	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.42	1.61	3.4	5	4.8	7	5.9	13
19/12/2023 08:00	1015.3	1015.3	1015.1	996.9	56.2	56.2	56.2	8.2	8.2	8.2	7.6	7.6	7.6	7.9	7.9	7.9	8.9	8.9	8.8	10	11	10	5	--	--	--	--	--	9.2	9.2	9.1	86.6	86.6	86.4	7.1	7.1	6.9	8.0	8.0	7.9	3.9	SW	7	SSW	8.3	8.2	9.2	9.2	8.3	8.4	8.2	0.33	7.2	7.3	7.1	0.0	0.0	0	0.00	0	0.00	0.00	0.03	0.00	1.46	1.70	3.7	6	5.3	8	6.2	11
19/12/2023 08:05	1015.4	1015.5	1015.3	997.1	56.5	56.5	56.5	8.2	8.2	8.2	7.8	7.8	7.6	7.9	7.9	7.9	9.3	9.3	9.3	9	10	9	5	--	--	--	--	--	9.2	9.2	9.2	86.7	86.7	86.6	7.1	7.1	6.9	8.1	8.2	8.0	3.1	SW	7	SSW	8.5	8.4	9.2	9.2	8.5	8.6	8.4	0.25	7.4	7.4	7.3	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.46	2.04	3.6	5	5.3	12	6.4	15
19/12/2023 08:10	1015.2	1015.4	1015.2	996.8	56.2	56.2	56.2	8.2	8.2	8.2	7.9	7.9	7.8	7.9	7.9	7.9	9.3	9.3	9.3	9	9	9	5	--	--	--	--	--	9.2	9.2	9.2	87.0	86.7	87.1	7.1	7.1	6.9	8.1	8.0	8.2	2.9	SSW	7	SSW	8.9	8.6	9.2	9.2	8.9	8.9	8.6	0.18	7.8	7.8	7.4	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.40	1.70	3.1	6	4.6	8	5.5	10
19/12/2023 08:15	1015.4	1015.4	1015.2	996.9	56.2	56.2	56.2	8.2	8.2	8.2	7.9	7.9	7.9	7.9	7.9	7.9	8.7	8.8	8.7	8	9	8	3	--	--	--	--	--	9.1	9.2	9.1	87.5	87.0	87.2	7.2	7.1	7.0	8.1	8.1	7.9	1.8	SW	6	SSW	9.1	9.0	9.1	9.2	9.1	9.2	9.0	0.15	8.1	7.9	8.0	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.47	1.70	4.1	6	5.4	8	6.0	10
19/12/2023 08:20	1015.5	1015.5	1015.4	997.0	56.2	56.2	56.2	8.2	8.2	8.2	7.9	7.9	7.9	7.9	7.9	7.9	8.7	8.7	8.7	6	8	6	3	--	--	--	--	--	9.1	9.1	9.1	87.5	87.6	87.5	7.1	7.1	7.0	7.9	8.0	7.9	2.2	W	5	WSW	9.1	9.1	9.1	9.1	9.1	9.2	9.0	0.18	7.9	8	7.9	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.50	2.12	3.9	6	5.8	13	6.2	13
19/12/2023 08:25	1015.7	1015.7	1015.4	997.2	56.5	56.5	56.2	8.2	8.2	8.2	7.9	7.9	7.9	7.9	7.9	7.9	8.8	8.9	8.7	5	6	5	0	--	--	--	--	--	9.1	9.1	9.1	87.1	87.5	87.0	7.1	7.1	7.0	7.9	7.9	7.9	2.4	WSW	5	WSW	9.1	9.1	9.1	9.1	9.1	9.1	9.0	0.15	8.1	7.9	8.0	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.36	1.61	2.9	5	4.2	7	5.2	9
19/12/2023 08:30	1015.5	1015.6	1015.5	997.1	56.5	56.5	56.5	8.2	8.2	8.2	7.9	7.9	7.9	7.9	7.9	7.9	8.7	8.8	8.7	4	5	4	3	--	--	--	--	--	9.1	9.1	9.1	87.5	87.2	87.1	7.2	7.1	7.0	8.0	7.9	1.2	SW	4	S	9.1	9.1	9.1	9.1	9.1	9.1	9.1	0.1	7.9	8	7.9	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.38	1.52	3.0	4	4.4	6	4.8	8
19/12/2023 08:35	1015.5	1015.6	1015.5	997.0	56.5	56.5	56.5	8.2	8.2	8.2	7.9	7.9	7.9	7.9	7.9	7.9	8.8	8.8	8.6	4	4	4	0	--	--	--	--	--	9.1	9.1	9.1	87.2	87.6	87.2	7.1	7.1	7.0	8.0	8.0	7.9	3.7	W	11	WNW	9.0	8.9	9.1	9.1	9.0	9.1	8.9	0.33	7.9	7.8	7.8	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.34	1.52	3.0	5	3.9	6	4.8	9
19/12/2023 08:40	1015.6	1015.7	1015.5	997.2	56.5	56.5	56.5	8.2	8.2	8.2	7.9	7.9	7.9	7.9	7.9	7.9	8.8	8.8	8.8	4	4	4	0	--	--	--	--	--	9.1	9.1	9.1	87.3	87.3	87.3	7.1	7.1	7.1	8.0	8.0	7.9	6.4	W	12	WNW	8.4	8.4	9.1	9.1	8.4	9.1	8.4	0.54	7.3	7.8	7.3	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.35	1.52	2.7	4	4.0	6	4.5	8
19/12/2023 08:45	1015.6	1015.6	1015.5	997.1	56.5	56.5	56.5	8.2	8.2	8.2	8.1	8.1	8.1	7.9	7.9	7.9	8.8	8.8	8.8	3	4	3	0	--	--	--	--	--	9.1	9.1	9.1	87.5	87.5	87.2	7.2	7.2	7.1	8.0	8.1	8.0	6.4	W	16	W	7.7	7.7	9.1	9.2	7.7	8.1	7.7	0.54	6.6	7	6.6	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.28	1.43	2.3	3	3.2	5	4.0	7
19/12/2023 08:50	1015.7	1015.8	1015.6	997.3	56.7	56.7	56.5	8.2	8.2	8.1	8.1	8.1	8.1	7.9	7.9	7.9	8.7	8.8	8.7	3	3	3	0	--	--	--	--	--	9.1	9.1	9.1	87.8	87.8	87.8	7.2	7.2	7.1	8.0	8.0	8.0	3.5	W	8	SW	7.7	7.6	9.1	9.2	7.7	7.7	7.6	0.29	6.6	6.8	6.5	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.29	1.52	2.1	3	3.3	6	3.9	8
19/12/2023 08:55	1015.4	1015.6	1015.4	997.0	56.5	56.5	56.5	8.1	8.1	8.1	8.1	8.1	8.1	7.9	7.9	7.9	8.7	8.7	8.7	2	2	2	0	--	--	--	--	--	9.1	9.1	9.1	88.0	88.0	87.9	7.2	7.2	7.2	8.0	8.1	8.0	4.4	WSW	10	W	8.2	7.8	9.1	9.1	8.2	8.3	7.8	0.36	7.1	7.2	6.7	0.0	0.0	1	7	--	0	0.00	0.00	0.03	0.00	1.30	1.52	2.2	4	3.5	6	3.9	6
19/12/2023 09:00	1015.5	1015.5	1015.4	997.1	56.5	56.5	56.5	8.1	8.1	8.1	8.1	8.1	8.1	7.9	7.9	7.9	8.4	8.4	8.4	4	4	2	0	--	--	--	--	--	9.0	9.1	9.0	88.6	88.6	88.6	7.2	7.3	7.2	8.0	8.1	8.0	3.7	W	10	WNW	8.3	8.3	9.0	9.1	8.3	8.4	8.3	0.31	7.2	7.3	7.2	0.0	0.0	0	0.00	0	0.00	0.00	0.03	0.00	1.25	1.52	1.8	3	2.9	6	3.1	6
19/12/2023 09:05	1015.7	1015.8	1015.4	997.1	56.5	56.5	56.5	8.1	8.1	8.1	8.1	8.1	8.1	7.9	7.9	7.9	8.3	8.4	8.3	6	6	4	0	--	--	--	--	--	9.0	9.1	9.0	89.0	89.0	88.7	7.3	7.3	7.2	8.1	8.1	8.0	6.7	W	12	WNW	7.8	7.8	9.0	9.1	7.8	8.3	7.8	0.56	6.7	6.7	6.2	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.22	1.43	1.7	2.5	2.5	5	2.7	6
19/12/2023 09:10	1015.6	1015.7	1015.6	997.2	56.5	56.5	56.5	8.2	8.1	8.1	8.1	8.1	8.1	7.9	7.9	7.9	8.4	8.4	8.3	4	5	4	0	--	--	--	--	--	8.9	9.0	8.9	88.2	88.2	88.2	7.1	7.3	7.1	7.9	8.1	7.9	11.1	WNW	18	WNW	6.8	6.8	8.9	9.0	6.8	7.8	6.8	0.92	5.7	6.7	5.7	0.0	0.0	6	12	--	0	0.00	0.00	0.03	0.00	1.15	1.35	0.9	2	1.8	4	2.1	5
19/12/2023 09:15	1015.6	1015.6	1015.6	997.2	56.5	56.5	56.5	8.1	8.1	8.1	8.1	8.1	8.1	7.9	7.9	7.9	8.3	8.3	8.3	3	4	3	0	--	--	--	--	--	8.7	8.9	8.7	89.3	88.1	86.9	6.6	7.0	6.6	7.6	7.9	7.6	8.6	NW	18	NW	6.1	6.1	8.7	8.9	6.1	6.6	6.1	0.72	5.1	5.6	5.1	0.0	0.0	20	23	--	0	0.00	0.00	0.03	0.00	1.06	1.17	0.9	1	0.1	2	0.2	2
19/12/2023 09:20	1015.7	1015.7	1015.6	997.3	56.5	56.5	56.5	8.1	8.1	8.1	8.1	8.1	8.1	7.9	7.9	7.9	8.2	8.3	8.2	3	2	2	0	--	--	--	--	--	8.4	8.7	8.4	86.8	87.0	86.7	6.4	6.6	6.4	7.3	7.6	7.3	9.2	NW	15	NW	5.8	5.8	8.4	8.7	5.8	6.0	5.8	0.77	4.8	5.1	4.8	0.0	0.0	23	23	--	0	0.00	0.00	0.03	0.00	1.00	1.09	0.0	1	0.0	1	0.0	1
19/12/2023 09:25	1015.7	1015.8	1015.6	997.2	56.5	56.7	56.5	8.1	8.1	8.1	8.1	8.1	8.1	7.9	7.9	7.9	8.1	8.2	8.1	1	2	1	0	--	--	--	--	--	8.3	8.4	8.3	87.1	87.3	87.1	6.3	6.4	6.3	7.2	7.3	7.2	9.3	NW	18	NW	5.7	5.7	8.3	8.4	5.7	5.9	5.7	0.78	4.7	4.9	4.7	0.0	0.0	23	26	--	0	0.00	0.00	0.03	0.00	1.00	1.00	0.0	0	0.0	0	0.0	0
19/12/2023 09:30

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -cb | Soil Moist cb | Soil Moist cb | Low Soil Moist 6" cb | Soil Temp 6" °C | High Soil Temp 6" °C | Low Soil Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | High Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Temp °C | High Soil Temp °C | Low Soil Temp °C | Sun Out & | Sun Time % | Leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Dir Mi | Wind Run °C | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Ave Speed MPH | Wind Analogue Ave Speed MPH | Wind Analogue Dir | Wind Analogue High MPH | Wind Analogue Dir | Wind Chill °C | Low Wind Chill °C | Heat Index °C | High Heat Index °C | THSW Index °C | THW Index °C | Low THW Index °C | Wind run km | Rain mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad High W/m² | ET MM | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -cb | Soil Moist cb | High Soil Moist cb | Low Soil Moist cb | Soil Temp 6" °C | High Soil Temp 6" °C | Low Soil Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | High Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Temp Sun °C | High Soil Temp Sun °C | Low Soil Temp Sun °C | leaf Wetness 1 Minute | High Leaf Wetness % | Low Leaf Wetness % | Leaf Wetness % | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev | Wind Sonic High Speed MPH | Wind Sonic High Wind Dir | Wind Sonic Wind Run Mi | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Ave Speed MPH | Wind Analogue Ave Speed MPH | Wind Analogue Dir | Wind Analogue High MPH | Wind Analogue High Dir | Chill °C | Wind Chill °C | Heat Index °C | High Heat Index °C | THW Index °C | High THW Index °C | Low THW Index °C | Wind run Mi | THSW Index °C | High THSW Index °C | Low THSW Index °C | Rain mm | High Rain Rate mm | Solar Rad W/m² | High Solar Rad W/m² | ET MM | Index | UV Index | High UV Index | UV Dose MED | Heating Days | Cooling Days | Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist - cb | Soil Moist cb | High Soil Moist cb | Low Soil Moist cb | Soil Temp 6" °C | High Soil Temp 6" °C | Low Soil Temp 6" °C | Soil Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | High Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Temp Sun °C | High Soil Temp Sun °C | Low Soil Temp Sun °C | leaf Wetness Hour % | High Leaf Wetness % | Low Leaf Wetness % | Leaf Wetness 1 Minute % | Wind Sonic Ave Speed MPH | Wind Sonic Prev Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Dir | Wind Run Out MPH | Wind Chill Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wind Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Analogue Ave Speed | Wind Analogue Prev Dir | Wind Analogue High MPH | Wind Analogue High Dir | Wind Chill Out °C | Low Wind Chill Out °C | Heat Index Out °C | High Heat Index Out °C | THW Index Out °C | High THW Index Out °C | Low THW Index Out °C | Wind run Out Mi | THSW Index Out °C | High THSW Index Out °C | Rain Rate mm | High Rain Rate mm | Solar Rad W/m² | High Solar Rad W/m² | ET MM | Index | UV Index | High UV Index | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink PM2 ug/m³ | AirLink High PM2 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar Pressure mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist cb | Soil Moist cb | Low Soil Temp 6" °C | Soil Temp 6" °C | Low Soil Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | Soil High Temp 12" °C | Soil Low Temp 12" °C | Sun Temp °C | Sun High Temp °C | Sun Low Temp °C | Leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind Dir | Wind Run MPH | Sonic Wind Dir | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Ave Speed MPH | Wind Analogue Ave Speed Dir | Wind Analogue High Dir | Wind Analogue High MPH | Wind Analogue Dir | Wind Analogue High MPH | Wind Chill °C | Low Wind Chill °C | Heat Index °C | High Heat Index °C | THW Index °C | THW High Index °C | THW Low Index °C | Low Analogue THW Index °C | Wind Run MPH | THSW Index °C | High THSW Index °C | Low THSW Index °C | Rain mm | Rain Rate mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad W/m² | High Solar Rad W/m² | ET MM | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink Index | AirLink High AQI | AirLink PM1 µg/m³ | AirLink High PM1 µg/m³ | AirLink PM 2.5 µg/m³ | AirLink High PM 2.5 µg/m³ | AirLink PM 10 µg/m³ | AirLink High PM 10 µg/m³ |
|---|---|---

| Date & Time | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist cb | Soil Moist cb | Soil Temp 6" °C | Soil Temp 6" °C | Soil Temp 6" °C | Low Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | Soil Temp 12" °C | Soil Temp 12" °C | Low Sun Time °C | Sun Time °C | Low Sun Time °C | leaf Wetness | Leaf Wetness | Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Dir | Wind Run Mi | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Chill °C | Wind Chill °C | Heat Index °C | Heat Index °C | THW Index °C | THW Index °C | THW Index °C | Wind Run Mi | Wind Analogue Ave Speed Div | Wind Analogue High Dir | Wind Analogue High MPH | Wind Analogue High Div | THSW Index °C | THSW Index °C | THSW Index °C | Rain Rate mm | Rain Rate mm | High Solar Rad W/m² | Solar Rad W/m² | Solar Rad W/m² | ET MM | UV Index Index | High UV Index | UV Dose Meds | Heating Degree Days | Cooling Degree Days | AirLink High AQI | AirLink High AQI | AirLink High PM1 ug/m³ | AirLink High PM2 ug/m³ | AirLink PM 2.5 - ug/m³ | AirLink PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -cb | Soil Moist cb | Soil Moist cb | Low Soil Temp °C | Soil Temp 6" °C | Low Soil Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Temp 24" °C | Low Soil Temp 24" °C | Soil Temp 36" °C | Low Soil Temp 36" °C | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Dir Mi | Wind Sonic Run Mi | Temp °C | High Temp °C | Low Temp °C | Out Dew Point °C | Out Humidity % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Speed MPH | Wind Average Ave Speed MPH | Wind Dir MPH | Wind Analogue High MPH | Wind Analogue Dir | Wind Analogue Low MPH | Chill °C | Low Wind Chill °C | Heat Index °C | High Heat Index °C | THW Index °C | THW High Index °C | THW Low Index °C | Wind run MiM | THSW Index °C | THSW High Index °C | THSW Low Index °C | Rain mm | High Rain Rate mm | Solar Rad W/m² | High Solar Rad W/m² | ET MM | UV Index Index | High UV Index | UV Dose Meds | Heating Degree Days | Cooling Degree Days | AirLink PM1 AQI | AirLink High PM1 AQI | AirLink PM2 AQI | AirLink High PM2 AQI | AirLink PM2.5 - AQI | AirLink High PM2.5 - AQI | AirLink PM10 AQI | AirLink High PM10 AQI |
|---|---|---

| Date & Time | Bar Pressure Absolute mb | Bar Pressure High mb | Bar Pressure Low mb | Bar Pressure Absolute mb | Soil Moisture mb | Soil Moisture 6" -cb | Soil Moisture 12" cb | Soil Temp 6" °C | Soil Temp 12" °C | Soil Temp 6" °C | Soil Temp 12" °C | Soil Moisture Min °C | Soil Moisture Max °C | Grass Temp Min °C | Grass Temp Max °C | Soil Temp Min °C | Soil Temp Max °C | Soil Temp 12" °C | Soil Temp 12" °C | Soil Temp Min °C | Soil Temp Max °C | Soil Temp Out °C | Soil Temp Out °C | leaf Wetness % | Leaf Wetness High % | Leaf Wetness Low % | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind Run MPH | Wind Sonic Dir Mi | Wind Speed Out MPH | Wind Speed Out Kt | Humidity Out % | Humidity High % | Humidity Low % | Dew Point Out °C | Dew Point High Out °C | Dew Point Low Out °C | Wet Bulb Out °C | Wet Bulb High Out °C | Wet Bulb Low Out °C | Heat Index Out °C | Heat Index High °C | Heat Index Low °C | THW Index Out °C | THW Index High °C | THW Index Low °C | THSW Index Out °C | THSW Index High °C | THSW Index Low °C | Wind Analogue Dir | Wind Analogue High Dir | Wind Analogue Ave Speed MPH | Wind Analogue High MPH | Wind Analogue Ave Speed Prev MPH | Wind Analogue High Prev MPH | Wind Analogue Run Mi | Chill °C | Wind Chill °C | Wind Chill Out °C | Wind Chill Low °C | Heat Index Out °C | Heat Index High °C | Heat Index Low °C | THW Index Out °C | THW Index High °C | THW Index Low °C | THSW Index Out °C | THSW Index High °C | THSW Index Low °C | Rain Rate mm | Rain Rate High mm | Solar Rad W/m² | Solar Rad High W/m² | ET MM | UV Index | UV Index High | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink Index AQI | AirLink Index High AQI | AirLink PM1 µg/m³ | AirLink PM1 High µg/m³ | AirLink PM 2.5 µg/m³ | AirLink PM 2.5 - High µg/m³ | AirLink PM 10 µg/m³ | AirLink PM 10 High µg/m³ |
|---|---|---

| Date & Time | Bar Pressure | Bar High Pressure | Bar Low Pressure | Bar Absolute Pressure | Soil Moisture | Soil High Moisture | Soil Low Moisture | Soil Temp 6" | High Temp 6" | Low Temp 6" | Grass Min | High Grass Min | Low Grass Min | Soil Temp 12" | High Temp 12" | Low Temp 12" | Soil Temp 24" | High Temp 24" | Low Temp 24" | Soil Temp 36" | High Temp 36" | Low Temp 36" | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed | Wind Sonic Prev | Wind Sonic High Speed | Wind Sonic Dir | Wind Sonic High Wind | Wind Run | Wind Sonic Out | High Wind Out | Low Wind Out | Humidity Out | High Humidity Out | Low Humidity Out | Dew Point Out | High Dew Point Out | Low Dew Point Out | Wet Bulb Out | High Wet Bulb Out | Low Wet Bulb Out | Wind Analogue Ave Speed | Wind Analogue High Dir | Wind Analogue High | Wind Analogue Dir | Wind Analogue Run | Wind Chill | Low Wind Chill | Heat Index | High Heat Index | THW Index | THW High Index | THW Low Index | Wind run | Rain | High Rain Rate | Solar Rad | Solar Rad High | UV Index | High UV | UV Dose | Heating Degree | Cooling Degree | AirLink Index | AirLink High PM1 | AirLink High PM2.5 | AirLink High PM2.5 - | AirLink PM 10 | AirLink High PM 10 |
|---|---|---

| Date & Time | Bar Pressure High mb | Bar Pressure Low mb | Bar Pressure Absolute mb | Soil Moisture 1 cb | Soil Moisture 2 cb | Soil Moisture 3 cb | Soil Moisture 4 cb | High Soil Temp 6" °C | Low Soil Temp 6" °C | Soil Temp 6" °C | Low Grass Temp °C | Grass Min °C | High Grass Temp 12" °C | Low Grass Temp 12" °C | Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Temp °C | Low Soil Temp °C | Sun Temp °C | Sun Temp °C | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev | Wind Sonic High Speed MPH | Wind Sonic High Wind Dir | Wind Sonic Wind Run MPH | Wind Out Mi | High Temp °C | Low Temp °C | High Temp Out °C | Low Temp Out °C | Humidity % | High Humidity Out % | Low Humidity Out % | High Dew Point Out °C | Low Dew Point Out °C | Wind Out Mi | Wind Out Dir | Wind Out Ave Speed MPH | Wind Out High Speed MPH | Wind Out Dir | Wind Out Ave Speed MPH | Wind Out High Speed MPH | Wind Out Dir | Wind Out Run Mi | High Wind Chill °C | Low Wind Chill °C | Heat High °C | Heat Index °C | THW High °C | THW Index °C | THW Low °C | THW Index °C | THSW High °C | THSW Index °C | Rain mm | High Rain Rate mm | Solar Rad W/m² | High Solar Rad W/m² | ET MM | Index | UV Index | High UV Index | UV Dose Index | Heating Degree Days | Cooling Degree Days | AirLink Index AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink PM2 ug/m³ | AirLink PM2 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -- cb | Soil Moist cb | High Soil Moist cb | Low Soil Moist cb | Soil Temp 6" °C | High Soil Temp 6" °C | Low Soil Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | High Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Temp 24" °C | High Soil Temp 24" °C | Low Soil Temp 24" °C | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Dir Mi | Wind Temp °C | High Temp °C | Low Temp °C | Out Hum % | Out Humidity % | High Out Humidity % | Low Out Humidity % | Dew Point °C | High Dew Point °C | Low Dew Point °C | Wet Bulb °C | High Wet Bulb °C | Low Wet Bulb °C | Heat Index °C | High Heat Index °C | Low Heat Index °C | THW Index °C | High THW Index °C | Low THW Index °C | THSW Index °C | High THSW Index °C | Rain mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad High W/m² | ET MM | Index | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink PM2.5 ug/m³ | AirLink PM2.5 High ug/m³ | AirLink PM10 ug/m³ | AirLink PM10 High ug/m³ |
|---|---|---

Date & Time	Bar High mb	Bar Low mb	Bar Absolute mb	Soil Moist - cb	Soil Moist cb	Soil Moist 6" cb	Soil Temp 6" °C	Soil Temp 6" °C	Soil Low Temp 6" °C	Grass High Min °C	Grass Low Min °C	Soil Temp 12" °C	Soil Temp 12" °C	Soil Low Temp 12" °C	Soil Low Temp 12" °C	Sun Time Out Mi	Sun Time Out Mi	Leaf Wetness	Leaf Wetness	Leaf Wetness	Leaf Wetness 1 Minute	Wind Sonic Ave Speed MPH	Wind Sonic Dir Mi	Wind Sonic Prev Dir	Wind Sonic High Speed MPH	Wind Sonic High Wind Dir	Wind Sonic Wind Run Mi	Time Out Mi	Wind Temp High °C	Wind Temp Low °C	Wind Temp Out °C	Humidity High %	Humidity Out %	Humidity Low %	Dew Point High °C	Dew Point Out °C	Dew Point Low °C	Wet Bulb High °C	Wet Bulb Out °C	Wet Bulb Low °C	Wind Analogue Ave Speed MPH	Wind Analogue Dir Mi	Wind Analogue High MPH	Wind Analogue Dir Mi	Wind Analogue High MPH	Chill Index °C	Wind Chill °C	Low Heat Index °C	High Heat Index °C	THW Index °C	THW High Index °C	THW Low Index °C	Wind run Mi	THSW Index °C	THSW High Index °C	THSW Low Index °C	Rain mm	Rain Rate mm	Solar Rad W/m²	Solar Rad W/m²	High Rad W/m²	UV Index	High UV Index	UV Dose MED	Heating Degree Days	Cooling Degree Days	AirLink AQI	AirLink High AQI	AirLink PM1 ug/m³	AirLink High PM1 ug/m³	AirLink PM 2.5 ug/m³	AirLink High PM 2.5 ug/m³	AirLink PM 10 ug/m³	AirLink High PM 10 ug/m³
24/12/2023 10:10	993.7	993.9	993.6	975.5	52.8	53.0	52.8	8.9	8.9	11.0	11.0	10.9	8.3	8.3	8.3	11.5	11.6	11.5	15	15	15	5	--	--	--	--	--	--	12.5	12.6	12.4	89.4	89.4	89.2	10.8	10.8	10.7	11.4	11.5	11.4	11.1	WSW	27	WSW	9.4	9.4	12.5	12.6	9.4	9.6	9.4	0.92	8.6	8.7	8.5	0.0	0.2	37	40	--	0	0.00	0.00	0.02	0.00	1.00	1.00	0.0	0.0	0.0	0.2
24/12/2023 10:15	993.5	993.8	993.4	975.4	52.3	52.8	52.3	8.9	8.9	11.0	11.0	11.0	8.3	8.3	8.3	11.7	11.7	11.5	15	15	15	5	--	--	--	--	--	--	12.4	12.5	12.4	89.5	89.6	89.4	10.8	10.8	10.7	11.4	11.5	11.4	12.8	WSW	29	SSW	9.6	9.5	12.4	12.5	9.6	9.7	9.5	1.06	8.7	8.8	8.6	0.0	0.2	45	47	--	0	0.00	0.00	0.02	0.00	1.00	1.00	0.0	0.0	0.2	3
24/12/2023 10:20	993.6	993.9	993.6	975.5	52.3	52.3	52.3	8.9	8.9	11.0	11.0	11.0	8.3	8.3	8.3	11.7	11.7	11.7	15	15	15	5	--	--	--	--	--	--	12.4	12.4	12.4	89.4	89.5	89.4	10.7	10.8	10.7	11.4	11.4	11.4	13.1	WSW	28	S	9.5	9.5	12.4	12.4	9.5	9.7	9.5	1.09	8.7	8.8	8.7	0.0	0.2	47	47	--	0	0.00	0.00	0.02	0.00	1.01	1.00	0.0	0.1	1.1	3
24/12/2023 10:25	993.7	993.8	993.3	975.6	52.3	52.3	52.3	8.9	8.9	11.1	11.0	11.0	8.3	8.3	8.3	11.7	11.7	11.7	15	15	15	5	--	--	--	--	--	--	12.4	12.5	12.4	89.2	89.5	89.2	10.7	10.8	10.7	11.4	11.4	11.4	10.6	WSW	21	S	9.6	9.4	12.4	12.5	9.6	9.7	9.4	0.88	9.1	8.6	8.6	0.0	0.2	47	49	--	0	0.00	0.00	0.02	0.00	1.00	1.00	0.0	0.0	0.2	2
24/12/2023 10:30	994.0	994.0	993.8	975.9	52.3	52.3	52.3	8.9	8.9	11.1	11.1	11.1	8.3	8.3	8.3	11.7	11.7	11.7	15	15	15	5	--	--	--	--	--	--	12.4	12.5	12.4	89.4	89.4	89.3	10.7	10.8	10.7	11.4	11.4	11.4	10.6	W	24	W	9.8	9.7	12.4	12.5	9.8	9.8	9.7	0.88	9.2	9.2	9.1	0.2	0.2	45	46	--	0	0.00	0.00	0.02	0.00	1.00	1.00	0.0	0.0	0.3	2
24/12/2023 10:35	994.1	994.2	993.9	975.9	52.0	52.3	52.0	8.9	8.9	11.1	11.1	11.1	8.3	8.3	8.3	11.7	11.7	11.7	15	15	15	5	--	--	--	--	--	--	12.5	12.6	12.4	89.2	89.5	89.2	10.8	10.8	10.7	11.4	11.4	11.3	9.0	WSW	30	WSW	9.9	9.9	12.5	12.6	9.9	10.1	9.9	1.09	9.3	9.4	9.3	0.0	0.2	47	47	--	0	0.00	0.00	0.02	0.00	1.04	1.61	0.0	0.4	0.7	6
24/12/2023 10:40	994.5	994.5	994.0	976.3	52.0	52.0	52.0	8.9	8.9	11.2	11.2	11.2	8.3	8.3	8.3	11.7	11.8	11.7	15	15	15	5	--	--	--	--	--	--	12.4	12.5	12.4	89.7	89.7	89.1	10.8	10.8	10.7	11.4	11.4	11.2	W	27	SSW	9.7	9.6	12.4	12.5	9.7	9.8	9.6	0.93	9.1	9.2	9	0.0	0.2	42	44	--	0	0.00	0.00	0.02	0.00	1.00	1.00	0.0	0.0	0.2	2
24/12/2023 10:45	994.6	994.6	994.0	976.5	52.0	52.0	52.0	8.9	8.9	11.3	11.2	11.2	8.3	8.3	8.3	11.4	11.6	11.4	15	15	15	5	--	--	--	--	--	--	12.3	12.4	12.3	90.1	90.1	89.8	10.8	10.8	10.7	11.4	11.4	11.3	13.8	W	38	S	9.2	9.2	12.3	12.4	9.2	9.7	9.2	1.15	8.7	9.1	8.7	0.0	0.2	44	44	--	0	0.00	0.00	0.02	0.00	1.00	1.09	0.0	0.0	0.1	1
24/12/2023 10:50	994.2	994.6	994.2	976.0	52.0	52.0	52.0	8.9	8.9	11.3	11.3	11.3	8.3	8.3	8.3	11.4	11.5	11.4	15	15	15	5	--	--	--	--	--	--	12.3	12.3	12.3	90.3	90.5	90.2	10.7	10.8	10.7	11.3	11.4	11.3	12.4	WSW	31	WSW	9.3	9.3	12.3	12.3	9.3	9.4	9.3	1.03	8.8	8.7	8.7	0.0	0.2	38	42	--	0	0.00	0.00	0.02	0.00	1.00	1.09	0.0	0.0	1.1	3
24/12/2023 10:55	994.1	994.3	994.0	976.0	51.8	52.0	51.8	8.9	8.9	11.2	11.2	11.2	8.3	8.3	8.3	11.3	11.3	11.3	15	15	15	5	--	--	--	--	--	--	12.2	12.3	12.2	90.3	90.3	90.2	10.7	10.7	10.7	11.3	11.3	11.3	12.6	WSW	24	SSW	9.2	9.1	12.2	12.3	9.2	9.2	9.1	1.05	8.6	8.7	8.5	0.0	0.2	32	35	--	0	0.00	0.00	0.02	0.00	1.00	1.00	0.0	0.0	0.1	2
24/12/2023 11:00	994.2	994.3	994.0	976.0	51.8	51.8	51.8	8.9	8.9	11.2	11.2	11.2	8.4	8.4	8.4	11.3	11.3	11.3	15	15	15	5	--	--	--	--	--	--	12.2	12.3	12.2	90.9	90.9	90.4	10.7	10.8	10.7	11.3	11.4	11.3	10.8	SW	26	WNW	9.2	9.2	12.2	12.3	9.3	9.4	9.2	0.9	8.6	8.7	8.6	0.2	1.2	30	32	0.05	0	0.00	0.00	0.02	0.00	1.00	1.09	0.0	0.0	0.2	2
24/12/2023 11:05	994.0	994.2	993.9	975.9	51.8	51.8	51.8	8.9	8.9	11.1	11.1	11.1	8.4	8.4	8.4	11.3	11.3	11.3	15	15	15	5	--	--	--	--	--	--	12.1	12.2	12.1	90.9	91.0	90.7	10.7	10.7	10.7	11.2	11.3	11.2	13.4	SW	28	S	9.3	9.3	12.1	12.2	9.4	9.5	9.3	1.11	8.6	8.8	8.5	0.0	0.2	38	41	--	0	0.00	0.00	0.02	0.00	1.00	1.09	0.0	0.0	0.7	2
24/12/2023 11:10	993.5	994.0	993.5	975.4	51.8	52.0	51.8	8.9	8.9	11.1	11.2	11.1	8.4	8.4	8.4	11.3	11.3	11.3	14	14	14	5	--	--	--	--	--	--	12.1	12.2	12.1	91.1	91.1	90.9	10.6	10.7	10.6	11.2	11.3	11.2	15.2	SW	35	S	8.8	8.8	12.1	12.2	8.9	9.4	8.9	1.26	8.2	8.7	8.2	0.2	1.8	31	33	--	0	0.00	0.00	0.02	0.00	1.01	1.09	0.1	0.1	1.1	2
24/12/2023 11:15	993.7	993.7	993.5	975.5	51.8	51.8	51.8	8.9	8.9	11.2	11.2	11.1	8.4	8.4	8.4	11.3	11.3	11.3	14	14	14	5	--	--	--	--	--	--	12.1	12.1	12.0	91.1	91.2	91.1	10.7	10.7	10.6	11.2	11.2	11.2	13.8	SW	29	S	8.6	8.6	12.1	12.1	8.6	8.9	8.6	1.15	8.1	8.2	8	0.0	1.6	42	49	--	0	0.00	0.00	0.02	0.00	1.00	1.00	0.0	0.0	0.2	1
24/12/2023 11:20	993.2	993.7	993.2	975.1	51.8	52.0	51.8	8.9	8.9	11.2	11.2	11.2	8.4	8.4	8.4	11.3	11.3	11.3	15	15	15	5	--	--	--	--	--	--	11.9	12.0	11.9	91.3	91.4	91.2	10.6	10.7	10.6	11.1	11.2	11.1	14.6	SW	34	WNW	8.7	8.6	12.0	12.1	8.7	8.7	8.6	1.21	8.1	8.2	8.1	0.0	1.4	46	49	--	0	0.00	0.00	0.02	0.00	1.00	1.09	0.0	0.1	0.4	3
24/12/2023 11:25	993.0	993.4	992.8	974.8	52.0	52.0	51.8	8.9	8.9	11.2	11.2	11.2	8.4	8.4	8.4	11.5	11.5	11.4	15	15	15	5	--	--	--	--	--	--	11.9	12.0	11.9	91.5	91.5	91.2	10.6	10.6	10.6	11.1	11.2	11.1	15.9	SW	45	S	8.4	8.4	12.0	12.1	8.6	8.7	8.5	1.33	8.1	8.2	8	0.0	1.0	54	56	--	0	0.00	0.00	0.02	0.00	1.00	1.00	0.0	0.0	0.0	0
24/12/2023 11:30	993.0	993.2	993.0	974.8	52.0	52.0	52.0	8.9	8.9	11.3	11.3	11.3	8.4	8.4	8.4	11.5	11.6	11.5	14	15	14	5	--	--	--	--	--	--	11.9	11.9	11.9	91.6	91.7	91.5	10.6	10.6	10.6	11.1	11.1	11.1	14.0	SW	32	WSW	8.3	8.3	12.0	12.1	8.4	8.6	8.4	1.17	8.1	8.1	8	0.0	0.8	59	60	--	0	0.00	0.00	0.02	0.00	1.00	1.00	0.0	0.0	0.1	2
24/12/2023 11:35	992.9	993.0	992.8	974.8	52.0	52.0	52.0	8.9	8.9	11.3	11.3	11.4	8.4	8.4	8.4	11.6	11.6	11.6	14	14	14	5	--	--	--	--	--	--	11.9	11.9	11.9	91.7	91.8	91.5	10.6	10.7	10.6	11.1	11.2	11.1	14.3	SSW	40	WNW	8.4	8.2	12.0	12.0	8.5	8.6	8.5	1.19	8.1	8.2	8.0	0.0	0.6	61	62	--	0	0.00	0.00	0.02	0.00	1.00	1.00	0.0	0.0	0.0	0
24/12/2023 11:40	993.0	993.2	992.8	974.9	52.3	52.3	52.0	8.9	8.9	11.3	11.3	11.3	8.4	8.4	8.4	11.6	11.7	11.6	14	14	14	5	--	--	--	--	--	--	11.9	11.9	11.9	91.6	91.7	91.5	10.6	10.6	10.6	11.1	11.1	11.1	14.1	WSW	30	WNW	8.6	8.5	12.1	12.1	8.7	8.7	8.6	1.17	8.4	8.4	8.2	0.0	0.0	64	69	--	0	0.00	0.00	0.02	0.00	1.00	1.00	0.0	0.0	0.2	2
24/12/2023 11:45	992.8	993.0	992.5	974.6	52.3	52.3	52.3	9.1	9.1	11.3	11.3	11.3	8.4	8.4	8.4	11.6	11.6	11.6	14	14	14	5	--	--	--	--	--	--	11.9	11.9	11.9	91.7	91.7	91.7	10.6	10.6	10.6	11.1	11.1	11.1	13.3	WSW	29	SSW	8.6	8.5	12.1	12.1	8.7	8.7	8.6	1.11	8.4	8.4	8.3	0.0	0.0	70	72	--	0	0.00	0.00	0.02	0.00	1.00	1.00	0.0	0.0	0.0	0
24/12/2023 11:50	992.6	992.9	992.5	974.5	52.3	52.3	52.3	9.1	9.1	11.4	11.4	11.4	8.4	8.4	8.4	11.6	11.6	11.6	14	14	14	5	--	--	--	--	--	--	11.9	11.9	11.9	91.9	91.9	91.7	10.6	10.6	10.6	11.1	11.1	11.1	12.4	SW	32	W	8.8	8.6	12.1	12.1	8.9	8.9	8.7	1.04	8.6	8.7	8.4	0.0	0.2	75	76	--	0	0.00	0.00	0.02	0.00	1.00	1.09	0.0	0.0	0.0	1
24/12/2023 11:55	992.5	992.7	992.3	974.4	52.5	52.5	52.3	9.1	9.1	11.4	11.4	11.4	8.4	8.4	8.4	12.1	12.1	11.9	14	14	14	5	--	--	--	--	--	--	12.0	12.0	11.9	90.9	91.6	90.9	10.6	10.6	10.6	11.1	11.2	11.1	13.4	SW	36	W	8.9	8.8	12.1	12.1	9.0	9.0	8.8	1.11	8.7	8.7	8.6	0.0	0.0	72	76	--	0	0.00	0.00	0.02	0.00	1.00	1.09	0.0	0.0	1.0	3
24/12/2023 12:00	992.4	992.6	992.3	974.3	52.8	52.8	52.5	9.1	9.1	11.3	11.3	11.3	8.4	8.4	8.4	12.1	12.2	12.1	14	14	14	5	--	--	--	--	--	--	12.1	12.1	12.0	91.1	91.1	90.8	10.7	10.7	10.6	11.2	11.2	11.1	13.0	W	31	SSW	8.9	8.8	12.1	12.2	8.9	9.0	8.9	1.08	8.6	8.7	8.6	0.0	0.0	69	70	0.05	0	0.00	0.00	0.02	0.00	1.00	1.00	0.0	0.0	0.2	1
24/12/2023 12:05	992.4	992.6	992.3	974.3	52.8	52.8	52.8	9.1	9.1	11.3	11.3	11.4	8.4	8.4	8.4	12.1	12.1	12.1	13	14	13	5	--	--	--	--	--	--	12.1	12.2	12.1	90.5	91.0	90.5	10.6	10.7	10.6	11.2	11.2	11.2	13.7	WSW	36	SSW	8.9	8.9	12.2	12.2	9.0	9.0	8.9	1.14	8.7	8.7	8.6	0.0	0.0	69	70	--	0	0.00	0.00	0.02	0.00	1.00	1.09	0.1	0.1	1.1	2
24/12/2023 12:10	992.7	992.7	992.3	974.6	52.8	52.8	52.8	9.1	9.1	11.1	11.1	11.1	8.4	8.4	8.4	12.2	12.3	12.2	13	13	13	5	--	--	--	--	--	--	12.2	12.2	12.1	90.1	90.5	90.0	10.6	10.7	10.6	11.2	11.3	11.2	14.2	WSW	35	SSE	8.9	8.9	12.2	12.2	8.9	9.0	8.9	1.19	8.7	8.7	8.6	0.0	0.0	69	70	--	0	0.00	0.00	0.02	0.00	1.01	1.09	0.1	0.1	1.1	1
24/12/2023 12:15	992.4	992.6	992.2	974.3	53.0	53.0	52.8	9.1	9.1	11.2	11.2	11.1	8.4	8.4	8.4	12.3	12.3	12.2	13	13	13	5	--	--	--	--	--	--	12.2	12.2	12.2	90.2	90.3	90.2	10.6	10.7	10.6	11.2	11.3	11.2	14.4	SW	31	WNW	8.9	8.8	12.2	12.2	8.9	8.9	8.9	1.2	8.6	8.7	8.6	0.0	0.0	74	77	--	0	0.00	0.00	0.02	0.00	1.00	1.00	0.0	0.0	0.0	0
24/12/2023 12:20	992.4	992.7	992.0	974.3	53.0	53.0	53.0	9.1	9.1	11.3	11.3	11.2	8.4	8.4	8.4	12.2	12.2	12.2	12	13	12	5	--	--	--	--	--	--	12.3	12.3	12.2	89.9	90.1	89.8	10.7	10.7	10.6	11.3	11.3	11.2	15.3	SSW	33	WSW	8.8	8.8	12.3	12.3	8.9	8.9	8.8	1.28	8.7	8.7	8.5	0.0	0.0	77	81	--	0	0.00	0.00	0.02	0.00	1.00	1.09	0.1	0.3	0.9	1
24/12/2023 12:25	992.6	992.6	992.1	974.5	53.3	53.3	53.0	9.1	9.1	11.3	11.3	11.3	8.4	8.4	8.4	12.5	12.5	12.2	12	12	12	5	--	--	--	--	--	--	12.3	12.3	12.3	89.3	90.0	89.3	10.6	10.7	10.6	11.3	11.3	11.3	14.2	SW	34	SSW	8.8	8.8	12.3	12.3	8.8	8.9	8.8	1.19	8.6	8.7	8.6	0.0	0.0	77	81	--	0	0.00	0.00	0.02	0.00	1.08	1.26	0.3	1.3	1.5	1
24/12/2023 12:30	992.5	993.5	992.2	974.2	53.3	53.3	53.3	9.1	9.1	11.1	11.2	11.1	8.4	8.4	8.4	12.4	12.5	12.4	11	12	11	5	--	--	--	--	--	--	12.4	12.4	12.3	88.9	89.5	88.9	10.6	10.7	10.6	11.3	11.4	11.3	15.3	SW	36	WNW	8.9	8.9	12.4	12.4	8.9	9.0	8.9	1.28	8.6	8.8	8.6	0.0	0.0	67	70	--	0	0.00	0.00	0.02	0.00	1.15	1.35	0.4	2.7	1.4	2
24/12/2023 12:35	992.6	992.7	992.2	974.4	53.3	53.3	53.3	9.1	9.1	11.1	11.1	11.1	8.4	8.4	8.4	12.7	12.7	12.6	10	11	10	5	--	--	--	--	--	--	12.6	12.6	12.4	88.8	88.2	88.0	10.7	10.7	10.6	11.4	11.4	11.3	15.5	WSW	37	S	9.1	9.0	12.6	12.6	9.1	9.2	9.0	1.29	8.8	8.9	8.7	0.0	0.0	66	70	--	0	0.00	0.00	0.02	0.00	1.35	1.66	1.6	2.1	5.5	1
24/12/2023 12:40	992.4	992.5	992.2	974.3	53.3	53.5	53.3	9.1	9.1	10.9	11.1	10.9	8.4	8.4	8.4	12.8	12.8	12.7	9	10	9	5	--	--	--	--	--	--	12.7	12.7	12.6	87.6	88.1	87.6	10.7	10.7	10.6	11.4	11.4	11.4	14.2	W	37	W	9.2	9.1	12.7	12.7	9.2	9.2	9.1	1.18	8.9	8.9	8.8	0.0	0.0	71	76	--	0	0.00	0.00	0.02	0.00	1.26	1.70	1.3	3.0	8.1	2.5
24/12/2023 12:45	993.0	992.4	991.9	973.9	53.5	53.5	53.5	9.1	9.1	10.9	10.9	10.9	8.4	8.4	8.4	13.0	13.0	12.8	7	9	7	2	--	--	--	--	--	--	12.8	12.8	12.7	87.0	87.5	86.9	10.7	10.7	10.6	11.6	11.6	11.4	14.2	WSW	36	SSW	9.4	9.3	12.8	12.8	9.4	9.4	9.2	1.18	9.2	9.2	8.9	0.0	0.0	93	114	--	0	0.00	0.00	0.02	0.00	1.19	2.04	0.5	2.1	12.5	14
24/12/2023 12:50	992.4	991.9	974.3	53.5	53.5	53.5	53.5	9.1	9.1	10.9	10.9	10.9	8.4	8.4	8.4	13.0	13.0	13.0	7	6	7	2	--	--	--	--	--	--	12.9	12.9	12.8	86.3	86.7	86.2	10.7	10.7	10.7	11.6	11.6	11.4	13.6	WSW	39	SE	9.7	9.6	12.9	12.9	9.7	9.9	9.6	1.13	9.5	9.3	9.3	0.0	0.0	81	88	--	0	0.00	0.00	0.02	0.00	1.18	1.43	0.9	2.1	5.5	7.5
24/12/2023 12:55	992.3	992.3	991.8	974.2	53.8	53.8	53.5	9.1	9.1	10.8	10.9	10.8	8.4	8.4	8.4	12.8	13.0	12.8	4	4	4	0	--	--	--	--	--	--	12.9	13.0	12.9	86.1	86.3	85.7	10.7	10.8	10.6	11.6	11.6	11.5	13.6	WNW	33	S	9.9	9.7	12.9	13.0	9.9	9.9	9.7	1.13	9.6	9.7	9.5	0.0	0.0	62	70	--	0	0.00	0.00	0.02	0.00	1.09	1.26	0.2	1.0	3.3	1.6
24/12/2023 13:00	992.2	992.4	991.9	974.1	53.8	53.8	53.8	9.1	9.1	10.9	10.9	10.8	8.4	8.4	8.4	12.8	12.8	12.8	3	3	3	0	--	--	--	--	--	--	12.9	12.9	12.8	86.1	86.1	86.1	10.6	10.7	10.6	11.5	11.6	11.4	11.9	SW	26	WSW	10.1	9.8	12.9	12.9	10.1	10.1	9.8	0.99	9.7	9.7	9.5	0.0	0.0	57	58	0.08	0	0.00	0.00	0.02	0.00	1.09	1.17	0.1	0.3	2.7	0.5
24/12/2023 13:05	992.1	992.6	991.9	974.0	53.8	53.8	53.8	9.1	9.1	10.9	10.9	10.9	8.4	8.4	8.4	12.8	12.8	12.7	2	3	2	0	--	--	--	--	--	--	12.8	12.9	12.8	86.4	86.4	86.1	10.6	10.7	10.6	11.4	11.5	11.4	15.0	W	37	WNW	9.8	9.8	12.8	12.9	9.8	10.0	9.8	1.25	9.3	9.6	9.3	0.0	0.0	60	65	--	0	0.00	0.00	0.02	0.00	1.02	1.17	0.1	0.3	0.8	3
24/12/2023 13:10	992.2	992.5	992.1	974.1	53.8	53.8	53.8	9.1	9.1	11.1	11.1	10.9	8.4	8.4	8.4	12.5	12.8	12.5	1	2	1	0	--	--	--	--	--	--	12.8	12.9	12.8	87.6	87.6	86.6	10.8	10.8	10.6	11.6	11.6	11.4	12.1	WSW	32	S	9.6	9.6	12.8	12.9	9.6	9.9	9.6	1	9.2	9.4	9.2	0.0	0.0	74	83	--	0	0.00	0.00	0.02	0.00	1.04	1.17	0.0	0.4	2.2	1.2
24/12/2023 13:15	992.2	992.4	992.0	974.1	53.8	53.8	53.8	9.1	9.1	11.1	11.1	11.0	8.4	8.4	8.4	12.7	12.7	12.5	1	1	0	0	--	--	--	--	--	--	12.8	12.8	12.7	87.3	87.8	87.3	10.8	10.8	10.7	11.6	11.6	11.4	12.6	SW	33	S	9.8	9.6	12.8	12.8	9.8	9.8	9.6	1.05	9.4	9.5	9.2	0.0	0.0	80	86	--	0	0.00	0.00	0.02

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -- cb | Soil Moist cb | Soil Moist cb | Soil Temp 6" °C | Soil Temp 6" °C | Soil Low Temp 6" °C | Grass High °C | Grass Min °C | Grass Low °C | Soil Temp 12" °C | Soil High Temp 12" °C | Soil Low Temp 12" °C | Sun Temp °C | Sun Min °C | Sun Low °C | leaf Wetness % | High Leaf Wetness % | Low Leaf Wetness % | Leaf Wetness 1 Minute % | Wind Sonic Ave Speed MPH | Wind Sonic Dir -- | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Run MPH | Sonic Wind Dir -- | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Ave Speed MPH | Wind Analogue Ave Speed MPH | Wind Analogue Dir -- | Wind Analogue High MPH | Wind Analogue High Dir -- | Wind Analogue Chill °C | Wind Low Chill °C | Heat Index °C | High Heat Index °C | THW Index °C | THW High Index °C | THW Low Index °C | Wind run Mi | THSW Index °C | THSW High Index °C | THSW Low Index °C | Rain mm | Rain Rate mm | High Solar Rad W/m² | Solar Rad W/m² | Solar Rad MM | ET | UV Index -- | High UV Index | UV Dose Index | Heating Degree Meds | Cooling Degree Days | AirLink Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar Pressure | Bar Pressure | Bar Pressure | Bar Absolute | Soil Moisture | Soil Moisture | Soil Moisture | Soil Temp 6" | Soil Temp 6" | Soil Temp 6" | Soil Temp 6" | Grass Min | Grass Min | Grass Min | Soil Temp 12" | Soil Temp 12" | Soil Temp 12" | Soil Temp 12" | Sun | Sun | Sun | Leaf Wetness | Leaf Wetness | Leaf Wetness | Leaf Wetness | Wind Speed | Wind Speed | Wind Speed | Wind Speed | Wind Speed | Wind Direction | Wind Direction | Wind Direction | Wind Direction | Sonic Wind Out | Sonic Wind Out | Sonic Wind Out | Temp Out | Temp Out | Temp Out | Temp Out | Humidity Out | Humidity Out | Humidity Out | Humidity Out | Dew Point Out | Dew Point Out | Dew Point Out | Dew Point Out | Wet Bulb Out | Wet Bulb Out | Wet Bulb Out | Wet Bulb Out | Analogue Ave Speed | Analogue Ave Speed | Analogue Ave Speed | Analogue Ave Speed | Analogue High | Analogue High | Analogue High | Analogue High | Analogue Chill | Wind Chill | Wind Chill | Wind Chill | Heat Index | Heat Index | Heat Index | Heat Index | THW Index | THW Index | THW Index | THW Index | Analogue Wind run | Analogue Wind run | Analogue Wind run | Analogue Wind run | THSW Index | THSW Index | THSW Index | THSW Index | Rain Rate | Rain Rate | Rain Rate | Rain Rate | Solar Rad | Solar Rad | Solar Rad | Solar Rad | ET | ET | UV Index | UV Index | UV Dose | Heating Degree | Cooling Degree | Cooling Degree | AirLink Index | AirLink Index | AirLink Index | AirLink Index | AirLink PM1 | AirLink PM1 | AirLink PM1 | AirLink PM1 | AirLink PM 2.5 | AirLink PM 2.5 | AirLink PM 2.5 | AirLink PM 2.5 | AirLink PM 10 | AirLink PM 10 | AirLink PM 10 | AirLink PM 10 |
|---|---|---

Date & Time	Bar mb	Bar High mb	Bar Low mb	Bar Absolute mb	Soil Moist cb	Soil Moist cb	Soil Moist cb	Soil Temp 6" °C	Soil Temp 6" °C	Soil Temp 6" °C	Grass Min °C	Grass Min °C	Grass Min °C	Soil Temp 12" °C	Soil Temp 12" °C	Soil Temp 12" °C	Soil Temp Out °C	Soil Temp Out °C	Soil Temp Out °C	leaf Wetness	Leaf Wetness Wetness	Leaf Wetness Wetness	Leaf Wetness 1 Minute	Wind Sonic Ave Speed MPH	Wind Sonic Dir	Wind Sonic Prev	Wind Sonic High Speed MPH	Wind Sonic High Wind Dir	Wind Sonic High Wind Run	Wind Out °C	Wind Out °C	Wind Out °C	Humidity Out %	Humidity Out %	Humidity Out %	Dew Point Out °C	Dew Point Out °C	Dew Point Out °C	Wind Ave Speed MPH	Wind Ave Speed MPH	Wind Ave Speed MPH	Wind High Dir	Wind High MPH	Wind High MPH	Wind Chill °C	Wind Chill °C	Heat Index °C	Heat Index °C	Heat Index °C	THW Index °C	THW Index °C	THW Index °C	Analogue Wind run Mi	THSW Index °C	THSW Index °C	THSW Index °C	Rain Rate mm	Rain Rate mm	Solar Rad W/m²	Solar Rad W/m²	ET MM	UV Index Index	High UV Index	UV Dose Meds	Heating Degree Days	Cooling Degree Days	AirLink PM1 AQI	AirLink High PM1 AQI	AirLink PM2.5 ug/m³	AirLink High PM2.5 ug/m³	AirLink PM10 ug/m³	AirLink High PM10 ug/m³
25/12/2023 19:55	998.3	998.4	998.3	980.1	56.7	56.7	56.7	7.9	7.9	7.9	6.3	6.4	6.3	8.1	8.1	8.1	8.7	8.7	8.7	1	3	1	0	--	--	--	--	--	--	9.2	9.2	9.2	81.5	81.8	81.4	6.2	6.3	6.2	7.5	7.6	7.5	8.3	WSW	23	WNW	6.9	6.9	9.2	9.2	6.9	7.3	6.9	0.69	5.9	6.2	5.9	0.0	0.0	0	0	--	0	0.00	0.00	0.03	0.00	1.22	1.96	1.3	5	2.5	11	4.3	15
25/12/2023 20:00	998.5	998.5	998.2	980.3	56.7	57.0	56.7	7.9	7.9	7.9	6.4	6.5	6.3	8.1	8.1	8.1	8.7	8.7	8.7	9	9	1	--	--	--	--	--	--	--	9.1	9.2	9.1	82.1	83.2	81.2	6.3	6.3	6.1	7.5	7.6	7.4	7.2	W	19	W	7.2	6.9	9.1	9.2	7.2	7.2	6.9	0.6	6.1	6.2	5.9	0.0	0.0	0	0.00	0	0.00	0.00	0.03	0.00	1.42	2.38	1.9	4	9	16	6.4	19
25/12/2023 20:05	998.4	998.6	998.4	980.2	56.5	56.7	56.5	7.9	7.9	7.9	6.3	6.5	6.3	8.1	8.1	8.1	7.5	8.1	7.5	15	15	1	--	--	--	--	--	--	--	8.8	9.1	8.8	83.0	83.0	82.1	6.1	6.2	6.1	7.3	7.5	7.3	6.8	WSW	20	WNW	6.9	6.9	8.8	9.1	6.9	7.1	6.9	0.57	5.8	6.1	5.8	0.0	0.0	0	0.00	0	0.00	0.00	0.03	0.00	1.65	2.88	2.8	5	7.4	22	9.4	22
25/12/2023 20:10	998.5	998.5	998.3	980.3	56.7	56.7	56.5	7.9	7.9	7.9	6.3	6.3	6.2	8.1	8.1	8.1	7.7	7.7	7.5	15	15	1	--	--	--	--	--	--	--	8.7	8.9	8.7	83.0	83.0	82.4	6.0	6.2	5.9	7.2	7.4	7.2	7.2	W	18	WNW	7.0	6.9	8.7	8.9	7.0	7.1	6.9	0.6	5.9	6	5.8	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.35	1.52	1.6	3	4.0	6	6.1	7
25/12/2023 20:15	998.4	998.5	998.4	980.2	56.7	56.7	56.7	7.9	7.9	7.9	6.4	6.4	6.3	8.1	8.1	8.1	7.9	7.9	7.7	15	15	1	--	--	--	--	--	--	--	8.7	8.7	8.7	82.8	83.0	82.7	5.9	5.9	5.9	7.1	7.2	7.1	7.0	WSW	17	WSW	6.6	6.6	8.7	8.7	6.7	6.9	6.7	0.67	5.6	5.8	5.6	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.28	1.87	1.0	3	3.2	10	4.0	12
25/12/2023 20:20	998.4	998.7	998.3	980.2	57.0	57.0	57.0	7.9	7.9	7.9	5.9	6.3	5.8	8.1	8.1	8.1	7.9	7.9	7.8	15	15	1	--	--	--	--	--	--	--	8.6	8.7	8.6	83.0	83.0	82.1	5.9	6.1	5.9	7.1	7.2	7.1	7.0	WSW	17	WSW	6.6	6.6	8.6	8.7	6.6	6.9	6.5	0.58	5.6	5.7	5.6	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.37	2.79	1.8	6	4.3	21	5.6	28
25/12/2023 20:25	998.4	998.4	998.3	980.2	57.0	57.0	57.0	7.8	7.9	7.8	5.8	5.9	5.8	8.1	8.1	8.1	7.9	7.9	7.8	15	15	1	--	--	--	--	--	--	--	8.6	8.6	8.6	83.3	83.3	83.0	5.9	5.9	5.8	7.1	7.1	7.1	7.8	W	24	W	6.4	6.4	8.6	8.6	6.4	6.7	6.4	0.65	5.3	5.6	5.3	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.72	3.29	3.2	9	8.3	27	10.3	31
25/12/2023 20:30	998.6	998.6	998.4	980.3	57.0	57.0	57.0	7.8	7.8	7.8	5.6	5.7	5.8	8.1	8.1	8.1	7.9	7.9	7.9	14	15	14	--	--	--	--	--	--	--	8.5	8.6	8.5	83.4	83.4	83.3	5.8	5.9	5.8	7.0	7.1	7.0	7.9	WSW	21	S	6.3	6.3	8.5	8.6	6.3	6.6	6.3	0.66	5.3	5.5	5.3	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.62	2.46	2.3	5	7.2	17	9.5	24
25/12/2023 20:35	998.6	998.6	998.4	980.4	57.0	57.0	57.0	7.8	7.8	7.8	5.6	5.7	5.6	8.1	8.1	8.1	7.9	7.9	7.9	13	14	13	--	--	--	--	--	--	--	8.4	8.6	8.4	83.6	83.8	82.5	5.8	5.9	5.8	7.0	7.1	7.0	5.9	W	25	SSW	6.6	6.3	8.4	8.6	6.6	6.7	6.3	0.49	5.4	5.5	5.3	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.85	2.79	4.0	7	9.8	21	12.0	31
25/12/2023 20:40	998.4	998.6	998.4	980.2	57.3	57.3	57.0	7.8	7.8	7.8	5.5	5.6	5.5	8.1	8.1	8.1	7.9	12	13	12	12	5	--	--	--	--	--	--	--	8.4	8.5	8.4	83.5	83.7	83.4	5.8	5.9	5.8	7.0	7.1	6.9	6.2	SW	21	WNW	6.7	6.4	8.4	8.5	6.7	6.7	6.4	0.51	5.6	5.6	5.3	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.67	2.54	4.1	9	7.7	18	9.1	21
25/12/2023 20:45	998.5	998.6	998.3	980.3	57.3	57.3	57.3	7.8	7.8	7.8	5.6	5.6	5.5	8.1	8.1	8.1	7.9	9	12	9	5	1	--	--	--	--	--	--	--	8.4	8.4	8.4	82.4	83.5	82.4	5.7	5.8	5.6	6.9	7.0	6.8	6.8	8.1	W	21	NW	6.3	6.2	8.6	8.6	6.3	6.4	6.2	0.68	5.3	5.3	5.1	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	2.00	3.29	4.7	10	11.5	27	14.7	34
25/12/2023 20:50	998.7	998.7	998.5	980.3	57.3	57.3	57.3	7.8	7.8	7.8	5.6	5.6	5.6	8.1	8.1	8.1	8.1	8.2	8.2	8	8	4	--	--	--	--	--	--	--	8.6	8.6	8.6	81.4	82.5	81.4	5.5	5.6	5.5	6.9	7.0	6.8	6.3	6.4	6.2	0.68	5.2	5.2	5.1	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	2.00	3.29	4.7	10	11.5	27	14.7	34
25/12/2023 20:55	999.1	999.1	998.7	980.9	57.6	57.6	57.3	7.8	7.8	7.8	6.3	6.3	5.6	8.1	8.1	8.1	8.2	8.2	8.1	3	3	3	0	--	--	--	--	--	--	8.7	8.7	8.5	80.9	81.6	80.7	5.6	5.6	5.4	6.9	6.9	6.8	10.2	W	27	W	6.2	6.1	8.7	8.7	6.2	6.3	6.1	0.85	5.2	5.2	5.1	0.0	0.0	0	--	0	0.00	0.00	0.03	0.00	1.86	2.79	4.3	6	9.9	21	12.9	25
25/12/2023 21:00	999.2	999.5	999.0	980.9	56.2	57.6	56.2	7.8	7.8	7.8	6.7	6.7	6.3	8.1	8.1	8.1	6.4	8.1	6.4	15	15	15	--	--	--	--	--	--	--	8.2	8.7	8.2	92.3	83.3	80.7	5.4	5.9	5.4	6.7	7.1	6.7	20.1	W	37	W	4.5	4.5	8.2	8.7	4.5	6.1	4.5	1.68	3.6	5.1	3.6	0.4	5.6	0	0.03	0	0.00	0.00	0.04	0.00	1.40	2.29	1.9	6	4.6	15	6.5	17
25/12/2023 21:05	999.1	999.2	999.0	980.9	56.5	56.7	55.9	7.8	7.8	7.8	6.5	6.6	6.5	8.1	8.1	8.1	6.7	8.2	6.7	15	15	15	--	--	--	--	--	--	--	7.4	8.6	7.4	84.9	85.0	83.9	5.1	5.4	5.1	6.2	6.7	6.2	8.7	W	23	W	3.3	3.3	7.4	8.6	3.3	5.8	3.3	0.72	2.5	3.3	2.5	0.0	0.0	0	--	0	0.00	0.00	0.04	0.00	1.29	2.12	1.6	4	3.3	15	4.4	13
25/12/2023 21:10	999.0	999.0	998.8	980.7	56.7	56.7	56.5	7.8	7.8	7.8	6.1	6.5	6.1	8.1	8.1	8.1	5.9	6.1	5.9	15	15	15	--	--	--	--	--	--	--	7.3	7.4	7.3	83.5	84.9	82.9	4.7	5.1	4.6	5.9	6.2	5.8	8.6	WSW	23	SSW	3.8	3.3	7.3	7.4	3.8	3.9	3.3	0.72	2.9	2.9	2.5	0.0	2.0	0	--	0	0.00	0.00	0.04	0.00	1.13	1.26	0.6	2	1.5	3	2.2	7
25/12/2023 21:15	998.9	999.1	998.8	980.7	57.0	57.0	56.7	7.8	7.8	7.8	5.3	6.1	5.3	8.1	8.1	8.1	5.9	5.9	5.8	15	15	15	--	--	--	--	--	--	--	7.2	7.3	7.2	83.0	83.7	83.0	4.5	4.7	4.4	5.8	5.9	5.7	9.0	WNW	26	WNW	4.8	4.3	7.2	7.3	4.8	4.9	4.3	0.75	3.7	3.8	3.3	0.0	1.0	0	--	0	0.00	0.00	0.04	0.00	1.15	1.35	0.6	2	1.8	4	2.7	8
25/12/2023 21:20	998.9	999.1	998.8	980.7	57.0	57.0	57.0	7.7	7.8	7.7	5.1	5.3	5.1	8.1	8.1	8.1	6.1	6.2	6.1	15	15	15	--	--	--	--	--	--	--	7.2	7.2	7.2	81.9	82.6	81.7	4.4	4.7	4.3	5.7	5.8	5.7	9.0	W	24	W	4.7	4.4	7.2	7.2	4.7	4.7	4.4	0.75	3.6	3.6	3.4	0.0	1.0	0	--	0	0.00	0.00	0.04	0.00	1.07	1.17	0.0	1	0.8	2	1.7	5
25/12/2023 21:25	999.1	999.1	998.8	980.9	57.0	57.0	57.0	7.7	7.7	7.7	5.0	5.0	5.0	8.1	8.1	8.1	6.6	6.6	6.1	15	15	15	--	--	--	--	--	--	--	7.4	7.4	7.2	80.8	81.3	80.8	4.3	4.4	4.3	5.7	5.8	5.6	11.0	W	29	WSW	4.2	4.2	7.4	7.4	4.2	4.6	4.2	0.92	3.2	3.6	3.2	0.0	0.0	0	--	0	0.00	0.00	0.04	0.00	1.04	1.17	0.0	1	0.5	2	0.8	6
25/12/2023 21:30	999.1	999.2	998.9	980.9	57.0	57.0	57.0	7.7	7.7	7.7	5.0	5.0	4.9	8.1	8.1	8.1	6.6	6.7	6.6	15	15	15	--	--	--	--	--	--	--	7.4	7.4	7.4	80.8	80.9	80.5	4.3	4.4	4.3	5.7	5.8	5.7	11.8	W	32	WNW	3.9	3.9	7.4	7.4	3.9	4.3	3.9	0.98	3	3.3	3	0.0	0.0	0	--	0	0.00	0.00	0.04	0.00	1.06	1.26	0.1	1	0.7	3	2.0	8
25/12/2023 21:35	999.3	999.3	999.0	981.1	57.3	57.3	57.3	7.7	7.7	7.7	5.0	5.0	4.9	8.1	8.1	8.1	6.8	6.8	6.6	15	15	15	--	--	--	--	--	--	--	7.4	7.4	7.4	80.8	81.0	80.8	4.3	4.3	4.3	5.8	5.8	5.7	9.5	WNW	23	SSW	4.2	4.2	7.4	7.4	4.2	4.1	0.79	3.3	3.3	3.1	0.0	0.0	0	--	0	0.00	0.00	0.04	0.00	1.05	1.26	0.0	1	0.6	3	1.8	6
25/12/2023 21:40	999.3	999.3	999.0	981.0	57.3	57.3	57.3	7.7	7.7	7.7	5.0	5.0	4.9	8.1	8.1	8.1	6.9	6.9	6.7	15	15	15	--	--	--	--	--	--	--	7.5	7.5	7.4	81.0	81.2	81.0	4.4	4.4	4.4	5.8	5.8	5.8	11.5	WSW	25	WSW	4.3	4.3	7.5	7.5	4.3	4.4	4.3	0.96	3.4	3.4	3.3	0.0	0.0	0	--	0	0.00	0.00	0.04	0.00	1.09	1.78	0.0	1	0.9	2	2.3	9
25/12/2023 21:45	999.3	999.4	999.1	981.1	57.3	57.3	57.3	7.7	7.7	7.7	5.0	5.0	5.0	8.1	8.1	8.1	6.9	7.0	6.9	15	15	15	--	--	--	--	--	--	--	7.5	7.6	7.5	81.0	81.2	80.4	4.4	4.5	4.3	5.8	5.9	5.8	11.4	WSW	31	W	4.3	4.2	7.5	7.6	4.3	4.4	4.2	0.95	3.3	3.4	3.3	0.0	0.0	0	--	0	0.00	0.00	0.04	0.00	1.07	1.17	0.1	1	0.9	2	2.2	8
25/12/2023 21:50	999.0	999.4	998.8	981.2	57.6	57.6	56.5	7.7	7.7	7.7	5.0	5.0	5.0	8.1	8.1	8.1	7.0	7.1	6.9	15	15	15	--	--	--	--	--	--	--	7.5	7.6	7.5	81.2	81.4	80.8	4.5	4.5	4.4	5.9	5.9	5.8	9.7	W	20	WSW	4.3	4.2	7.5	7.6	4.3	4.3	4.2	0.81	3.4	3.2	3.2	0.0	0.0	0	--	0	0.00	0.00	0.04	0.00	1.11	1.26	0.3	1	1.3	3	3.9	9
25/12/2023 21:55	999.4	999.4	998.8	981.1	57.6	57.6	57.6	7.7	7.6	7.6	5.1	5.1	5.0	7.9	8.1	7.9	7.2	7.2	6.9	15	15	15	--	--	--	--	--	--	--	7.6	7.6	7.4	79.8	81.4	79.8	4.3	4.5	4.3	5.8	5.9	5.7	12.6	W	29	SSW	4.3	4.2	7.6	7.6	4.3	4.5	4.2	1.05	3.3	3.5	3.3	0.0	0.0	0	--	0	0.00	0.00	0.04	0.00	1.13	1.35	0.3	1	1.5	4	2.6	7
25/12/2023 22:00	999.2	999.5	999.0	981.0	57.6	57.6	57.6	7.6	7.6	7.6	5.1	5.1	5.0	7.9	8.1	7.9	7.2	7.2	7.1	15	15	15	--	--	--	--	--	--	--	7.7	7.7	7.6	80.3	79.9	44.8	4.5	4.3	4.3	5.9	5.9	5.8	11.4	W	31	W	4.1	4.1	7.7	7.7	4.1	4.4	4.1	0.95	3.2	3.5	3.2	0.0	0.0	0	0.03	0	0.00	0.00	0.04	0.00	1.15	1.70	0.3	1	1.8	8	4.8	11
25/12/2023 22:05	999.4	999.5	999.1	981.2	57.8	57.8	57.6	7.6	7.6	7.6	5.0	5.0	5.0	7.9	7.9	7.9	7.2	7.2	7.2	15	15	15	--	--	--	--	--	--	--	7.6	7.7	7.6	80.4	80.6	80.3	4.4	4.6	4.4	5.9	6.0	5.8	9.4	W	25	WNW	4.2	4.2	7.6	7.7	4.2	4.2	4.1	0.78	3.3	3.3	3.2	0.0	0.0	0	--	0	0.00	0.00	0.04	0.00	1.07	1.17	0.1	1	0.8	2	2.9	9
25/12/2023 22:10	999.6	999.6	999.4	981.3	57.8	57.8	57.8	7.6	7.6	7.6	5.2	5.2	5.0	7.9	7.9	7.9	7.2	7.2	7.1	15	15	15	--	--	--	--	--	--	--	7.6	7.6	7.6	80.4	80.6	80.4	4.4	4.5	4.4	5.9	5.9	5.8	8.1	WSW	24	W	4.7	4.3	7.6	7.6	4.7	4.7	4.3	0.67	3.7	3.7	3.4	0.0	0.0	0	--	0	0.00	0.00	0.04	0.00	1.09	1.26	0.2	1	1.0	3	2.5	8
25/12/2023 22:15	999.3	999.6	999.3	981.1	57.8	57.8	57.8	7.6	7.6	7.6	5.5	5.5	5.3	7.9	7.9	7.9	7.2	7.2	7.2	15	15	15	--	--	--	--	--	--	--	7.6	7.7	7.6	80.1	80.3	80.1	4.4	4.4	4.4	5.9	5.9	5.9	7.9	WSW	23	WNW	5.1	4.9	7.6	7.7	5.1	5.1	4.9	0.66	4.1	4.1	3.9	0.0	0.0	0	--	0	0.00	0.00	0.04	0.00	1.11	1.35	0.3	1	1.2	4	2.7	9
25/12/2023 22:20	999.3	999.5	999.1	981.0	57.8	57.8	57.8	7.6	7.6	7.6	5.3	5.5	5.3	7.9	7.9	7.9	7.2	7.2	7.2	14	15	14	--	--	--	--	--	--	--	7.7	7.7	7.6	79.6	80.1	79.6	4.4	4.4	4.3	5.9	5.9	5.9	7.9	W	20	S	5.3	5.1	7.7	7.7	5.3	5.4	5.1	0.66	4.3	4.3	4.1	0.0	0.0	0	--	0	0.00	0.00	0.04	0.00	1.12	1.78	0.0	1	1.2	9	3.6	11
25/12/2023 22:25	999.2	999.3	998.9	981.0	58.1	58.1	57.8	7.6	7.6	7.6	5.0	5.2	5.0	7.9	7.9	7.9	7.1	7.2	7.1	13	14	13	--	--	--	--	--	--	--	7.6	7.7	7.6	79.7	79.7	79.4	4.3	4.4	4.3	5.8	5.9	5.8	9.3	W	25	SSE	5.1	5.1	7.6	7.7	5.1	5.3	5.1	0.78	4	4.3	4	0.0	0.0	0	--	0	0.00	0.00	0.04	0.00	1.10	1.61	0.2	1	1.2	7	2.4	9
25/12/2023 22:30	999.0	999.3	998.8	980.8	58.1	58.1	58.1	7.6	7.6	7.6	4.8	5.0	4.8	7.9	7.9	7.9	7.2	7.2	7.0	11	11	11	--	--	--	--	--	--	--	7.6	7.6	7.6	79.6	79.8	77.8	4.3	4.5	4.0	5.7	5.8	5.7	13.2	WSW	35	WSW	4.5	4.5	7.6	7.6	4.5	5.1	4.5	1.1	3.5	3.4	3.5	0.0	0.0	0	--	0	0.00	0.00	0.04	0.00	1.09	1.17	0.0	1	1.0	2	2.5	7
25/12/2023 22:35	999.0	999.0	980.8	58.1	58.1	58.1	58.1	7.6	7.6	7.6	4.8	4.8	4.8	7.9	7.9	7.9	7.2	7.2	7.2	7	11	7	--	--	--	--	--	--	--	7.7	7.7	7.6	77.3	77.7	77.3	4.0	4.0	3.9	5.7	5.7	5.6	12.6	W	27	SSW	4.2	4.1	7.7	7.7	4.2	4.4	4.1	1.05	3.4	3.2	3.0	0.0	0.0	0	--	0	0.00	0.00	0.04	0.00	1.11	1.17	0.1	1	1.0	2	3.5	10
25/12/2023 22:40	999.3	999.3	999.0	981.0	58.4	58.4	58.1	7.6	7.6	7.6	4.8	4.8	4.8	7.9	7.9	7.9	7.2	7.2	7.2	4	6	4	--	--	--	--	--	--	--	7.7	7.7	7.7	77.6	77.6	77.2	4.0	4.1	3.9	5.7	5.7	5.7	9.6	W	21	WSW	4.2	4.1	7.7	7.7	4.2	4.2	4.1	0.8	3.3	3.3	3.2	0.0	0.0	0	--	0	0.00	0.00	0.04	0.00	1.11	1.35	0.2	1	1.3	4	4.3	11
25/12/2023 22:45	999.4	999.6	999.2	980.9	58.4	58.4	58.4	7.6	7.6	7.6	4.8	4.8	4.8	7.9	7.9	7.9	7.2	7.2	7.1	3	4	3	0	--	--	--	--	--	--	7.7	7.7	7.6	78.1	78.2	77.8	4.1	4.2	4.1	5.7	5.7	5.7	12.8	W	30	WNW	4.4	4.3	7.7	7.7	4.4	4.4	4.3	1.07	3.4	3.5	3.4	0.0	0.0	0	--	0	0.00	0.00	0.04	0.00	1.15	1.96	0.3	2	1.7	6	4.4	17
25/12/2023 22:50	999.4	999.1	998.7	980.9	58.4	58.4	58.4	7.6	7.6	7.6	4.8	4.8	4.8	7.9	7.9	7.9	7.2	7.2	7.2	1	3	1	0	--	--	--	--	--	--	7.7	7.7	7.7	77.4	78.1	77.4	4.0	4.1	3.9	5.7	5.8	5.7	14.5	W	33	NW	4.0	3.9	7.7	7.7	4.1	4.3	4.0	1.21	3.4	3.4	3.1	0.0	0.0	0	--	0	0.00	0.00	0.04	0.00	1.16	1.26	0.2	1	1.3	3	4.9	9
25/12/2023 22:55	998.9	999.2	998.8	980.6	58.7	58.7	58.4	7.6	7.6	7.6	4.8	4.8	4.8	7.9	7.9	7.9	7.2	7.2	7.2	0	1	0	0	--	--	--	--	--	--	7.7	7.7	7.7	76.7	77.7	77.5	4.0	4.1	4.0	5.7	5.7	5.7	12.4	WSW	31	WNW	3.9	3.8	7.7	7.7	3.9	4.0	3.8	1.03	3	3.1	3	0.0	0.0	0	--	0	0.00	0.00	0.04	0.00	1.08	1.17	0.0	1	0.9	2	3.6	9
25/12/2023 23:00	998.8	999.1	998.6	980.6	59.0	59.0	58.7	7.5	7.6	7.5	4.8	4.8	4.7	7.9	7.9	7.9	7.2	7.2	7.1	0	0	0	0	--	--	--	--	--	--

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -cb | Soil Moist cb | Soil Moist 6" cb | Soil Temp 6" °C | Soil High Temp 6" °C | Soil Low Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | Soil High Temp 12" °C | Soil Low Temp 12" °C | Soil Temp 24" °C | Soil High Temp 24" °C | Soil Low Temp 24" °C | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Dir | Wind Run MPH | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Analogue Ave Speed | Wind Analogue Dir | Wind Analogue High | Wind Analogue Dir | Analogue Chill °C | Wind Chill °C | Low Heat Index °C | High Heat Index °C | THW Index °C | THW High Index °C | THW Low Index °C | Analogue Wind run mm | Rain mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad MM | High Solar Rad W/m² | ET MM | Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

Date & Time	Bar mb	Bar High mb	Bar Low mb	Bar Absolute mb	Soil Moist -- cb	Soil Moist cb	High Soil Moist cb	Low Soil Moist cb	Soil Temp 6" °C	High Soil Temp 6" °C	Low Soil Temp 6" °C	Soil Temp 12" °C	High Soil Temp 12" °C	Low Soil Temp 12" °C	Soil Temp 24" °C	High Soil Temp 24" °C	Low Soil Temp 24" °C	Grass Min °C	High Grass Min °C	Low Grass Min °C	Soil Temp 12" °C	Soil High Temp 12" °C	Soil Low Temp 12" °C	Leaf Wetness Wetness	High Leaf Wetness Wetness	Low Leaf Wetness Wetness	Leaf Wetness 1 Minute	Wind Sonic Ave Speed MPH	Wind Sonic Dir Dir	Wind Sonic Prev High Speed MPH	Wind Sonic High Wind Dir	Wind Sonic Wind Run MPH	Temp Out °C	High Temp Out °C	Low Temp Out °C	Humidity Out %	High Humidity Out %	Low Humidity Out %	Dew Point Out °C	High Dew Point Out °C	Low Dew Point Out °C	Wet Bulb Out °C	High Wet Bulb Out °C	Low Wet Bulb Out °C	Wind Ave Speed MPH	Wind Analogue Ave Speed MPH	Wind Analogue Dir Dir	Wind Analogue High MPH	Wind Analogue High Dir Dir	Wind Analogue Chill °C	Wind Index °C	Heat Index °C	THW Index °C	THW High Index °C	THW Low Index °C	Wind Run Mi	High Rain Rate mm	Rain Rate mm	Solar Rad W/m²	Solar Rad High W/m²	ET MM	UV Index Index	High UV Index	UV Dose MED	Heating Degree Days	Cooling Degree Days	AirLink AQI	AirLink High AQI	AirLink PM1 ug/m³	AirLink High PM1 ug/m³	AirLink PM 2.5 ug/m³	AirLink High PM 2.5 ug/m³	AirLink PM 10 ug/m³	AirLink High PM 10 ug/m³
26/12/2023 18:25	1014.8	1014.8	1014.7	996.3	59.1	59.1	59.1	57.7	5.7	5.7	5.7	2.8	2.8	2.8	6.8	6.8	6.8	3.8	3.9	3.8	8	8	8	5	--	--	--	--	--	--	--	--	4.3	4.3	4.3	89.6	89.7	89.5	2.7	2.8	2.7	3.5	3.6	3.5	0.4	SSW	2	SSW	4.3	4.0	4.3	4.3	4.3	4.3	4.0	0.03	3.2	3.2	2.9	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	3.33	4.42	14.9	20	27.5	38	33.2	50
26/12/2023 18:30	1014.8	1014.9	1014.7	996.4	59.1	59.1	59.1	57	5.7	5.7	5.7	2.6	2.8	2.6	6.8	6.8	6.8	3.6	3.8	3.6	8	8	8	5	--	--	--	--	--	--	--	--	4.2	4.3	4.2	89.7	89.7	89.5	2.6	2.7	2.6	3.4	3.4	3.3	0.6	SW	2	SW	4.2	4.2	4.2	4.3	4.2	4.3	4.2	0.05	3.1	3.2	3.1	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	3.90	4.75	19.3	22	34.3	40	43.2	56
26/12/2023 18:35	1014.8	1014.9	1014.8	996.4	59.1	59.1	59.1	57	5.7	5.7	5.7	2.7	2.7	2.6	6.8	6.8	6.8	3.6	3.6	3.6	9	9	9	5	--	--	--	--	--	--	--	--	4.1	4.2	4.1	89.8	89.8	89.7	2.6	2.7	2.6	3.4	3.4	3.3	1.6	SSW	3	S	4.1	4.1	4.1	4.2	4.1	4.2	4.1	0.13	3	3.1	3	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	3.90	4.75	19.3	22	34.3	40	43.2	56
26/12/2023 18:40	1014.7	1014.8	1014.7	996.3	59.1	59.1	59.1	57	5.7	5.7	5.7	2.8	2.8	2.7	6.8	6.8	6.8	3.7	3.7	3.6	9	9	9	5	--	--	--	--	--	--	--	--	4.1	4.1	4.1	89.8	89.8	89.7	2.6	2.6	2.6	3.4	3.4	3.3	1.4	S	4	S	4.1	4.1	4.1	4.1	4.1	4.1	4.1	0.12	3	3	3	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	3.86	4.75	19.2	22	33.9	40	41.6	53
26/12/2023 18:45	1014.8	1014.8	1014.7	996.4	59.1	59.1	59.1	57	5.7	5.7	5.7	2.8	2.8	2.8	6.8	6.8	6.8	3.7	3.7	3.7	9	9	9	5	--	--	--	--	--	--	--	--	4.1	4.1	4.1	90.0	90.0	89.8	2.6	2.6	2.6	3.4	3.4	3.3	2.4	SSW	5	SSW	4.1	4.1	4.1	4.1	4.1	4.1	4.1	0.2	3	3	2.9	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	3.92	5.00	19.6	23	34.5	44	42.8	59
26/12/2023 18:50	1014.7	1014.8	1014.7	996.3	59.1	59.1	59.1	57	5.7	5.7	5.7	2.9	2.9	2.8	6.8	6.8	6.8	3.8	3.8	3.7	9	9	9	5	--	--	--	--	--	--	--	--	4.1	4.1	4.1	90.0	90.1	89.8	2.6	2.6	2.6	3.4	3.4	3.4	1.5	S	3	SSW	4.0	4.1	4.1	4.1	4.0	4.1	4.0	0.12	2.9	2.9	2.9	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	4.14	5.50	21.2	24	36.3	44	46.0	60
26/12/2023 18:55	1014.7	1014.8	1014.7	996.3	59.1	59.1	59.1	56.7	5.6	5.8	2.9	2.9	2.8	2.8	6.8	6.8	6.8	3.6	3.6	3.5	9	9	9	5	--	--	--	--	--	--	--	--	4.1	4.1	4.1	90.0	90.0	89.9	2.6	2.6	2.6	3.3	3.4	3.3	1.8	SSE	4	SSE	4.1	3.9	4.1	4.1	4.1	4.1	3.9	0.15	2.9	2.9	2.8	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	4.09	5.10	20.5	24	36.0	42	44.8	54
26/12/2023 19:00	1014.7	1014.8	1014.7	996.2	59.1	59.1	59.1	56	5.6	5.6	2.9	2.9	2.8	2.8	6.8	6.8	6.8	3.8	3.8	3.8	9	9	9	5	--	--	--	--	--	--	--	--	4.1	4.1	4.1	90.2	90.2	90.0	2.7	2.7	2.6	3.4	3.4	3.3	2.6	SSE	6	S	3.9	3.9	4.1	3.9	4.1	3.9	4.1	0.21	2.8	3	2.8	0.0	0.0	0	0.00	0.00	0.05	0.00	3.49	3.96	17.2	20	29.4	35	34.5	52
26/12/2023 19:05	1014.7	1014.8	1014.7	996.3	59.1	59.1	59.1	56	5.6	5.6	3.0	3.0	2.9	2.8	6.8	6.8	6.8	3.7	3.8	3.7	8	8	8	5	--	--	--	--	--	--	--	--	4.2	4.2	4.2	90.1	90.2	90.0	2.7	2.7	2.7	3.5	3.5	3.4	2.1	S	4	S	3.8	3.8	4.2	3.8	4.2	3.8	4.2	0.17	2.8	2.8	2.7	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	3.17	3.96	14.7	18	25.6	35	29.2	46
26/12/2023 19:10	1014.8	1014.8	1014.7	996.3	59.1	59.1	59.1	56	5.6	5.6	3.0	3.0	3.0	2.8	6.8	6.8	6.8	3.9	4.1	3.9	8	8	8	5	--	--	--	--	--	--	--	--	4.2	4.3	4.2	89.7	90.1	89.7	2.7	2.8	2.7	3.4	3.6	3.4	0.7	S	2	S	4.2	3.8	4.2	4.3	4.2	4.3	3.8	0.06	3.1	3.2	2.7	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	3.33	3.88	14.7	18	27.5	34	32.1	47
26/12/2023 19:15	1014.7	1014.8	1014.7	996.2	59.1	59.1	59.1	56	5.6	5.6	2.9	3.0	2.9	2.7	6.8	6.8	6.8	3.7	3.8	3.9	3.8	8	8	5	--	--	--	--	--	--	--	--	4.2	4.3	4.2	89.5	89.6	89.5	2.7	2.7	2.7	3.4	3.5	3.4	0.7	S	2	S	4.2	4.2	4.2	4.3	4.2	4.3	4.2	0.06	3.1	3.2	3.1	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	3.63	4.08	15.8	19	31.0	36	27.2	42
26/12/2023 19:20	1014.7	1014.8	1014.7	996.2	59.1	59.1	59.1	56	5.6	5.6	2.8	2.9	2.8	2.7	6.8	6.8	6.8	3.7	3.7	3.7	8	8	8	5	--	--	--	--	--	--	--	--	4.2	4.2	4.2	89.7	89.7	89.5	2.6	2.7	2.6	3.4	3.4	3.4	0.8	S	2	S	4.2	4.2	4.2	4.2	4.2	4.2	4.2	0.07	3.1	3.1	3.1	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	3.56	4.25	16.4	20	30.2	37	36.6	50
26/12/2023 19:25	1014.7	1014.7	1014.7	996.2	59.1	59.1	59.1	56	5.6	5.6	2.8	2.8	2.8	2.8	6.7	6.7	6.7	3.6	3.6	3.6	9	9	9	5	--	--	--	--	--	--	--	--	4.1	4.2	4.1	89.7	89.9	89.7	2.6	2.7	2.5	3.3	3.4	3.3	1.4	S	4	S	4.1	4.1	4.1	4.2	4.1	4.2	4.1	0.11	3	3.1	2.9	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	4.16	5.21	19.9	28	36.5	48	45.6	65
26/12/2023 19:30	1014.7	1014.7	1014.6	996.2	59.1	59.1	59.1	56	5.6	5.6	2.8	2.8	2.8	2.7	6.7	6.7	6.7	3.5	3.6	3.5	9	9	9	5	--	--	--	--	--	--	--	--	4.1	4.1	4.1	89.8	89.8	89.7	2.6	2.6	2.5	3.3	3.3	3.3	1.2	S	3	SSE	4.1	4.1	4.1	4.1	4.1	4.1	4.1	0.1	2.9	3	2.9	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	3.75	5.64	25.3	29	45.3	51	58.7	69
26/12/2023 19:35	1014.6	1014.7	1014.6	996.2	59.1	59.1	59.1	56	5.6	5.6	2.8	2.8	2.8	2.7	6.7	6.7	6.7	3.4	3.5	3.4	9	9	9	5	--	--	--	--	--	--	--	--	3.9	4.1	3.9	90.1	90.1	89.8	2.4	2.6	2.4	3.2	3.3	3.2	1.1	SSE	3	SSE	3.9	3.9	3.9	4.1	3.9	4.1	3.9	0.09	2.8	2.9	2.8	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	3.30	6.21	24.8	28	43.0	48	55.0	67
26/12/2023 19:40	1014.7	1014.7	1014.6	996.2	59.1	59.1	59.1	56	5.6	5.6	2.8	2.8	2.7	2.7	6.7	6.7	6.7	3.3	3.5	3.3	9	9	9	5	--	--	--	--	--	--	--	--	3.9	3.9	3.9	90.2	90.1	89.8	2.5	2.5	2.4	3.2	3.3	3.2	3.2	1.6	S	3	SSE	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.14	2.8	2.8	2.8	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	5.50	6.50	25.4	29	44.0	50	57.7	67
26/12/2023 19:45	1014.6	1014.7	1014.6	996.2	59.1	59.1	59.1	56	5.6	5.6	2.7	2.7	2.7	2.7	6.7	6.7	6.7	3.5	3.5	3.4	9	9	9	5	--	--	--	--	--	--	--	--	3.9	4.0	3.9	90.3	90.3	90.2	2.5	2.6	2.4	3.2	3.3	3.2	0.8	S	3	SSW	3.9	3.9	3.9	4.0	3.9	4.0	3.9	0.07	2.8	2.9	2.8	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	3.79	4.92	17.9	23	33.0	41	40.0	57
26/12/2023 19:50	1014.7	1014.8	1014.7	996.2	59.1	59.1	59.1	56	5.6	5.6	2.6	2.7	2.6	2.7	6.7	6.7	6.7	3.2	3.4	3.2	9	9	9	5	--	--	--	--	--	--	--	--	3.9	3.9	3.9	90.2	90.3	90.2	2.5	2.5	2.3	3.2	3.2	3.2	0.6	SSW	2	SSW	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.05	2.8	2.8	2.8	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	3.63	4.25	17.3	20	31.0	37	36.9	48
26/12/2023 19:55	1014.7	1014.8	1014.7	996.3	59.1	59.1	59.1	56	5.6	5.6	2.6	2.6	2.6	2.6	6.7	6.7	6.7	3.2	3.2	3.1	10	10	9	5	--	--	--	--	--	--	--	--	3.8	3.9	3.8	90.0	90.2	90.0	2.3	2.5	2.3	3.1	3.2	3.1	1.0	SSW	2	SSW	3.8	3.8	3.8	3.9	3.8	3.9	3.8	0.08	2.7	2.8	2.7	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	3.69	4.58	18.7	21	31.8	39	39.1	53
26/12/2023 20:00	1014.7	1014.8	1014.7	996.3	59.1	59.1	59.1	56	5.6	5.6	2.6	2.6	2.6	2.6	6.7	6.7	6.7	3.2	3.2	3.2	10	10	10	5	--	--	--	--	--	--	--	--	3.8	3.8	3.8	90.2	90.3	90.0	2.3	2.4	2.3	3.2	3.2	3.1	0.8	S	2	S	3.8	3.8	3.8	3.8	3.8	3.8	3.8	0.06	2.7	2.7	2.7	0.0	0.0	0	0.00	0.00	0.05	0.00	3.76	4.92	19.2	23	32.7	41	39.0	48
26/12/2023 20:05	1014.7	1014.8	1014.6	996.2	59.1	59.1	59.1	56	5.6	5.6	2.6	2.6	2.6	2.6	6.7	6.7	6.7	3.2	3.2	3.2	10	10	10	5	--	--	--	--	--	--	--	--	3.8	3.8	3.8	90.5	90.5	90.2	2.4	2.4	2.3	3.1	3.2	3.1	1.4	SSW	3	SSW	3.8	3.8	3.8	3.8	3.8	3.8	3.8	0.11	2.7	2.7	2.7	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	4.41	5.10	21.6	24	37.9	42	48.9	60
26/12/2023 20:10	1014.6	1014.8	1014.6	996.2	59.1	59.1	59.1	56	5.6	5.6	2.8	2.8	2.7	2.7	6.7	6.7	6.7	3.2	3.2	3.2	11	11	11	5	--	--	--	--	--	--	--	--	3.8	3.8	3.7	90.6	90.7	90.6	2.4	2.4	2.3	3.1	3.1	3.1	1.4	SSW	3	SSW	3.8	3.7	3.8	3.8	3.8	3.8	3.7	0.12	2.7	2.7	2.6	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	4.40	5.20	21.9	24	37.9	43	46.7	59
26/12/2023 20:15	1014.7	1014.7	1014.6	996.2	59.1	59.1	59.1	56	5.6	5.6	2.7	2.8	2.7	2.7	6.7	6.7	6.7	3.2	3.2	3.2	11	11	11	5	--	--	--	--	--	--	--	--	3.7	3.8	3.7	90.7	90.8	90.6	2.3	2.4	2.3	3.1	3.1	3.1	1.8	SSW	4	S	3.7	3.7	3.7	3.8	3.7	3.8	3.7	0.15	2.6	2.7	2.6	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	4.41	5.50	22.0	24	38.0	44	47.1	61
26/12/2023 20:20	1014.8	1014.7	1014.7	996.2	59.1	59.1	59.1	56	5.6	5.6	2.7	2.8	2.7	2.7	6.7	6.7	6.7	3.2	3.2	3.2	12	12	12	5	--	--	--	--	--	--	--	--	3.7	3.8	3.7	90.8	90.9	90.8	2.3	2.4	2.3	3.1	3.1	3.1	0.9	S	3	S	3.7	3.7	3.7	3.8	3.7	3.8	3.7	0.07	2.6	2.7	2.6	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	4.96	5.90	23.7	27	41.3	46	52.9	63
26/12/2023 20:25	1014.8	1014.9	1014.8	996.4	59.1	59.1	59.1	55	5.5	5.5	2.7	2.7	2.7	2.7	6.7	6.7	6.7	3.0	3.2	3.0	12	12	12	5	--	--	--	--	--	--	--	--	3.6	3.7	3.6	90.6	90.7	90.5	2.2	2.3	2.2	2.9	3.1	2.9	0.6	SSW	2	S	3.6	3.6	3.6	3.7	3.6	3.7	3.6	0.05	2.5	2.6	2.5	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	5.35	6.07	25.0	28	43.3	47	55.5	64
26/12/2023 20:30	1014.9	1015.0	1014.8	996.5	59.1	59.1	59.1	55	5.5	5.5	2.7	2.7	2.7	2.7	6.7	6.7	6.7	3.0	3.0	3.0	12	12	12	5	--	--	--	--	--	--	--	--	3.6	3.6	3.6	90.7	90.7	90.6	2.2	2.2	2.2	2.9	2.9	2.9	0.6	SSW	2	S	3.6	3.6	3.6	3.6	3.6	3.6	3.6	0.05	2.4	2.5	2.4	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	5.07	6.07	24.5	29	41.9	47	53.1	63
26/12/2023 20:35	1014.9	1014.9	1014.8	996.4	59.1	59.1	59.1	55	5.5	5.5	2.7	2.7	2.7	2.7	6.7	6.7	6.7	3.0	3.0	3.0	12	12	12	5	--	--	--	--	--	--	--	--	3.5	3.6	3.5	91.1	91.1	90.8	2.2	2.2	2.1	2.9	2.9	2.9	0.8	SSW	3	SSW	3.5	3.5	3.5	3.6	3.5	3.6	3.5	0.07	2.4	2.4	2.4	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	4.58	5.70	22.3	26	39.0	45	49.0	59
26/12/2023 20:40	1014.8	1014.8	1014.7	996.3	59.1	59.1	59.1	55	5.5	5.5	2.7	2.7	2.7	2.7	6.7	6.7	6.7	3.0	3.0	2.9	12	12	12	5	--	--	--	--	--	--	--	--	3.5	3.6	3.4	91.1	91.1	91.1	2.2	2.2	2.1	2.9	2.9	2.8	0.8	SSW	5	S	3.5	3.4	3.5	3.5	3.5	3.6	3.4	0.07	2.4	2.4	2.3	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	4.60	5.70	22.1	26	39.1	45	50.1	62
26/12/2023 20:45	1014.8	1014.9	1014.8	996.4	59.1	59.1	59.1	55	5.5	5.5	2.8	2.8	2.7	2.7	6.7	6.7	6.7	3.2	3.2	3.0	13	13	13	5	--	--	--	--	--	--	--	--	3.5	3.5	3.4	91.4	91.4	91.2	2.2	2.2	2.0	2.9	2.9	2.8	1.4	S	5	S	3.5	3.4	3.5	3.5	3.5	3.6	3.4	0.12	2.4	2.4	2.3	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	4.38	5.30	21.0	23	37.8	43	47.3	61
26/12/2023 20:50	1014.8	1014.8	1014.8	996.4	59.1	59.1	59.1	55	5.5	5.5	2.9	2.9	2.8	2.7	6.7	6.7	6.7	3.4	3.4	3.2	13	13	13	5	--	--	--	--	--	--	--	--	3.6	3.6	3.5	91.6	91.6	91.4	2.4	2.4	2.2	3.1	3.1	2.9	1.9	S	5	SSW	3.6	3.5	3.6	3.6	3.6	3.6	3.5	0.16	2.5	2.6	2.4	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	3.95	4.92	19.1	23	34.9	41	42.9	54
26/12/2023 20:55	1015.0	1015.0	1014.8	996.5	59.1	59.1	59.1	55	5.5	5.5	3.0	3.0	2.9	2.7	6.7	6.7	6.7	3.5	3.5	3.4	13	13	13	5	--	--	--	--	--	--	--	--	3.7	3.7	3.6	91.5	91.6	91.4	2.4	2.4	2.4	3.1	3.1	3.1	1.1	S	3	S	3.7	3.6	3.7	3.7	3.7	3.7	3.6	0.09	2.6	2.6	2.5	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	3.86	4.42	18.8	22	33.8	38	42.2	53
26/12/2023 21:00	1015.0	1015.0	1014.9	996.5	59.1	59.1	59.1	55	5.5	5.5	3.0	3.0	3.0	2.7	6.7	6.7	6.7	3.3	3.5	3.2	13	13	13	5	--	--	--	--	--	--	--	--	3.6	3.7	3.6	91.1	91.5	91.1	2.3	2.4	2.3	3.0	3.1	3.0	0.5	SSW	2	SSW	3.6	3.6	3.6	3.7	3.6	3.7	3.6	0.04	2.5	2.6	2.5	0.0	0.0	0	0.00	0.00	0.05	0.00	4.75	6.07	22.9	27	40.0	47	50.7	64
26/12/2023 21:05	1014.8	1015.0	1014.8	996.4	59.1	59.1	59.1	55	5.5	5.5	3.0	3.0	3.0	2.7	6.7	6.7	6.7	3.1	3.2	3.1	13	13	13	5	--	--	--	--	--	--	--	--	3.6	3.6	3.5	91.1	91.1	91.0	2.3	2.3	2.2	2.9	3.0	2.9	0.0	SSW	1	SSW	3.6	3.5	3.6	3.6	3.6	3.6	3.5	0.0	2.4	2.5	2.4	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	5.67	6.50	26.6	29	44.8	50	56.0	66
26/12/2023 21:10	1014.8	1014.8	1014.6	996.1	59.1	59.1	59.1	55	5.5	5.5	2.9	3.0	2.9	2.7	6.7	6.7	6.7	2.9	3.0	2.9	13	13	13	5	--	--	--	--	--	--	--	--	3.4	3.6	3.4	91.1	91.2	91.1	2.1	2.2	2.1	2.8	2.9	2.8	0.0		0		3.4	3.4	3.4	3.6	3.4	3.6	3.4	0.0	2.3	2.4	2.3	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	6.03	7.50	28.4	35	46.7	56	59.9	72
26/12/2023 21:15	1014.7	1014.7	1014.5	996.2	59.1	59.1	59.1	55	5.5	5.5	2.9	2.9	2.9	2.7	6.7	6.7	6.7	2.8	2.8	2.8	13	13	13	5	--	--	--	--	--	--	--	--	3.4	3.4	3.4	91.2	91.2	91.1	2.1	2.1	2.1	2.8	2.8	2.8	0.0		0		3.4	3.4	3.4	3.4	3.4	3.4	3.4	0.0	2.3	2.3	2.3	0.0	0.0	0	--	0	0.00	0.00	0.05	0.00	6.65	8.08	32.3	35	51.0	59	66.5	77
26/12/2023 21:20	1014.6	1014.6	1014.6	996.1	59.1	59.1	59.1	54.9	5.4	5.4	2.9	2.9	2.9	2.7	6.7	6.7	6.7	2.8	2.8	2.8	13	13	13	5	--	--	--	--	--	--	--	--	3.3	3.3	3.3	91.3	91.3	91.1	2.0	2.1	1.9	2.7	2.8	2.7	0.0		0		3.3	3.3	3.3	3.3	3.3	3.3	3.3	0.0	2.2	2.2	2.2	0.0	0.0	0	--	0	0.00	0

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -cb | Soil High Moist cb | Soil Low Moist cb | Soil Temp °C | High Soil Temp °C | Low Soil Temp °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | High Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Temp 24" °C | High Soil Temp 24" °C | Low Soil Temp 24" °C | Leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind Dir | Wind Sonic Run MPH | Wind Dir °C | Temp °C | High Temp °C | Low Temp °C | Out °C | Humidity &% | High Humidity % | Low Humidity % | Dew Point °C | High Dew Point °C | Low Dew Point °C | Wet Bulb °C | High Wet Bulb °C | Low Wet Bulb °C | Wind Ave Speed MPH | Wind Dir Div | Wind Run MPH | Wind Chill °C | Low Wind Chill °C | Heat Index °C | High Heat Index °C | THW Index °C | THW High Index °C | THW Low Index °C | Wind Run Mi | THSW Index °C | THSW High Index °C | THSW Low Index °C | Rain mm | Rain Rate mm | Solar Rad W/m² | Solar Rad High W/m² | ET MM | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -cb | Soil Moist cb | Soil Moist cb | High Soil Temp °C | Low Soil Temp °C | Soil Temp 6" °C | Low Soil Temp 6" °C | Grass High Min °C | Grass Low Min °C | Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Temp 24" °C | Low Soil Temp 24" °C | Soil Temp 36" °C | Low Soil Temp 36" °C | leaf Wetness Wetness | High Leaf Wetness Wetness | Low Leaf Wetness Wetness | Leaf Wetness 1 Minute Wetness | Wind Sonic Ave Speed MPH | Wind Sonic Dir Mi | Wind Sonic Prev High Speed MPH | Wind Sonic High Wind Dir | Wind Sonic High Wind Run Mi | Wind Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Ave Speed MPH | Wind Dir MPH | Wind Analogue Ave Speed MPH | Wind Analogue Dir MPH | Wind Analogue High MPH | Wind Analogue Dir MPH | Wind Analogue Chill °C | Wind Chill °C | Low Wind Chill °C | Heat Index °C | High Heat Index °C | THW Index °C | High THW Index °C | Low THW Index °C | Low Analogue THW Index °C | THSW Index °C | High THSW Index °C | Low THSW Index °C | Rain mm | High Rain Rate mm | Solar Rad W/m² | High Solar Rad W/m² | Solar ET MM | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink Index AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink PM2 ug/m³ | AirLink PM2 2.5 - ug/m³ | AirLink PM 10 ug/m³ | AirLink PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -cb | Soil Moist cb | Soil Moist cb | High Soil Temp °C | Low Soil Temp °C | Soil Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | Soil High Temp 12" °C | Soil Low Temp 12" °C | Soil Temp 24" °C | Soil High Temp 24" °C | Soil Low Temp 24" °C | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev | Wind Sonic High Speed MPH | Wind Sonic Dir High Wind | Wind Sonic Ave Speed High Wind MPH | Wind Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Ave Speed | Wind Dir | Wind Analogue Ave Speed | Wind Analogue Dir | Wind Analogue High | Wind Analogue Dir | Wind Chill °C | Wind Chill Index °C | Heat Index °C | High Heat Index °C | THSW Index °C | THW Index °C | Low THW Index °C | Analogue run | THSW Index mm | THSW Index °C | Rain Rate mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad W/m² | High Solar Rad W/m² | ET MM | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -cb | Soil Moist cb | Soil Moist °C | Soil Temp 6" °C | Soil Temp 6" °C | Soil Low Temp 6" °C | Grass High Min °C | Grass Low Min °C | Soil Temp 12" °C | Soil Temp 12" °C | Soil Low Temp 12" °C | Sun Temp °C | Sun Temp °C | Sun Low Temp °C | Leaf Wetness | Leaf Wetness | Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind Dir | Wind Sonic Mi | Wind Run | Temp High °C | Temp Out °C | Temp Low °C | Humidity High % | Humidity Out % | Humidity Low % | Dew Point High °C | Dew Point Out °C | Dew Point Low °C | Wet Bulb High °C | Wet Bulb Out °C | Wet Bulb Low °C | Wind Analogue Ave Speed | Wind Analogue Dir | Wind Analogue High | Wind Analogue High Dir | Chill High °C | Chill Out °C | Chill Low °C | Heat High °C | Heat Out °C | Heat Low °C | THW High Index °C | THW Out Index °C | THW Low Index °C | Wind run mi | THSW High Index °C | THSW Out Index °C | THSW Low Index °C | Rain mm | Rain High Rate mm | Solar Rad W/m² | Solar Rad High W/m² | ET MM | UV Index | UV High Index | UV Dose MEDs | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink PM2 ug/m³ | AirLink PM2 2.5 - ug/m³ | AirLink PM 10 ug/m³ | AirLink PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -cb | Soil Moist cb | High Soil Moist cb | Low Soil Moist cb | Soil Temp 6" °C | High Soil Temp 6" °C | Low Soil Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | High Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Temp 24" °C | High Soil Temp 24" °C | Low Soil Temp 24" °C | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic High Speed MPH | Wind Sonic Dir | Wind Sonic High Wind MPH | Wind Sonic Dir | Wind Out MPH | High Wind Out MPH | Low Wind Out MPH | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Analogue Ave Speed | Wind Analogue Dir | Wind Analogue High MPH | Wind Analogue Dir | Wind Analogue High Dir | Wind Chill °C | Low Wind Chill °C | Heat Index °C | High Heat Index °C | THW Index °C | THW High Index °C | THW Low Index °C | Wind run Mi | Wind Run Mi | High Rain Rate mm | High Solar Rate W/m² | Solar Rad W/m² | Solar Rad High W/m² | ET MM | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist cb | High Soil Temp cb | Low Soil Temp °C | High Soil Temp 6" °C | Low Soil Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | High Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Temp °C | High Soil Temp °C | Low Soil Temp °C | Sun Hours | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Prev Dir | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Sonic Wind Dir | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Ave Speed MPH | Wind Analogue Ave Speed MPH | Wind Analogue High MPH | Wind Analogue High Dir | Wind Chill °C | Low Wind Chill °C | Heat Index °C | High Heat Index °C | THW Index °C | High THW Index °C | Low THW Index °C | Analogue run MPH | THSW Index °C | High THSW Index °C | Low THSW Index °C | Rain mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad W/m² | ET MM | Index | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -- cb | Soil Moist cb | High Soil Moist cb | Low Soil Moist cb | Soil Temp 6" °C | High Soil Temp 6" °C | Low Soil Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | High Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Temp °C | High Soil Temp °C | Low Soil Temp °C | leaf Wetness Wetness | High Leaf Wetness Wetness | Low Leaf Wetness Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev | Wind Sonic High Speed MPH | Wind Sonic High Wind Dir | Wind Sonic Run MPH | Wind Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Analogue Ave Speed MPH | Wind Analogue High Dir | Wind Analogue High MPH | Wind Analogue Dir | Wind Analogue Run MPH | Chill °C | Wind Chill °C | Heat °C | High Heat Index °C | Low Heat Index °C | THW Index °C | High THW Index °C | Low THW Index °C | Wind run Mi | THSW Index °C | High THSW Index °C | Low THSW Index °C | Rain mm | Rain Rate mm | High Rain Rate mm | Solar Rad W/m² | High Solar Rad W/m² | ET MM | Index | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink PM2.5 ug/m³ | AirLink High PM2.5 ug/m³ | AirLink PM 2.5 - 1 ug/m³ | AirLink PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist mb | Soil Moist -cb | Soil Moist cb | Low Soil Temp 6" °C | Low Soil Temp 6" °C | Low Soil Temp 6" °C | Grass High Min °C | Grass Low Min °C | Low Grass Temp 12" °C | Low Soil Temp 12" °C | Low Soil Temp 12" °C | Low Soil Temp 12" °C | Sun Temp Out °C | Sun Temp Out °C | Sun Temp Out °C | Leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Dir | Wind Sonic Prev | Wind Sonic High Speed MPH | Wind Sonic High Wind MPH | Wind Sonic Dir | Wind Run MPH | Wind Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Apparent Ave Speed MPH | Wind Apparent Dir MPH | Wind Apparent High MPH | Wind Apparent Dir MPH | Wind Apparent Low MPH | Wind Chill °C | Low Wind Chill °C | Heat Index °C | High Heat Index °C | THW Index °C | THW High Index °C | THW Low Index °C | Wind run MPH | THSW Index °C | THSW High Index °C | THSW Low Index °C | Rain mm | Rain Rate mm | Solar Rad W/m² | Solar Rad High W/m² | ET MM | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist cb | Soil Moist cb | Soil Moist cb | Soil Temp 6" °C | Soil High Temp 6" °C | Soil Low Temp 6" °C | Grass Min °C | High Grass Min °C | Low Grass Min °C | Soil Temp 12" °C | Soil High Temp 12" °C | Soil Low Temp 12" °C | Soil Temp Sun °C | High Sun Temp °C | Low Sun Temp °C | leaf Wetness | High Leaf Wetness | Low Leaf Wetness | Leaf Wetness 1 Minute | Wind Sonic Ave Speed MPH | Wind Sonic Prev MPH | Wind Sonic High Speed MPH | Wind Sonic Dir | Wind Sonic High Wind | Wind Sonic Mi | Wind Temp °C | High Temp °C | Low Temp °C | Humidity % | High Humidity % | Low Humidity % | Dew Point °C | High Dew Point °C | Low Dew Point °C | Wet Bulb °C | High Wet Bulb °C | Low Wet Bulb °C | Wind Ave Speed MPH | Wind Analogue Ave Speed MPH | Wind Analogue Prev MPH | Wind Analogue High MPH | Wind Analogue High Dir | Chill °C | Wind Chill °C | Heat °C | High Heat °C | Low Heat °C | THW Index °C | High THW Index °C | Low THW Index °C | THSW Index °C | High THSW Index °C | Rain mm | Rain Rate mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad W/m² | High Solar Rad W/m² | ET MM | Index | UV Index | High UV Index | UV Dose MED | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink PM2.5 ug/m³ | AirLink High PM2.5 ug/m³ | AirLink PM10 ug/m³ | AirLink High PM10 ug/m³ |
|---|---|---

| Date & Time | Bar mb | Bar High mb | Bar Low mb | Bar Absolute mb | Soil Moist -cb | Soil Moist cb | High Soil Moist cb | Low Soil Moist cb | Soil Temp 6" °C | High Soil Temp 6" °C | Low Soil Temp 6" °C | Soil Temp 12" °C | High Soil Temp 12" °C | Low Soil Temp 12" °C | Soil Temp 24" °C | High Soil Temp 24" °C | Low Soil Temp 24" °C | Leaf Wetness | Leaf Wetness | Leaf Wetness 1 Minute | Wind Speed Min MPH | Wind Gust Min MPH | Wind Speed Min MPH | Wind Speed Ave Speed MPH | Wind Gust Dir | Wind Speed Prev MPH | Wind Gust High Speed MPH | Wind Gust High Wind MPH | Wind Run MPH | Sonic Wind Out MPH | Temp Out °C | High Temp Out °C | Low Temp Out °C | Humidity Out % | High Humidity Out % | Low Humidity Out % | Dew Point Out °C | High Dew Point Out °C | Low Dew Point Out °C | Wet Bulb Out °C | High Wet Bulb Out °C | Low Wet Bulb Out °C | Wind Speed Ave Speed MPH | Wind Gust Dir | Wind Run MPH | Analogue High Div | Analogue High MPH | Analogue High Dir | Chill °C | Wind Chill °C | Heat Index °C | High Heat Index °C | THW Index °C | High THW Index °C | Low THW Index °C | Wind run mm | Rain mm | High Rain Rate mm | Solar Rad W/m² | Solar Rad W/m² | ET MM | Index | UV Index | High UV Index | Heating Degree Days | Cooling Degree Days | AirLink AQI | AirLink High AQI | AirLink PM1 ug/m³ | AirLink High PM1 ug/m³ | AirLink PM 2.5 ug/m³ | AirLink High PM 2.5 ug/m³ | AirLink PM 10 ug/m³ | AirLink High PM 10 ug/m³ |
|---|---|---

Date & Time	Bar High mb	Bar Low mb	Bar Absolute mb	Soil Moist - cb	High Soil Moist cb	Low Soil Moist cb	Soil Temp 6" °C	Soil High Temp 6" °C	Soil Low Temp 6" °C	Grass Min °C	High Grass Min °C	Low Grass Min °C	Soil Temp 12" °C	Soil High Temp 12" °C	Soil Low Temp 12" °C	Sun Temp °C	High Sun Temp °C	Low Sun Temp °C	leaf Wetness	High Leaf Wetness	Low Leaf Wetness	Leaf Wetness 1 Minute	Wind Sonic Ave Speed MPH	Wind Sonic Prev Dir	Wind Sonic High Speed MPH	Wind Sonic High Wind Dir	Sonic Wind Run Mi	Temp Out °C	High Temp Out °C	Low Temp Out °C	Humidity Out %	High Humidity Out %	Low Humidity Out %	Dew Point Out °C	High Dew Point Out °C	Low Dew Point Out °C	Wet Bulb Out °C	High Wet Bulb Out °C	Low Wet Bulb Out °C	Wind Analogue Ave Speed MPH	Wind Analogue Prev Dir	Wind Analogue High MPH	Wind Analogue High Dir	Wind Chill °C	Low Wind Chill °C	Heat Index °C	High Heat Index °C	THW Index °C	High THW Index °C	Low THW Index °C	Analogue Wind run Mi	THSW Index °C	High THSW Index °C	Low THSW Index °C	Rain Rate mm	High Rain Rate mm	Solar Rad W/m²	Solar High Rad W/m²	ET MM	UV Index Index	High UV Index	UV Dose Meds	Heating Degree Days	Cooling Degree Days	AirLink AQI	AirLink High AQI	AirLink PM1 ug/m³	AirLink High PM1 ug/m³	AirLink PM 2.5 ug/m³	AirLink High PM 2.5 - ug/m³	AirLink PM 10 ug/m³	AirLink High PM 10 ug/m³
31/12/2023 22:10	984.4	984.5	984.3	966.4	60.8	60.8	60.8	5.6	5.6	5.6	4.8	4.8	4.5	6.1	6.1	6.1	4.4	4.5	4.4	13	14	13	5	--	--	--	--	--	5.1	5.1	5.0	90.7	90.7	90.5	3.7	3.7	3.6	4.3	4.4	4.3	4.4	WSW	13	W	2.8	2.4	5.1	5.1	2.8	2.9	2.4	0.37	1.7	1.8	1.3	0.2	0.8	0	0	--	0	0.00	0.00	0.05	0.00	1.09	1.17	0.4	2	1.0	2	1.6	6
31/12/2023 22:15	984.3	984.5	984.3	966.3	60.8	60.8	60.8	5.6	5.6	5.6	4.7	4.8	4.7	6.1	6.1	6.1	4.3	4.4	4.3	13	13	13	5	--	--	--	--	--	5.1	5.1	5.0	90.8	90.8	90.8	3.7	3.7	3.6	4.3	4.3	4.3	5.6	SW	14	S	3.0	2.9	5.1	5.1	3.0	3.0	2.9	0.47	1.9	1.9	1.8	0.0	0.2	0	0	--	0	0.00	0.00	0.05	0.00	1.06	1.17	0.1	1	0.7	2	1.3	7
31/12/2023 22:20	984.6	984.6	984.3	966.5	60.8	60.8	60.8	5.6	5.6	5.6	4.6	4.7	4.5	6.1	6.1	6.1	4.4	4.4	4.3	13	14	13	5	--	--	--	--	--	5.1	5.1	5.1	90.7	90.7	90.7	3.7	3.7	3.7	4.3	4.3	4.3	6.8	SW	18	WSW	3.0	3.0	5.1	5.1	3.0	3.2	3.0	0.57	1.9	2.1	1.9	0.0	0.2	0	0	--	0	0.00	0.00	0.05	0.00	1.03	1.09	0.1	1	0.4	1	0.8	4
31/12/2023 22:25	984.6	984.6	984.6	966.6	61.1	61.1	60.8	5.6	5.6	5.6	4.8	4.8	4.6	6.1	6.1	6.1	4.4	4.4	4.4	14	14	13	5	--	--	--	--	--	5.1	5.1	5.1	90.9	90.9	90.7	3.7	3.7	3.7	4.3	4.4	4.3	7.4	SW	19	SSW	2.5	2.5	5.1	5.1	2.5	2.8	2.5	0.61	1.4	1.7	1.4	0.2	1.0	0	0	--	0	0.00	0.00	0.05	0.00	1.03	1.09	0.0	1	0.3	1	0.3	1
31/12/2023 22:30	984.7	984.8	984.6	966.7	60.8	61.1	60.8	5.6	5.6	5.6	4.3	4.8	4.3	6.1	6.1	6.1	4.3	4.4	4.3	14	14	14	5	--	--	--	--	--	5.1	5.1	5.0	90.7	90.9	90.7	3.7	3.7	3.6	4.3	4.3	4.3	6.5	SSW	15	SW	2.4	2.4	5.1	5.1	2.4	2.5	2.4	0.54	1.3	1.4	1.3	0.0	1.0	0	0	--	0	0.00	0.00	0.05	0.00	1.04	1.09	0.0	1	0.5	1	0.7	3
31/12/2023 22:35	984.9	985.0	984.8	966.8	61.1	61.1	60.8	5.6	5.6	5.6	4.3	4.3	4.2	6.1	6.1	6.1	4.4	4.4	4.3	14	14	14	5	--	--	--	--	--	5.0	5.1	5.0	90.6	90.7	90.6	3.6	3.7	3.6	4.3	4.3	4.3	6.7	SW	15	SSW	2.4	2.3	5.0	5.1	2.4	2.6	2.3	0.56	1.3	1.4	1.2	0.0	1.0	0	0	--	0	0.00	0.00	0.05	0.00	1.04	1.17	0.1	1	0.4	2	1.1	5
31/12/2023 22:40	984.9	985.0	984.9	966.9	60.8	61.1	60.8	5.6	5.6	5.6	4.3	4.3	4.2	6.1	6.1	6.1	4.4	4.4	4.4	14	14	14	5	--	--	--	--	--	5.0	5.1	5.0	90.7	90.7	90.6	3.6	3.7	3.6	4.3	4.3	4.3	6.7	WSW	18	W	2.5	2.4	5.0	5.1	2.5	2.7	2.4	0.56	1.4	1.6	1.3	0.0	1.0	0	0	--	0	0.00	0.00	0.05	0.00	1.01	1.09	0.0	0	0.1	1	1.2	6
31/12/2023 22:45	985.0	985.0	984.9	967.0	61.1	61.1	60.8	5.6	5.6	5.6	4.1	4.4	4.1	6.1	6.1	6.1	4.4	4.5	4.4	14	14	14	5	--	--	--	--	--	5.1	5.1	5.1	90.9	91.1	90.8	3.7	3.8	3.7	4.3	4.4	4.3	7.0	WSW	24	S	2.5	2.4	5.1	5.1	2.5	2.6	2.4	0.58	1.4	1.4	1.3	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.01	1.09	0.0	0	0.1	1	0.6	4
31/12/2023 22:50	985.0	985.0	984.9	967.0	61.1	61.1	61.1	5.6	5.6	5.6	3.8	4.1	3.8	6.1	6.1	6.1	4.3	4.4	4.3	14	14	14	5	--	--	--	--	--	5.1	5.1	5.1	90.9	91.1	90.9	3.7	3.8	3.7	4.3	4.4	4.3	5.8	SW	15	S	2.7	2.6	5.1	5.1	2.7	2.7	2.6	0.48	1.6	1.6	1.4	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.05	1.17	0.2	1	0.6	2	1.4	4
31/12/2023 22:55	985.1	985.1	984.9	967.1	61.1	61.1	61.1	5.6	5.6	5.6	3.7	3.7	3.7	6.1	6.1	6.1	4.3	4.3	4.3	14	14	14	5	--	--	--	--	--	5.1	5.1	5.1	90.7	90.8	90.6	3.7	3.7	3.7	4.3	4.3	4.3	7.6	SW	15	NW	2.7	2.7	5.1	5.1	2.7	2.7	2.7	0.63	1.6	1.6	1.6	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.06	1.17	0.0	1	0.7	2	1.5	6
31/12/2023 23:00	985.1	985.1	985.0	967.1	61.1	61.1	61.1	5.6	5.6	5.6	3.7	3.7	3.6	6.1	6.1	6.1	4.3	4.3	4.3	14	14	14	5	--	--	--	--	--	5.0	5.1	5.0	90.4	90.6	90.4	3.6	3.7	3.6	4.3	4.3	4.3	8.5	SW	19	SSW	2.2	2.2	5.0	5.1	2.2	2.7	2.2	0.71	1.2	1.6	1.2	0.2	0.2	0	0	0.00	0	0.00	0.00	0.05	0.00	1.04	1.17	0.1	1	0.4	2	0.6	4
31/12/2023 23:05	985.2	985.2	985.1	967.2	61.1	61.1	61.1	5.6	5.6	5.6	3.9	3.9	3.7	6.1	6.1	6.1	4.5	4.5	4.3	14	14	14	5	--	--	--	--	--	5.1	5.1	5.0	90.0	90.2	90.0	3.6	3.6	3.5	4.3	4.3	4.2	7.1	SSW	20	SSW	2.2	2.1	5.1	5.1	2.2	2.3	2.1	0.59	1.1	1.2	1	0.0	0.2	0	0	--	0	0.00	0.00	0.05	0.00	1.01	1.09	0.0	0	0.1	1	0.4	3
31/12/2023 23:10	985.2	985.2	985.1	967.2	61.1	61.1	61.1	5.6	5.6	5.6	4.3	4.3	3.9	6.1	6.1	6.1	4.5	4.6	4.5	15	15	14	5	--	--	--	--	--	5.1	5.1	5.1	90.2	90.2	89.9	3.6	3.6	3.6	4.3	4.3	4.3	8.1	SW	17	SSW	2.2	2.2	5.1	5.1	2.2	2.2	2.2	0.67	1.2	1.2	1.1	0.0	0.2	0	0	--	0	0.00	0.00	0.05	0.00	1.03	1.09	0.0	1	0.3	1	0.7	3
31/12/2023 23:15	985.4	985.4	985.2	967.4	61.1	61.1	61.1	5.6	5.6	5.6	4.3	4.3	4.3	6.1	6.1	6.1	4.4	4.5	4.4	15	15	15	5	--	--	--	--	--	5.1	5.1	5.1	90.0	90.0	89.9	3.6	3.6	3.6	4.3	4.3	4.3	6.6	SW	22	S	2.2	2.2	5.1	5.1	2.2	2.4	2.2	0.55	1.2	1.3	1.2	0.0	0.2	0	0	--	0	0.00	0.00	0.05	0.00	1.02	1.17	0.0	1	0.2	2	0.4	3
31/12/2023 23:20	985.7	985.7	985.5	967.7	61.1	61.1	61.1	5.6	5.6	5.6	4.4	4.4	4.3	6.1	6.1	6.1	4.4	4.4	4.4	15	15	15	5	--	--	--	--	--	5.1	5.1	5.1	90.4	90.4	90.0	3.7	3.7	3.6	4.4	4.4	4.3	6.1	WSW	13	WSW	2.6	2.4	5.1	5.1	2.6	2.6	2.4	0.5	1.5	1.5	1.3	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.04	1.17	0.1	1	0.4	2	1.3	4
31/12/2023 23:25	985.6	985.7	985.6	967.6	61.4	61.4	61.1	5.6	5.6	5.6	4.4	4.4	4.4	6.1	6.1	6.1	4.4	4.4	4.4	15	15	15	5	--	--	--	--	--	5.1	5.1	5.1	90.4	90.5	90.4	3.7	3.7	3.6	4.4	4.4	4.3	5.6	SW	14	SSW	3.0	2.6	5.1	5.1	3.0	3.0	2.6	0.46	1.9	1.9	1.5	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.09	1.35	0.4	1	1.0	4	1.8	8
31/12/2023 23:30	985.9	985.9	985.6	967.9	61.4	61.4	61.4	5.6	5.6	5.6	4.3	4.4	4.3	6.1	6.1	6.1	4.4	4.4	4.4	15	15	15	5	--	--	--	--	--	5.1	5.2	5.1	90.6	90.6	90.4	3.7	3.7	3.7	4.3	4.4	4.3	5.5	SW	13	S	3.0	2.9	5.1	5.2	3.0	3.1	2.9	0.46	1.9	1.9	1.8	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.05	1.26	0.1	1	0.6	3	1.0	5
31/12/2023 23:35	985.9	985.9	985.8	967.9	61.4	61.4	61.4	5.6	5.6	5.6	4.3	4.3	4.3	6.1	6.1	6.1	4.4	4.4	4.4	15	15	15	5	--	--	--	--	--	5.1	5.1	5.1	90.7	90.7	90.6	3.7	3.7	3.7	4.4	4.4	4.3	4.9	SW	13	WSW	3.1	3.0	5.1	5.1	3.1	3.1	3.0	0.41	2	2	1.9	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.04	1.17	0.1	1	0.4	2	0.9	3
31/12/2023 23:40	985.9	986.0	985.9	967.9	61.4	61.4	61.4	5.6	5.6	5.6	4.3	4.4	4.3	6.1	6.1	6.1	4.4	4.4	4.4	15	15	15	5	--	--	--	--	--	5.1	5.1	5.1	90.9	90.9	90.7	3.7	3.7	3.7	4.4	4.4	4.4	5.7	SW	15	SSW	3.1	3.1	5.1	5.1	3.1	3.1	3.1	0.47	2	2	2	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.04	1.17	0.0	0	0.4	2	0.9	5
31/12/2023 23:45	985.9	986.0	985.8	967.9	61.4	61.4	61.4	5.6	5.6	5.6	3.9	4.3	3.9	6.1	6.1	6.1	4.3	4.4	4.3	15	15	15	5	--	--	--	--	--	5.1	5.1	5.1	91.1	91.1	91.0	3.8	3.8	3.7	4.4	4.4	4.4	5.2	SSW	12	S	3.1	3.0	5.1	5.1	3.1	3.2	3.0	0.43	2	2.1	1.9	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.01	1.09	0.0	0	0.1	1	0.3	3
31/12/2023 23:50	985.9	986.0	985.8	967.9	61.4	61.4	61.4	5.5	5.6	5.5	3.8	3.9	3.7	6.1	6.1	6.1	4.5	4.5	4.3	15	15	15	5	--	--	--	--	--	5.2	5.2	5.1	91.0	91.1	90.9	3.8	3.8	3.7	4.5	4.5	4.3	5.8	WSW	16	SSW	3.1	3.0	5.2	5.2	3.1	3.1	3.0	0.48	2	2	1.9	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.00	1.09	0.0	0	0.1	1	0.4	3
31/12/2023 23:55	986.2	986.2	986.0	968.2	61.4	61.4	61.4	5.5	5.5	5.5	3.7	3.8	3.7	6.1	6.1	6.1	4.5	4.5	4.4	15	15	15	5	--	--	--	--	--	5.2	5.2	5.1	90.8	91.0	90.8	3.8	3.8	3.8	4.4	4.5	4.4	5.0	SSW	14	W	3.2	3.1	5.2	5.2	3.2	3.2	3.1	0.42	2.1	2.1	1.9	0.0	0.0	0	0	--	0	0.00	0.00	0.05	0.00	1.01	1.09	0.0	0	0.1	1	0.3	2
01/01/2024 00:00	986.3	986.3	986.3	968.3	61.7	61.7	61.7	5.5	5.5	5.5	3.6	3.7	3.6	6.1	6.1	6.1	4.5	4.5	4.5	15	15	15	5	--	--	--	--	--	5.2	5.2	5.1	90.7	90.8	90.7	3.8	3.8	3.7	4.4	4.4	4.4	3.9	W	11	W	3.5	3.2	5.2	5.2	3.5	3.5	3.2	0.33	2.4	2.4	2.1	0.0	0.0	0	0	0.00	0	0.00	0.00	0.05	0.00	1.22	1.78	1.5	6	2.6	9	3.2	9